1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No:		o:	68-012323		Accuracy check date/time: 08/04/2013			
	First ca	librati	on check:		Inter	rferent detected:		
	Second ca	librati	on check:					
Concentration (%W/V) Solution lot#:			:					
Numbe Operate		ested	since last periodic det	ermination of	accuracy:	:		
				Diagnostics	check			
Eeprom Prom Ram Check	Pass Pass Pass sum 60650 Reco	Auto	Serial No. Pass Time clock Pass calibration Pass Download date/time: ported (Y/N) N		ISS	Internal standards Pass Printer Pass Digital voltmeter 2732 Record ID 6018 ostic		
Instrum	nent serial No	o:	68-012323		Accurac	cy check date/time: 08/07/2013	09:22	
First calibration check: Second calibration check: Concentration (%W/V) Solution lot#:				:	Interferent detected: Interferent detected: Soln temp C:			
					Simu	ılator Ser No.		
Numbe	r of people to	ested	since last periodic det	ermination of	accuracy	:		
Operate	or							
				Diagnostics	check			
Eeprom Prom Ram Check	Pass Pass Pass sum 52586		Serial No. Pass Time clock Pass calibration Pass Download date/time:	Temp Pa Motor Pa Range Pa 08/07/2013	ISS	Internal standards Pass Printer Pass Digital voltmeter 2731 Record ID 60J5		
	Reco	ord im	ported (Y/N) N		e Diagno			

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012323 Accuracy check date/time: 08/07/2013 09:23

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 033

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 44434 Download date/time: 08/07/2013 09:28 Record ID 6OG0

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012323 Accuracy check date/time: 08/07/2013 09:25

First calibration check: 109 Interferent detected: No Second calibration check: 111 Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.00

Simulator Ser No. DR3703

2

Number of people tested since last periodic determination of accuracy: 033

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 37991 Download date/time: 08/07/2013 09:28 Record ID 6OH7

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 08/07/2013 68-012323 09:27 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Internal standards Pass Serial No. Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Digital voltmeter 2731 Auto calibration Pass Range Pass Check sum 97600 Record ID 60K6 Download date/time: 08/07/2013 09:28 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012323 Accuracy check date/time: 08/15/2013 08:42 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Eeprom Temp Pass Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 2720 Auto calibration Pass Check sum 54705 Record ID 60Q5 Download date/time: 08/15/2013 08:48 Record imported (Y/N) N Source Diagnostic

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

3

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012323 Accuracy check date/time: 08/15/2013 08:44

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 020

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 28257 Download date/time: 08/15/2013 08:48 Record ID 6008

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012323 Accuracy check date/time: 08/15/2013 08:47

First calibration check: .113 Interferent detected: No Second calibration check: .116 Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.03

Simulator Ser No. DR3703

4

Number of people tested since last periodic determination of accuracy: 020

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 76520 Download date/time: 08/15/2013 08:48 Record ID 6OP6

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	o: 68-012323		Accuracy ch	neck date/time: 08/20/2013	02:31
First ca		Interferent detected:			
	libration check:			nt detected:	
0 (0)		tion lot#:	Soln temp C: Simulator Ser No.		
Invalid sample					
Number of people to	ested since last per	iodic determination of	accuracy:		
Operator	·		·		
		Diagnostic	s check		
Eeprom Prom Ram	Serial No. Real Time clock Auto calibration	Temp Motor Range		Internal standards Printer Digital voltmeter	
Check sum 23678		ate/time: 08/21/2013	09:36	Record ID 60Y3	
	ord imported (Y/N)		ce Exception	Record ID 0010	
Instrument serial No	o: 68-012323		Accuracy ch	neck date/time: 08/20/2013	13:24
First calibration check:			Interferent detected:		
Second ca	libration check:		Interferent detected:		
Concentration (%W	tion lot#:	Soln temp C: Simulator Ser No.			
Ambient air condition					
Ambient all condition	on				
		iodic determination of	accuracy:		
		iodic determination of	accuracy:		
Number of people to		iodic determination of			
Number of people to			s check	 Internal standards	
Number of people to Operator Eeprom Prom	ested since last per	Diagnostic	s check	Internal standards Printer	
Number of people to Operator Eeprom	ested since last per	Diagnostic: Temp	s check		
Number of people to Operator Eeprom Prom	Serial No. Real Time clock Auto calibration	Diagnostic: Temp Motor	s check	Printer	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

5

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrun	nent serial N		68-012323			cy check date/time:		09:29
	First ca	alibratio	on check:		Inte	rferent detected:		
	Second ca	alibratio	on check:		Inte	rferent detected:		
Concentration (%W/V)		//V)	Solution lot#:		Soln temp C: Simulator Ser No.			
Numbe Operat		ested :	since last periodic de	termination of	accuracy	<i>/</i> :		
				Diagnostics	check			
Eeprom Prom Ram Check	Pass Pass Pass sum 21334	Auto	Serial No. Pass Time clock Pass calibration Pass Download date/time:	Temp Pa Motor Pa Range Pa	ass	Digital voltme	ter Pass	
	Rec	ord imp	oorted (Y/N) N		ce Diagn			
Instrun	nent serial N	0:	68-012323		Accura	cy check date/time:	08/21/2013	09:31
	First ca	alibratio	on check: Not perform	ied	Inte	rferent detected:	No	
	Second ca	alibratio	on check:Not perform	ied	Inte	rferent detected:	No	
Concentration (%W/V) Solution lot#:			t:		Soln temp C: ulator Ser No.			
Numbe Operat		ested s	since last periodic de	termination of	accuracy	/: 035		
				Diagnostics	check			
Eeprom Prom Ram		Auto	Serial No. Time clock calibration	Temp Motor Range		Internal standa Prin Digital voltme	ter	
Check	sum 18312		Download date/time:		09:36		91D 60V6	
	Rec	ord imp	orted (Y/N) N	Sour	ce Calibr	ation		

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

6

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012323 Accuracy check date/time: 08/21/2013 09:34

First calibration check: .114 Interferent detected: No Second calibration check: .115 Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.02

Simulator Ser No. DR3703

Number of people tested since last periodic determination of accuracy: 035

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 36521 Download date/time: 08/21/2013 09:36 Record ID 6OW5

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012323 Accuracy check date/time: 08/30/2013 01:42

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

7

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 44802 Download date/time: 08/30/2013 08:27 Record ID 6P78

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No:	68-012323		ccuracy check date/time:		08:16
	ta a ale a al				
First calibrat			Interferent detected:		
Second calibrat	ion cneck:		Interferent detected:		
Concentration (%W/V)	Solution lot#	:	Soln temp C: Simulator Ser No.		
Number of people tested Operator	since last periodic det	ermination of acc	uracy:		
		Diagnostics ch	eck		
_	Serial No. Pass I Time clock Pass calibration Pass Download date/time:	Temp Pass Motor Pass Range Pass 08/30/2013 08:	Digital voltme	ter Pass	
Record im	ported (Y/N) N	Source D	iagnostic		
Instrument serial No:	68-012323	Ad	ccuracy check date/time:	08/30/2013	08:17
First calibrat	ion check: Not perform	ed	Interferent detected:	No	
Second calibrat	ion check:Not perform	ed	Interferent detected:	No	
Concentration (%W/V)	Solution lot#	:	Soln temp C: Simulator Ser No.		
Number of people tested Operator	since last periodic det	ermination of acc	uracy: 032		
		Diagnostics ch	eck		
Eeprom	Serial No.	Temp	Internal standa	rds	
	I Time clock	Motor	Prin		
_	calibration	Range	Digital voltme		

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

8

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012323 Accuracy check date/time: 08/30/2013 08:23

First calibration check: .115 Interferent detected: No Second calibration check: .116 Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.03

Simulator Ser No. DRXXXX

Number of people tested since last periodic determination of accuracy: 032

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 21219 Download date/time: 08/30/2013 08:27 Record ID 6P56

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012323 Accuracy check date/time: 08/30/2013 17:28

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

9

Ambient air condition

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 43039 Download date/time: 09/05/2013 08:07 Record ID 6QZ8

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 08/30/2013 68-012323 17:33 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Invalid sample Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Auto calibration Range Digital voltmeter Check sum 23989 Record ID 6R09 Download date/time: 09/05/2013 08:07 Record imported (Y/N) N Source Exception