1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial N	o: 68-012336	Accuracy	y check date/time: 02/01/2015	00:52
	alibration check: alibration check:		erent detected: erent detected:	
Concentration (%W	//V) Solution lot#		oln temp C: ator Ser No.	
Unstable reference				
	ested since last periodic de	etermination of accuracy:		
Operator				
		Diagnostics check		
Eeprom Prom Ram	Serial No. Real Time clock Auto calibration	Temp Motor Range	Internal standards Printer Digital voltmeter	
Check sum 50860	Download date/time	_	Record ID 7QI4	
Reco	ord imported (Y/N) N	Source Exception		
Instrument serial N	o: 68-012336	Accuracy	y check date/time: 02/05/2015	08:09
First ca	alibration check:	Interfe	erent detected:	
Second ca	alibration check:	Interfe	erent detected:	
Concentration (%W/V) Solution lot#:			oln temp C: ator Ser No.	
Number of people to	ested since last periodic de	etermination of accuracy:		
Operator				
		Diagnostics check		
Eeprom Pass	Serial No. Pass	Temp Pass	Internal standards Pass	
Prom Pass Ram Pass	Real Time clock Pass	Motor Pass	Printer Pass	
Check sum 14360	Auto calibration Pass	Range Pass	Digital voltmeter 3514	
OHECK 30H 14300	Download data /:	· 02/05/2015 00:22	Pacard ID 70H1	
	Download date/time ord imported (Y/N) N	: 02/05/2015 08:22 Source Diagnos	Record ID 7QH1	

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012336 Accuracy check date/time: 02/05/2015 08:12

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 027

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 26886 Download date/time: 02/05/2015 08:22 Record ID 7QF5

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012336 Accuracy check date/time: 02/05/2015 08:16

First calibration check: 120 Interferent detected: No Second calibration check: 120 Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.00

Simulator Ser No. DR3707

2

Number of people tested since last periodic determination of accuracy: 027

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 33276 Download date/time: 02/05/2015 08:22 Record ID 7QG8

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial N	o: 68-012336		Accuracy check date/time:		09:47
	alibration check: alibration check:		Interferent dete		
Concentration (%W	V/V) Solu	tion lot#:	Soln temp C Simulator Ser N		
Ambient air condition	on				
Number of people to	ested since last per	odic determination of	accuracy:		
Operator					
		Diagnostics	s check	_	
Eeprom Prom Ram	Serial No. Real Time clock Auto calibration	Temp Motor Range		l standards Printer al voltmeter	
Check sum 57495		ate/time: 02/12/2015	08:56	Record ID 7QX6	
Reco	ord imported (Y/N)		ce Exception		
Instrument serial N	o: 68-012336		Accuracy check da	ate/time: 02/08/2015	14:34
First ca	alibration check:		Interferent dete	cted:	
Second ca	alibration check:		Interferent dete	cted:	
Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No.					
Unstable reference)				
Number of people to	ested since last per	odic determination of	accuracy:		
Operator					
		Diagnostics	s check	_	
Eeprom	Serial No.	Temp	Interna	I standards	
Prom	Real Time clock	Motor		Printer	
Ram	Auto calibration	Range	Digita	al voltmeter	
Charleaum 2002E				D I ID 70V2	
Check sum 38935	Download da	te/time: 02/12/2015	08:56	Record ID 7QY3	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

3

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial	No: 68-012336	Accura	acy check date/time: 02/09/2015	18:08
	calibration check:		erferent detected:	
Second	calibration check:	Inte	erferent detected:	
Concentration (%	W/V) Solution le		Soln temp C: ulator Ser No.	
Number of people	e tested since last periodic	determination of accurac	y:	
		Diagnostics check		
Eeprom Pass Prom Pass Ram Pass Check sum 4361 Re	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/tinecord imported (Y/N) N	Temp Pass Motor Pass Range Pass ne: 02/12/2015 08:56 Source Diagr	Internal standards Pass Printer Pass Digital voltmeter 3471 Record ID 7QV0	
Instrument serial	No: 68-012336	Accura	acy check date/time: 02/12/2015	08:50
	calibration check: calibration check: .W/V) Solution le	Inte	erferent detected: erferent detected: Soln temp C:	
·	, Coladon I		ulator Ser No.	
	e tested since last periodic	determination of accurac	y:	
Operator				
		Diagnostics check		
Eeprom Pass Prom Pass Ram Pass	Serial No.Pass Real Time clock Pass Auto calibration Pass	Temp Pass Motor Pass Range Pass	Internal standards Pass Printer Pass Digital voltmeter 3501	
Check sum 4015	Dominoda dato, ini		Record ID 7QW7	
D.=	cord imported (Y/N) N	Source Diagr	voctic	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012336 Accuracy check date/time: 02/12/2015 08:53

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 016

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 46211 Download date/time: 02/12/2015 08:56 Record ID 7QU7

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012336 Accuracy check date/time: 02/12/2015 08:59

First calibration check: .121 Interferent detected: No Second calibration check: .122 Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.00

Simulator Ser No. DR3707

5

Number of people tested since last periodic determination of accuracy: 016

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 47507 Download date/time: 02/12/2015 08:58 Record ID 7QZ6

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

	•	CI JOUGET I CHOUN		•		ı
Instrumer	nt serial No	o: 68-012336	Acc	curacy check date/time	: 02/19/2015	08:07
First calibration check:			Interferent detected:			
9	Second ca	libration check:		Interferent detected:		
Concentra	ation (%W	/V) Solution		Soln temp C: Simulator Ser No.		
Number o	f people te	ested since last periodic	determination of accu	racy:		
			Diagnostics che	eck		
Prom P	ass ass ass	Serial No. Pass Real Time clock Pass Auto calibration Pass	Temp Pass Motor Pass Range Pass	Internal standa Prin Digital voltme	iter Pass	
Check su		Download date/til ord imported (Y/N) N	me: 02/19/2015 08:1 Source Dia		d ID 7RT7	
Instrumer	nt serial No	o: 68-012336	Acc	curacy check date/time	: 02/19/2015	08:09
(libration check: Not perfolionation check: Not perfo		Interferent detected:	No No	
Concentration (%W/V) Solution lot#:			Soln temp C: Simulator Ser No.			
Number o	f people te	ested since last periodic	determination of accu	racy: 022		
			Diagnostics che	eck		
Eeprom Prom Ram		Serial No. Real Time clock Auto calibration	Temp Motor Range	Internal standa Prir Digital voltme	iter	
Check sur		Download date/til	me: 02/19/2015 08:1 Source Ca	5 Recor	d ID 7RR9	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

6

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012336 Accuracy check date/time: 02/19/2015 08:14

First calibration check: 122 Interferent detected: No Second calibration check: 122 Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.00

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 022

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 21707 Download date/time: 02/19/2015 08:15 Record ID 7RS6

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012336 Accuracy check date/time: 02/26/2015 07:43

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

7

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromPassSerial No. PassTemp PassInternal standardsPromPassReal Time clockMotor PassPrinterRamPassAuto calibration PassRange FailDigital voltmeter ???

Check sum 25195 Download date/time: 02/26/2015 07:57 Record ID 7S75

Record imported (Y/N) N Source Diagnostic

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012336 Accuracy check date/time: 02/26/2015 07:44

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 023

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 47902 Download date/time: 02/26/2015 07:57 Record ID 7S37

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012336 Accuracy check date/time: 02/26/2015 07:51

First calibration check: .119 Interferent detected: No

Second calibration check: Aborted Interferent detected:

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.00

Simulator Ser No. DR3707

8

Number of people tested since last periodic determination of accuracy: 023

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 57920 Download date/time: 02/26/2015 07:57 Record ID 7S40

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012336 Accuracy check date/time: 02/26/2015 07:52

First calibration check: Unstable reference Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 60975 Download date/time: 02/26/2015 07:57 Record ID 7S57

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012336 Accuracy check date/time: 02/26/2015 07:52

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

9

Unstable reference

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 11103 Download date/time: 02/26/2015 07:57 Record ID 7S95

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012336 Accuracy check date/time: 02/26/2015 07:54

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromPassSerial No. PassTemp PassInternal standardsPromPassReal Time clockMotor PassPrinterRamPassAuto calibration PassRange FailDigital voltmeter ???

Check sum 24565 Download date/time: 02/26/2015 07:57 Record ID 7S88

Record imported (Y/N) N Source Diagnostic

Instrument serial No: 68-012336 Accuracy check date/time: 02/26/2015 07:56

First calibration check: Aborted Interferent detected:

Second calibration check: Not performed Interferent detected: No.

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.00

Simulator Ser No. DR3707

10

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 43520 Download date/time: 02/26/2015 07:57 Record ID 7S68

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.