	Crimin 14 Long	<b>alistics I</b> 400 Cana Beach, C	<b>e Department</b> L <b>aboratory</b> al Ave Ca 90813 ax: (562) 570-7704			
Intoxilyzer	5000EN Periodic Dete	erminatior	n of Accuracy /	Maintenar	nce Record	b
Instrument serial No:	68-012335		Accuracy check	date/time: 0	1/02/2014	09:21
First calibra Second calibra	ation check: ation check:		Interferent de Interferent de			
Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No.						
Number of people teste Operator	d since last periodic deterr					
	Dia	agnostics	S CNECK			
_	Serial No. Pass al Time clock Pass to calibration Pass	Temp Pa Motor Pa Range Pa	ass	nal standard Printe ital voltmete	r Pass	
Check sum 53596 Record i	Download date/time: 01, mported (Y/N) N		09:32 ce Diagnostic	Record I	D 6X20	
Instrument serial No:	68-012335		Accuracy check	date/time: 0	1/02/2014	09:24
	ation check:Not performed ation check:Not performed Solution lot#:		Interferent de Interferent de Soln temp Simulator Ser	tected: C:	No No	
Number of people teste Operator	d since last periodic deterr	nination of	accuracy: 040			
-	Dia	agnostics	check	_		
Ram Au	Serial No. al Time clock to calibration	Temp Motor Range		nal standard Printe ital voltmete	r er	
Check sum 18852 Record i	Download date/time:01/ mported (Y/N) N		09:32 ce Calibration	Record I	D 6X15	

	Cr	<b>iminalistics I</b> 1400 Cana Long Beach, (	al Ave		
Intoxilyz	er 5000EN Periodic	Determination	n of Accuracy / Mainte	enance Record	
Instrument serial No:	68-012335		Accuracy check date/tin	ne: 01/02/2014 09:3	4
	bration check: 117 bration check: 118		Interferent detected: Interferent detected:	No No	
Concentration (%W/	V) .119 Solution le	ot#:IRS022113	Soln temp C: 34. Simulator Ser No. DR		
Number of people tes Operator G GOSSA	sted since last periodic GE 7885	determination of Diagnostics			
		C			
Eeprom	Serial No.	Temp	Internal stan	dards rinter	
	Real Time clock Auto calibration	Motor Range	ے Digital volt		
Check sum 93150	Download date/tin	-		ord ID 6X42	
Recor	d imported (Y/N) N		ce Calibration		
Instrument serial No:	68-012335		Accuracy check date/tin	ne: 01/03/2014 14:0	7
First cali	bration check:		Interferent detected:		
Second cali	bration check:		Interferent detected:		
Concentration (%W/	V) Solution le	ot#:	Soln temp C: Simulator Ser No.		
Invalid sample					
Number of people tes	sted since last periodic	determination of	accuracy:		
Operator					
		Diagnostics	check		
Eeprom	Serial No.	Temp	Internal stan	dards	
	Real Time clock	Motor		rinter	
	Auto calibration	Range	Digital volt		
Check sum 36499	Download date/tin		09:31 Rec ce Exception	ord ID 6XC2	
Recol	d imported (Y/N) N	Source			

	Crimir 1 Long	ch Police Depa nalistics Labora 400 Canal Ave Beach, Ca 908 0-7680 Fax: (562)	<b>tory</b> 13	
Intoxilyzer 5	000EN Periodic Det	ermination of Ac	curacy / Maintenance Recor	d
Instrument serial No:	68-012335	Accura	acy check date/time: 01/07/2014	15:48
First calibrati Second calibrat			erferent detected: erferent detected:	
Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No.				
Number of people tested Operator	since last periodic deter	mination of accurac	y:	
	Di	agnostics check		
<b>D</b> -	Serial No. Pass Time clock Pass calibration Pass Download date/time: 01	Temp Pass Motor Pass Range Pass /09/2014 09:31	Internal standards Pass Printer Pass Digital voltmeter 2744 Record ID 6XA2	
Record im	ported (Y/N) N	Source Diagn	ostic	
Instrument serial No:	68-012335	Accura	acy check date/time: 01/09/2014	09:17
First calibrati Second calibrat			erferent detected: erferent detected:	
Concentration (%W/V)	Solution lot#:		Soln temp C: ulator Ser No.	
Number of people tested Operator	since last periodic deter	mination of accurac	y:	
	Di	agnostics check		
	Serial No. Pass Time clock Pass calibration Pass	Temp Pass Motor Pass Range Pass	Internal standards Pass Printer Pass Digital voltmeter 2778	
Check sum 27027	Download date/time: 01		Record ID 6XB5	
Record im	ported (Y/N) N	Source Diagn	ostic	

	<b>Cri</b> L	<b>minalistics I</b> 1400 Cana ong Beach, 0	al Ave	
Intoxilyz	er 5000EN Periodic	Determinatio	n of Accuracy / Mainten	ance Record
Instrument serial No:	68-012335		Accuracy check date/time	01/09/2014 09:19
	bration check:Not perfor bration check:Not perfor		Interferent detected: Interferent detected:	No No
Concentration (%W/	V) Solution lo	t#:	Soln temp C: Simulator Ser No.	
Number of people tes Operator	sted since last periodic d			
		Diagnostics	s check	
-	Serial No. Real Time clock Auto calibration Download date/tim	Temp Motor Range	Internal standa Prin Digital voltme 09:31 Record	iter
	d imported (Y/N) N		ce Calibration	
Instrument serial No:	68-012335		Accuracy check date/time	: 01/09/2014 09:26
	bration check: 119 bration check: 120		Interferent detected: Interferent detected:	No No
Concentration (%W/	V) .119 Solution lo	t#:IRS022113	Soln temp C: 34.02 Simulator Ser No. DR37	
Number of people tes Operator G GOSSA	sted since last periodic d GE 7885	etermination of	accuracy: 012	
		Diagnostics	check	
_	Serial No. Real Time clock Auto calibration Download date/tim	Temp Motor Range e: 01/09/2014	Internal standa Prin Digital voltme 09:31 Record	iter
Recor	d imported (Y/N) N		ce Calibration	

	Crir	Beach Police E ninalistics La 1400 Canal A ong Beach, Ca 570-7680 Fax:	<b>boratory</b> Ave 90813	
Intoxily	zer 5000EN Periodic E	Determination of	of Accuracy / Maintenance Rec	cord
Instrument serial N			Accuracy check date/time: 01/16/201	
	libration check: alibration check:		Interferent detected: Interferent detected:	
Concentration (%W	//V) Solution lot	#:	Soln temp C: Simulator Ser No.	
Number of people to Operator	ested since last periodic de	etermination of ac	curacy:	
		Diagnostics cl	heck	
Eeprom Pass Prom Pass Ram Pass Check sum 26767	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/time	Temp Pass Motor Pass Range Pass :: 01/16/2014 09	Printer Pass Digital voltmeter 2739	
Reco	ord imported (Y/N) N	Source	Diagnostic	
Instrument serial N	o: 68-012335	P	Accuracy check date/time: 01/16/201	4 09:15
Second ca	libration check:Not perform alibration check:Not perform	ned	Interferent detected: No Interferent detected: No	
Concentration (%N	//V) Solution lot	#:	Soln temp C: Simulator Ser No.	
Number of people to Operator	ested since last periodic de	etermination of ac	curacy: 024	
		Diagnostics cl	heck	
Eeprom	Serial No.	Temp	Internal standards	
Prom	Real Time clock	Motor	Printer	
Ram	Auto calibration	Range	Digital voltmeter	
Check sum 10194	Download date/time		9:23 Record ID 6XJ9	
Reco	ord imported (Y/N) N	Source	Calibration	

	Cr	<b>iminalistics I</b> 1400 Cana ₋ong Beach, (	al Ave	
Intoxilyz	er 5000EN Periodic	Determination	n of Accuracy / Mainten	ance Record
Instrument serial No	: 68-012335		Accuracy check date/time	: 01/16/2014 09:19
	ibration check: 119 ibration check: 120		Interferent detected: Interferent detected:	No No
Concentration (%W/	V) .119 Solution lo	ot#:IRS022113	Soln temp C: 34.02 Simulator Ser No. DR37	
Number of people te Operator G GOSSA	sted since last periodic o GE 7885			
		Diagnostics		
Eeprom	Serial No.	Temp	Internal standa	
P	Real Time clock Auto calibration	Motor Range	Prir Digital voltm	
Check sum 49265	Download date/tim	-		d ID 6XK6
Recor	rd imported (Y/N) N		ce Calibration	
Instrument serial No	: 68-012335		Accuracy check date/time	: 01/20/2014 02:13
First cali	ibration check:		Interferent detected:	
Second cal	ibration check:		Interferent detected:	
Concentration (%W/	V) Solution Ic	ot#:	Soln temp C: Simulator Ser No.	
Invalid sample				
	sted since last periodic of	determination of	accuracy:	
Operator				
		Diagnostics	check	
Eeprom	Serial No.	Temp	Internal standa	ards
_	Real Time clock	Motor	Prir	
Ram Check sum 43135	Auto calibration	Range	Digital voltme	
	Download date/tim rd imported (Y/N) N		10:57 Recor	rd ID 6Y18
1,0001		20010	=	

		Cr L	Beach Police D iminalistics Lat 1400 Canal A ong Beach, Ca ) 570-7680 Fax:	ooratory ve 90813	
	Intoxilyze	r 5000EN Periodic	Determination o	f Accuracy / Mainten	ance Record
Instrum	ent serial No:	68-012335	А	ccuracy check date/time	: 01/23/2014 10:52
		ration check: pration check:		Interferent detected: Interferent detected:	
Concen	tration (%W/V	) Solution Ic	t#:	Soln temp C: Simulator Ser No.	
Number Operato		ted since last periodic o	letermination of acc	suracy:	
			Diagnostics ch	neck	
Prom Ram	Pass A	Serial No. Pass Real Time clock Pass uto calibration Pass	Temp Pass Motor Pass Range Pass	Digital voltm	nter Pass eter 2675
Check s	um 23022 Record	Download date/tim imported (Y/N) N		:57 Recoi Diagnostic	rd ID 6Y05
Instrum	ent serial No:	68-012335		ccuracy check date/time	:: 01/23/2014 10:53
		ration check: STD		Interferent detected:	No
Concen	tration (%W/V	oration check:Not perfore		Interferent detected: Soln temp C: Simulator Ser No.	No
Number Operato		ted since last periodic o	letermination of acc	suracy: 040	
			Diagnostics ch	neck	
Eeprom Prom Ram Check s		Serial No. Real Time clock uto calibration Download date/tim	Temp Motor Range e: 01/23/2014 10	Digital voltm	nter
	Record	imported (Y/N) N	Source (	Calibration	

Prom       Real Time clock       Motor       Printer         Ram       Auto calibration       Range       Digital voltmeter         Check sum 64967       Download date/time: 01/23/2014       10:57       Record ID 6Y21         Record imported (Y/N) N       Source Exception       Interferent detected:       No         Instrument serial No:       68-012335       Accuracy check date/time: 01/23/2014       11:09         First calibration check:.109       Interferent detected:       No       No         Second calibration check:.115       Interferent detected:       No         Concentration (%W/V) .119       Solution lot#: IRS022113       Soln temp C: 34.03 Simulator Ser No. DR3707         Number of people tested since last periodic determination of accuracy: 040       Operator G GOSSAGE 7885         Diagnostics check		C	<b>Beach Police</b> riminalistics L 1400 Cana Long Beach, C 2) 570-7680 Fa	<b>aboratory</b> Il Ave		
First calibration check:       Interferent detected:         Second calibration check:       Interferent detected:         Concentration (%W/V)       Solution lot#:       Solution S	Intoxilyz	zer 5000EN Periodio	c Determinatior	n of Accuracy / Maintenance R	ecord	
Second calibration check:       Interferent detected:         Concentration (%W/V)       Solution lot#:       Soln temp C:         Simulator Ser No.       Internal standard out of tolerance         Number of people tested since last periodic determination of accuracy:       Operator         Operator	Instrument serial No	o: 68-012335		Accuracy check date/time: 01/23/2	2014 10:53	
Internal standard out of tolerance Number of people tested since last periodic determination of accuracy: Operator  Diagnostics check Eeprom Serial No. Temp Internal standards Prom Real Time clock Motor Printer Ram Auto calibration Range Digital voltmeter Check sum 64967 Download date/time: 01/23/2014 10:57 Record ID 6Y21 Record imported (Y/N) N Source Exception Instrument serial No: 68-012335 Accuracy check date/time: 01/23/2014 11:09  First calibration check::109 Second calibration check::115 Concentration (%W/V) .119 Solution lot#:IRS022113 Solit temp C: 34.03 Simulator Ser No. DR3707 Number of people tested since last periodic determination of accuracy: 040 Operator G GOSSAGE 7885  Eeprom Serial No. Temp Internal standards Prom Real Time clock Motor Printer Check sum 58230 Download date/time: 01/23/2014 11:08 Record ID 6Y81						
Number of people tested since last periodic determination of accuracy:   Operator   Diagnostics check     Eeprom   Real Time clock   Motor   Prom   Real Time clock   Motor   Printer   Ram   Auto calibration   Range   Digital voltmeter   Check sum 64967   Download date/time: 01/23/2014   10:57   Record ID 6Y21   Record imported (Y/N) N   Source Exception   Interferent detected: No Second calibration check::109 Interferent detected: No Second calibration check::115 <interferent (%w="" .119<="" concentration="" detected:="" no="" td="" v)="">   Number of people tested since last periodic determination of accuracy: 040 Operator G GOSSAGE 7885 Diagnostics check Eeprom   Prom Serial No.   Temp Internal standards   Prom Real Time clock   Muto calibration Range   Diagnostics check   Eeprom Serial No. Temp Internal standards Prom   Real Time clock Motor   Prom Real Time clock   Motor Printer   Ram Auto calibration   Ram Auto calibration</interferent>	Concentration (%W	/V) Solution	lot#:	•		
Operator	Internal standard ou	ut of tolerance				
Diagnostics check         Eeprom       Serial No.       Temp       Internal standards         Prom       Real Time clock       Motor       Printer         Ram       Auto calibration       Range       Digital voltmeter         Check sum 64967       Download date/time: 01/23/2014       10:57       Record ID 6Y21         Record imported (Y/N) N       Source Exception       Source Exception         Instrument serial No:       68-012335       Accuracy check date/time: 01/23/2014       11:09         First calibration check::109       Interferent detected:       No         Second calibration check::115       Interferent detected:       No         Concentration (%W/V)       .119       Solution lot#: IRS022113       Soln temp C: 34.03         Simulator Ser No. DR3707       Number of people tested since last periodic determination of accuracy:       040         Operator G GOSSAGE 7885	Number of people te	ested since last periodic	determination of	accuracy:		
Eeprom       Serial No.       Temp       Internal standards         Prom       Real Time clock       Motor       Printer         Ram       Auto calibration       Range       Digital voltmeter         Check sum 64967       Download date/time: 01/23/2014       10:57       Record ID 6Y21         Record imported (Y/N)       N       Source Exception         Instrument serial No:       68-012335       Accuracy check date/time: 01/23/2014       11:09         First calibration check:       .109       Interferent detected:       No         Second calibration check:       .109       Interferent detected:       No         Concentration (%W/V)       .119       Solution lot#: IRS022113       Soln temp C: 34.03         Simulator Ser No. DR3707       Number of people tested since last periodic determination of accuracy: 040         Operator G GOSSAGE 7885	Operator					
Prom       Real Time clock       Motor       Printer         Ram       Auto calibration       Range       Digital voltmeter         Check sum 64967       Download date/time: 01/23/2014       10:57       Record ID 6Y21         Record imported (Y/N) N       Source Exception       Source Exception         Instrument serial No:       68-012335       Accuracy check date/time: 01/23/2014       11:09         First calibration check:.109       Interferent detected:       No         Second calibration check:.115       Interferent detected:       No         Concentration (%W/V)       .119       Solution lot#:IRS022113       Soln temp C: 34.03         Simulator Ser No. DR3707       Simulator Ser No. DR3707       Diagnostics check         Eeprom       Serial No.       Temp       Internal standards         Prom       Real Time clock       Motor       Printer         Ram       Auto calibration       Range       Digital voltmeter         Check sum 58230       Download date/time: 01/23/2014       11:08       Record ID 6Y81			Diagnostics	check		
Instrument serial No:       68-012335       Accuracy check date/time: 01/23/2014       11:09         First calibration check: 109       Interferent detected:       No         Second calibration check: 115       Interferent detected:       No         Concentration (%W/V)       .119       Solution lot#: IRS022113       Soln temp C: 34.03         Simulator Ser No. DR3707       Solution lot#: IRS022113       Soln temp C: 34.03         Number of people tested since last periodic determination of accuracy:       040         Operator G GOSSAGE 7885	Ram Check sum 64967	Real Time clock Auto calibration Download date/til	Motor Range me: 01/23/2014	Printer Digital voltmeter 10:57 Record ID 6Y2	21	
First calibration check: 109 Second calibration check: 115       Interferent detected: No         Concentration (%W/V) .119       Solution lot#: IRS022113       Soln temp C: 34.03 Simulator Ser No. DR3707         Number of people tested since last periodic determination of accuracy: 040       Operator G GOSSAGE 7885         Diagnostics check         Eeprom       Serial No.       Temp       Internal standards         Prom       Real Time clock       Motor       Printer         Ram       Auto calibration       Range       Digital voltmeter         Check sum 58230       Download date/time: 01/23/2014       11:08       Record ID 6Y81	Reco	ira importea (Y/N) N	Source	e Exception		
Second calibration check:.115       Interferent detected:       No         Concentration (%W/V) .119       Solution lot#:IRS022113       Soln temp C: 34.03 Simulator Ser No. DR3707         Number of people tested since last periodic determination of accuracy:       040         Operator G GOSSAGE 7885       Diagnostics check         Eeprom       Serial No.       Temp         Internal standards       Printer         Ram       Auto calibration       Range         Digital voltmeter       Check sum 58230         Download date/time: 01/23/2014       11:08       Record ID 6Y81	Instrument serial No	o: 68-012335		Accuracy check date/time: 01/23/2	2014 11:09	
Number of people tested since last periodic determination of accuracy: 040         Operator G GOSSAGE 7885         Diagnostics check         Eeprom       Serial No.         Temp       Internal standards         Prom       Real Time clock       Motor         Printer       Ram       Auto calibration       Range       Digital voltmeter         Check sum 58230       Download date/time: 01/23/2014       11:08       Record ID 6Y81						
Operator G GOSSAGE 7885         Diagnostics check         Diagnostics check         Eeprom       Serial No.       Temp       Internal standards         Prom       Real Time clock       Motor       Printer         Ram       Auto calibration       Range       Digital voltmeter         Check sum 58230       Download date/time: 01/23/2014       11:08       Record ID 6Y81	Concentration (%W	/V) .119 Solution	lot#:IRS022113	-		
EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeterCheck sum 58230Download date/time: 01/23/201411:08Record ID 6Y81			determination of	accuracy: 040		
PromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeterCheck sum 58230Download date/time: 01/23/201411:08Record ID 6Y81			Diagnostics	check		
Record imported (Y/N) N Source Calibration	Ram Check sum 58230	Real Time clock Auto calibration Download date/til	Motor Range me: 01/23/2014	Printer Digital voltmeter 11:08 Record ID 6Y8	31	
	Reco	rd imported (Y/N) N	Sourc	e Calibration		

	Crii	Beach Police D minalistics Lab 1400 Canal A ong Beach, Ca 570-7680 Fax: (	oratory ve 90813	
Intoxilyz	zer 5000EN Periodic [	Determination of	f Accuracy / Maintenance Record	
Instrument serial No	o: 68-012335	A	ccuracy check date/time: 01/30/2014 09:	32
	libration check:		Interferent detected:	
	libration check:		Interferent detected:	
Concentration (%W	/V) Solution lot	#:	Soln temp C: Simulator Ser No.	
Number of people te Operator	ested since last periodic de			
		Diagnostics ch	neck	
Eeprom Pass Prom Pass Ram Pass Check sum 53620 Reco	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/time ord imported (Y/N) N		Internal standards Fail Printer Pass Digital voltmeter 2644 :41 Record ID 6YB6 Diagnostic	
Instrument serial No			ccuracy check date/time: 01/30/2014 09:	37
	libration check: 114 libration check: 116 /V) .119 Solution lot	#:IRS022113	Interferent detected: No Interferent detected: No Soln temp C: 34.01	
			Simulator Ser No. DR3707	
Number of people te Operator G GOSS/	ested since last periodic de AGE 7885	etermination of acc	suracy: 032	
		Diagnostics ch	neck	
Eeprom	Serial No.	Temp	Internal standards	
Prom	Real Time clock	Motor	Printer	
Ram	Auto calibration	Range	Digital voltmeter	
Check sum 21004	Download date/time	e: 01/30/2014 09	:41 Record ID 6YA3	
Reco	rd imported (Y/N) N	Source (	Calibration	

	C	Beach Polic riminalistics 1400 Can Long Beach, 2) 570-7680 F	<b>Laboratory</b> al Ave Ca 90813	,	
Intoxily	zer 5000EN Periodic	Determinatio	on of Accura	icy / Maintenance Recor	d
Instrument serial N	lo: 68-012335		Accuracy c	heck date/time: 01/31/2014	17:35
	alibration check: alibration check: V/V) Solution I	lot#:	Interfere Soln	ent detected: ent detected: temp C: or Ser No.	
Ambient air conditi	ion				
Number of people	tested since last periodic	determination of	f accuracy:		
Operator					
		Diagnostic	s check		
Eeprom Prom Ram	Serial No. Real Time clock Auto calibration	Temp Motor Range		Internal standards Printer Digital voltmeter	
Check sum 48628	Download date/tir	me: 02/06/2014	09:06	Record ID 6YN8	
Rec	ord imported (Y/N) N	Sour	rce Exception		