1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrum	nent serial No	o: (68-012335		Accurac	cy check date/time: 07	7/02/2014	04:24
First calibration check:				Interferent detected:				
	Second ca	libratior	n check:		Inter	ferent detected:		
Concentration (%W/V) Solution lot			ot#:	#: Soln temp C: Simulator Ser No.				
Invalid	sample							
Numbe	r of people te	ested si	nce last periodic	determination of	accuracy:			
Operate	or							
				Diagnostics	check			
Eeprom Prom			Serial No. ïme clock	Temp Motor		Internal standards Printer		
Ram			alibration	Range		Digital voltmeter		
Check	sum 34731	С	ownload date/tim	ne: 07/02/2014	09:21	Record II	7AA7	
	Reco	rd impo	orted (Y/N) N	Sourc	e Except	ion		
Instrum	nent serial No	o: (68-012335		Accurac	cy check date/time: 07	7/02/2014	09:12
	First ca	libration	check:		Inter	ferent detected:		
	Second ca	libration	n check:		Inter	ferent detected:		
Concentration (%W/V) Solution lot			ot#: Soln temp C: Simulator Ser No.					
Numbe	r of people te	ested sii	nce last periodic	determination of	accuracy:			
Operate			·		·			
				Diagnostics	check			
Eeprom	Pass	;	Serial No. Pass	Temp Pa	SS	Internal standards	s Pass	
Prom	Pass		ime clock Pass	Motor Pa		Printer		
Ram	Pass		alibration Pass	Range Pa	SS	Digital voltmeter		
Check	sum 57745		ownload date/tim		09:21	Record II	7A96	
	Reco	rd impo	orted (Y/N) N	Sourc	e Diagno	stic		

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 07/02/2014 09:16

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 035

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 28903 Download date/time: 07/02/2014 09:21 Record ID 7A76

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 07/02/2014 09:20

First calibration check: 108 Interferent detected: No Second calibration check: 108 Interferent detected: No

Concentration (%W/V) .112 Solution lot#: IRS021314 Soln temp C: 34.10

Simulator Ser No. DR3707

2

Number of people tested since last periodic determination of accuracy: 035

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 59760 Download date/time: 07/02/2014 09:21 Record ID 7A81

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	o: 68-012335		Accuracy check da	te/time: 07/04/2014	17:53
	libration check: alibration check:		Interferent detec		
Concentration (%W	//V) Solution I	ot#:	Soln temp C: Simulator Ser No		
Invalid sample Number of people to	ested since last periodic	determination of	accuracy:		
Operator	·		•		
		Diagnostics	check		
Eeprom Prom Ram Check sum 35755 Reco	Serial No. Real Time clock Auto calibration Download date/tir			standards Printer voltmeter Record ID 7AW0	
Instrument serial No	o: 68-012335		Accuracy check date	te/time: 07/05/2014	04:12
	llibration check: alibration check: //V) Solution I	ot#:	Interferent detection interferent detection Soln temp C: Simulator Ser No.	eted:	
Invalid sample Number of people to Operator	ested since last periodic	determination of	accuracy:		
		Diagnostics	check		
Eeprom Prom Ram Check sum 25840	Serial No. Real Time clock Auto calibration Download date/tir	Temp Motor Range ne: 07/10/2014		standards Printer voltmeter Record ID 7AX9	
Reco	ord imported (Y/N) N	Source	e Exception		

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

3

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	o: 68-012335	Accura	acy check date/time: 07/08/2014	19:42
	libration check: alibration check:		erferent detected: erferent detected:	
Concentration (%W	//V) Solution lot#	t: Sim		
Unstable reference Number of people to Operator	ested since last periodic de	termination of accurac	y:	
Operator		Diagnostics check		
Eeprom Prom Ram Check sum 10382 Recc	Serial No. Real Time clock Auto calibration Download date/time: ord imported (Y/N) N	Temp Motor Range	Internal standards Printer Digital voltmeter Record ID 7AY0	
Instrument serial No	o: 68-012335	Accura	acy check date/time: 07/10/2014	08:53
	ulibration check: alibration check: //V) Solution lot#	Inte	erferent detected: erferent detected: Soln temp C: ulator Ser No.	
Number of people to Operator	ested since last periodic de	termination of accurac	y:	
	-	Diagnostics check		
Eeprom Pass Prom Pass Ram Pass Check sum 16969 Recc	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/time: ord imported (Y/N) N	Temp Pass Motor Pass Range Pass 07/10/2014 09:02 Source Diagn	Internal standards Pass Printer Pass Digital voltmeter 3074 Record ID 7AV9	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 07/10/2014 08:55

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 043

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 65010 Download date/time: 07/10/2014 09:02 Record ID 7AU6

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 07/10/2014 09:03

First calibration check: 107 Interferent detected: No Second calibration check: 107 Interferent detected: No

Concentration (%W/V) .112 Solution lot#: IRS021314 Soln temp C: 34.07

Simulator Ser No. DR3707

5

Number of people tested since last periodic determination of accuracy: 043

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 10229 Download date/time: 07/10/2014 09:03 Record ID 7AZ3

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	68-012335	Accura	acy check date/time: 07/16/2014	03:24
	ibration check: libration check:		erferent detected: erferent detected:	
Concentration (%W/	V) Solution lot#	: Sim		
Unstable reference	ara da da carla da			
Operator	sted since last periodic det	ermination of accurac	y.	
		Diagnostics check		
Check sum 34915	Serial No. Real Time clock Auto calibration Download date/time: rd imported (Y/N) N	Temp Motor Range 07/18/2014 08:55 Source Excep	Internal standards Printer Digital voltmeter Record ID 7BG4	
Instrument serial No	68-012335	Accura	acy check date/time: 07/18/2014	08:37
	ibration check: libration check: 'V) Solution lot#	Inte	erferent detected: erferent detected: Soln temp C:	
		Sim	ulator Ser No.	
Number of people te Operator	sted since last periodic det	ermination of accurac	y:	
		Diagnostics check		
Eeprom Pass Prom Pass Ram Pass Check sum 96010 Reco	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/time:	Temp Pass Motor Pass Range Pass 07/18/2014 08:55 Source Diagr	Internal standards Pass Printer Pass Digital voltmeter 3052 Record ID 7BE4	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

6

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 07/18/2014 08:46

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 025

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 54731 Download date/time: 07/18/2014 08:55 Record ID 7BC2

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 07/18/2014 08:51

First calibration check: 106 Interferent detected: No Second calibration check: 108 Interferent detected: No

Concentration (%W/V) .112 Solution lot#: IRS021314 Soln temp C: 34.02

Simulator Ser No. DR3707

7

Number of people tested since last periodic determination of accuracy: 025

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 61980 Download date/time: 07/18/2014 08:55 Record ID 7BD9

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrur	ment serial N	lo: 68-012335		accuracy check date/time: 07/18/2	
First calibration check:				Interferent detected:	
	Second ca	alibration check:		Interferent detected:	
Conce	entration (%V	V/V) Solutio	on lot#:	Soln temp C: Simulator Ser No.	
Numbe Operat		tested since last perio	dic determination of acc	curacy:	
			Diagnostics ch	neck	
Eeprom Prom Ram Check	Pass Pass sum 23097	Serial No. Pas Real Time clock Pas Auto calibration Pas Download date ord imported (Y/N) N	Motor Pass Range Pass e/time: 07/18/2014 08	Internal standards Pass Printer Pass Digital voltmeter 3046 Record ID 7BF Diagnostic	S S
Inetrur	nent serial N			accuracy check date/time: 07/25/2	014 03:45
IIISIIUI	nent senai iv	06-012333	,	couracy check date/time. 07/25/2	014 03.45
	First ca	alibration check:		Interferent detected:	
	Second ca	alibration check:		Interferent detected:	
Concentration (%W/V) Solution lot#:		on lot#:	Soln temp C: Simulator Ser No.		
Invalid	l sample				
Numbe	er of people t	ested since last perio	dic determination of acc	curacy:	
Operat	tor	·		·	
			Diagnostics ch	neck	
		Serial No.	Temp	Internal standards	
Eeprom				5	
Eeprom Prom		Real Time clock	Motor	Printer	
•		Real Time clock Auto calibration	Motor Range	Printer Digital voltmeter	
Prom Ram	sum 11284	Auto calibration	Range e/time: 07/31/2014 10		V5

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

8

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 07/26/2014 68-012335 21:41 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Digital voltmeter 3032 Auto calibration Pass Range Pass Check sum 40470 Record ID 7BU5 Download date/time: 07/31/2014 10:10 Source Diagnostic Record imported (Y/N) N Instrument serial No: 68-012335 Accuracy check date/time: 07/26/2014 21:43 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 036 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 59525 Record ID 7BS3 Download date/time: 07/31/2014 10:10 Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

9

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 07/26/2014 21:47

First calibration check: 102 Interferent detected: No Second calibration check: 102 Interferent detected: No

Concentration (%W/V) .112 Solution lot#: IRS021314 Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 036

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 54943 Download date/time: 07/31/2014 10:10 Record ID 7BT0

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 07/28/2014 22:40

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

10

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 36451 Download date/time: 07/31/2014 10:10 Record ID 7BX4

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 07/29/2014 68-012335 03:14 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Invalid sample Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Auto calibration Range Digital voltmeter Check sum 12594 Record ID 7BY9 Download date/time: 07/31/2014 10:10 Record imported (Y/N) N Source Exception