

**Long Beach Police Department**

**Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340 Accuracy check date/time: 05/01/2015 00:11

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |                  |                    |
|-------------------------|--------------------------------|------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp             | Internal standards |
| Prom                    | Real Time clock                | Motor            | Printer            |
| Ram                     | Auto calibration               | Range            | Digital voltmeter  |
| Check sum 17575         | Download date/time: 05/07/2015 | 08:20            | Record ID 7YL8     |
| Record imported (Y/N) N |                                | Source Exception |                    |

---

Instrument serial No: 68-012340 Accuracy check date/time: 05/07/2015 08:14

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |                   |                |       |      |                    |      |
|-------------------------|--------------------------------|-------------------|----------------|-------|------|--------------------|------|
| Eeprom                  | Pass                           | Serial No.        | Pass           | Temp  | Pass | Internal standards | Pass |
| Prom                    | Pass                           | Real Time clock   | Pass           | Motor | Pass | Printer            | Pass |
| Ram                     | Pass                           | Auto calibration  | Pass           | Range | Pass | Digital voltmeter  | 3640 |
| Check sum 35940         | Download date/time: 05/07/2015 | 08:20             | Record ID 7YK1 |       |      |                    |      |
| Record imported (Y/N) N |                                | Source Diagnostic |                |       |      |                    |      |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department**

**Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340 Accuracy check date/time: 05/07/2015 08:16

First calibration check: Not performed

Interferent detected: No

Second calibration check: Not performed

Interferent detected: No

Concentration (%W/V)

Solution lot#:

Soln temp C:  
Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 002

Operator

---

**Diagnostics check**

|                         |                                |                    |                    |
|-------------------------|--------------------------------|--------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp               | Internal standards |
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 41758         | Download date/time: 05/07/2015 | 08:20              | Record ID 7Y11     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

Instrument serial No: 68-012340 Accuracy check date/time: 05/07/2015 08:18

First calibration check: .111

Interferent detected: No

Second calibration check: .114

Interferent detected: No

Concentration (%W/V) .120

Solution lot#: IRS121014

Soln temp C: 34.06  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 002

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |                    |                    |
|-------------------------|--------------------------------|--------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp               | Internal standards |
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 43347         | Download date/time: 05/07/2015 | 08:20              | Record ID 7YJ2     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/08/2015 12:54

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |      |                    |      |        |            |
|-----------------------|-------|---------------------|------------|-------|------|--------------------|------|--------|------------|
| Eeprom                | Pass  | Serial No.          | Pass       | Temp  | Pass | Internal standards | Pass |        |            |
| Prom                  | Pass  | Real Time clock     | Pass       | Motor | Pass | Printer            | Pass |        |            |
| Ram                   | Pass  | Auto calibration    | Pass       | Range | Pass | Digital voltmeter  | 3514 |        |            |
| Check sum             | 15982 | Download date/time: | 05/14/2015 | 07:52 |      | Record ID          | 7ZV2 |        |            |
| Record imported (Y/N) |       |                     |            | N     |      |                    |      | Source | Diagnostic |

Instrument serial No: 68-012340

Accuracy check date/time: 05/10/2015 05:05

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Ambient air condition

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |  |                    |      |        |           |
|-----------------------|-------|---------------------|------------|-------|--|--------------------|------|--------|-----------|
| Eeprom                |       | Serial No.          |            | Temp  |  | Internal standards |      |        |           |
| Prom                  |       | Real Time clock     |            | Motor |  | Printer            |      |        |           |
| Ram                   |       | Auto calibration    |            | Range |  | Digital voltmeter  |      |        |           |
| Check sum             | 50322 | Download date/time: | 05/14/2015 | 07:52 |  | Record ID          | 7ZX6 |        |           |
| Record imported (Y/N) |       |                     |            | N     |  |                    |      | Source | Exception |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/10/2015 05:59

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 60598         | Download date/time: 05/14/2015 | 07:52 | Record ID 7ZY1     |
| Record imported (Y/N) N | Source Exception               |       |                    |

---

Instrument serial No: 68-012340

Accuracy check date/time: 05/10/2015 20:35

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 54206         | Download date/time: 05/14/2015 | 07:52 | Record ID 7ZZ0     |
| Record imported (Y/N) N | Source Exception               |       |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department**

**Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/13/2015 01:09

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |                  |                    |
|-------------------------|--------------------------------|------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp             | Internal standards |
| Prom                    | Real Time clock                | Motor            | Printer            |
| Ram                     | Auto calibration               | Range            | Digital voltmeter  |
| Check sum 34858         | Download date/time: 05/14/2015 | 07:52            | Record ID 8002     |
| Record imported (Y/N) N |                                | Source Exception |                    |

---

Instrument serial No: 68-012340

Accuracy check date/time: 05/14/2015 07:34

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |                   |                |       |      |                    |      |
|-------------------------|--------------------------------|-------------------|----------------|-------|------|--------------------|------|
| Eeprom                  | Pass                           | Serial No.        | Pass           | Temp  | Pass | Internal standards | Pass |
| Prom                    | Pass                           | Real Time clock   | Pass           | Motor | Pass | Printer            | Pass |
| Ram                     | Pass                           | Auto calibration  | Pass           | Range | Pass | Digital voltmeter  | 3612 |
| Check sum 22727         | Download date/time: 05/14/2015 | 07:52             | Record ID 7ZW7 |       |      |                    |      |
| Record imported (Y/N) N |                                | Source Diagnostic |                |       |      |                    |      |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department**

**Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/14/2015 07:36

First calibration check: Not performed

Interferent detected: No

Second calibration check: Not performed

Interferent detected: No

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 048

Operator

---

**Diagnostics check**

|                         |                                |                    |                    |
|-------------------------|--------------------------------|--------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp               | Internal standards |
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 43123         | Download date/time: 05/14/2015 | 07:51              | Record ID 7ZT8     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

Instrument serial No: 68-012340

Accuracy check date/time: 05/14/2015 07:49

First calibration check: .118

Interferent detected: No

Second calibration check: .118

Interferent detected: No

Concentration (%W/V) .120

Solution lot#: IRS121014

Soln temp C: 34.06

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 048

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |                    |                    |
|-------------------------|--------------------------------|--------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp               | Internal standards |
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 54010         | Download date/time: 05/14/2015 | 07:51              | Record ID 7ZU3     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/17/2015 22:06

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                         |       |                     |                  |                   |      |                    |      |
|-------------------------|-------|---------------------|------------------|-------------------|------|--------------------|------|
| Eeprom                  | Pass  | Serial No.          | Pass             | Temp              | Pass | Internal standards | Pass |
| Prom                    | Pass  | Real Time clock     | Pass             | Motor             | Pass | Printer            | Pass |
| Ram                     | Pass  | Auto calibration    | Pass             | Range             | Pass | Digital voltmeter  | 3613 |
| Check sum               | 16805 | Download date/time: | 05/21/2015 08:28 | Record ID         | 80D5 |                    |      |
| Record imported (Y/N) N |       |                     |                  | Source Diagnostic |      |                    |      |

Instrument serial No: 68-012340

Accuracy check date/time: 05/18/2015 00:19

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                         |       |                     |                  |                   |      |                    |      |
|-------------------------|-------|---------------------|------------------|-------------------|------|--------------------|------|
| Eeprom                  | Pass  | Serial No.          | Pass             | Temp              | Pass | Internal standards | Pass |
| Prom                    | Pass  | Real Time clock     | Pass             | Motor             | Pass | Printer            | Pass |
| Ram                     | Pass  | Auto calibration    | Pass             | Range             | Pass | Digital voltmeter  | 3619 |
| Check sum               | 57286 | Download date/time: | 05/21/2015 08:28 | Record ID         | 80E0 |                    |      |
| Record imported (Y/N) N |       |                     |                  | Source Diagnostic |      |                    |      |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/18/2015 00:23

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|           |       |                       |                  |       |      |                    |      |
|-----------|-------|-----------------------|------------------|-------|------|--------------------|------|
| Eeprom    | Pass  | Serial No.            | Pass             | Temp  | Pass | Internal standards | Pass |
| Prom      | Pass  | Real Time clock       | Pass             | Motor | Pass | Printer            | Pass |
| Ram       | Pass  | Auto calibration      | Pass             | Range | Pass | Digital voltmeter  | 3610 |
| Check sum | 27914 | Download date/time:   | 05/21/2015 08:28 |       |      | Record ID          | 80F1 |
|           |       | Record imported (Y/N) | N                |       |      | Source Diagnostic  |      |

Instrument serial No: 68-012340

Accuracy check date/time: 05/18/2015 00:54

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|           |       |                       |                  |       |      |                    |      |
|-----------|-------|-----------------------|------------------|-------|------|--------------------|------|
| Eeprom    | Pass  | Serial No.            | Pass             | Temp  | Pass | Internal standards | Pass |
| Prom      | Pass  | Real Time clock       | Pass             | Motor | Pass | Printer            | Pass |
| Ram       | Pass  | Auto calibration      | Pass             | Range | Pass | Digital voltmeter  | 3576 |
| Check sum | 25973 | Download date/time:   | 05/21/2015 08:28 |       |      | Record ID          | 80G6 |
|           |       | Record imported (Y/N) | N                |       |      | Source Diagnostic  |      |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.



**Long Beach Police Department  
Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/18/2015 00:55

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |      |                    |      |                   |
|-----------------------|-------|---------------------|------------|-------|------|--------------------|------|-------------------|
| Eeprom                | Pass  | Serial No.          | Pass       | Temp  | Pass | Internal standards | Pass |                   |
| Prom                  | Pass  | Real Time clock     | Pass       | Motor | Pass | Printer            | Pass |                   |
| Ram                   | Pass  | Auto calibration    | Pass       | Range | Pass | Digital voltmeter  | 3587 |                   |
| Check sum             | 23426 | Download date/time: | 05/21/2015 | 08:28 |      | Record ID          | 80H5 |                   |
| Record imported (Y/N) |       |                     |            | N     |      |                    |      | Source Diagnostic |

Instrument serial No: 68-012340

Accuracy check date/time: 05/18/2015 01:21

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |  |                    |      |                  |
|-----------------------|-------|---------------------|------------|-------|--|--------------------|------|------------------|
| Eeprom                |       | Serial No.          |            | Temp  |  | Internal standards |      |                  |
| Prom                  |       | Real Time clock     |            | Motor |  | Printer            |      |                  |
| Ram                   |       | Auto calibration    |            | Range |  | Digital voltmeter  |      |                  |
| Check sum             | 49094 | Download date/time: | 05/21/2015 | 08:28 |  | Record ID          | 80J1 |                  |
| Record imported (Y/N) |       |                     |            | N     |  |                    |      | Source Exception |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department**

**Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/21/2015 08:19

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

**Diagnostics check**

|                         |       |                     |                  |                   |      |                    |      |
|-------------------------|-------|---------------------|------------------|-------------------|------|--------------------|------|
| Eeprom                  | Pass  | Serial No.          | Pass             | Temp              | Pass | Internal standards | Pass |
| Prom                    | Pass  | Real Time clock     | Pass             | Motor             | Pass | Printer            | Pass |
| Ram                     | Pass  | Auto calibration    | Pass             | Range             | Pass | Digital voltmeter  | 3602 |
| Check sum               | 49888 | Download date/time: | 05/21/2015 08:28 | Record ID         | 8010 |                    |      |
| Record imported (Y/N) N |       |                     |                  | Source Diagnostic |      |                    |      |

Instrument serial No: 68-012340

Accuracy check date/time: 05/21/2015 08:22

First calibration check: Not performed

Interferent detected: No

Second calibration check: Not performed

Interferent detected: No

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 029

Operator

**Diagnostics check**

|                         |                  |                     |                    |
|-------------------------|------------------|---------------------|--------------------|
| Eeprom                  | Serial No.       | Temp                | Internal standards |
| Prom                    | Real Time clock  | Motor               | Printer            |
| Ram                     | Auto calibration | Range               | Digital voltmeter  |
| Check sum               | 20636            | Download date/time: | 05/21/2015 08:28   |
| Record imported (Y/N) N |                  | Source Calibration  |                    |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department**

**Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340 Accuracy check date/time: 05/21/2015 08:29

First calibration check: .116

Interferent detected: No

Second calibration check: .116

Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014

Soln temp C: 34.05  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 029

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |                    |                    |
|-------------------------|--------------------------------|--------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp               | Internal standards |
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 24894         | Download date/time: 05/21/2015 | 08:30              | Record ID 80K6     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

Instrument serial No: 68-012340 Accuracy check date/time: 05/22/2015 04:02

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V) Solution lot#:

Soln temp C:  
Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |                  |                    |
|-------------------------|--------------------------------|------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp             | Internal standards |
| Prom                    | Real Time clock                | Motor            | Printer            |
| Ram                     | Auto calibration               | Range            | Digital voltmeter  |
| Check sum 64906         | Download date/time: 05/28/2015 | 12:13            | Record ID 8123     |
| Record imported (Y/N) N |                                | Source Exception |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department**

**Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/28/2015 12:05

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |       |                     |                  |                   |      |                    |      |
|-------------------------|-------|---------------------|------------------|-------------------|------|--------------------|------|
| Eeprom                  | Pass  | Serial No.          | Pass             | Temp              | Pass | Internal standards | Pass |
| Prom                    | Pass  | Real Time clock     | Pass             | Motor             | Pass | Printer            | Pass |
| Ram                     | Pass  | Auto calibration    | Pass             | Range             | Pass | Digital voltmeter  | 3608 |
| Check sum               | 64325 | Download date/time: | 05/28/2015 12:13 | Record ID         | 8114 |                    |      |
| Record imported (Y/N) N |       |                     |                  | Source Diagnostic |      |                    |      |

---

Instrument serial No: 68-012340

Accuracy check date/time: 05/28/2015 12:07

First calibration check: Not performed

Interferent detected: No

Second calibration check: Not performed

Interferent detected: No

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 024

Operator

---

**Diagnostics check**

|                         |                  |                     |                    |
|-------------------------|------------------|---------------------|--------------------|
| Eeprom                  | Serial No.       | Temp                | Internal standards |
| Prom                    | Real Time clock  | Motor               | Printer            |
| Ram                     | Auto calibration | Range               | Digital voltmeter  |
| Check sum               | 44210            | Download date/time: | 05/28/2015 12:13   |
| Record imported (Y/N) N |                  | Source Calibration  |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Criminalistics Laboratory**

1400 Canal Ave

Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012340

Accuracy check date/time: 05/28/2015 12:12

First calibration check: .117

Interferent detected: No

Second calibration check: .116

Interferent detected: No

Concentration (%W/V) .120

Solution lot#: IRS121014

Soln temp C: 34.05

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 024

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 86660         | Download date/time: 05/28/2015 | 12:14 | Record ID 8134     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.