1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No:	68-012338	Accur	acy check date/time: 10/03/2013	16:29
First calib	ration check:	Inte	erferent detected:	
Second calib	ration check:	Inte	erferent detected:	
Concentration (%W/V) Solution lot#:		Soln temp C: nulator Ser No.	
Number of people test Operator	ed since last periodic deter	mination of accurac	y:	
	D	iagnostics check		
Ram Pass A Check sum 24307	Serial No. Real Time clock uto calibration Download date/time: 10	Temp Fail Motor Range 0/24/2013 10:39 Source Diagr	Internal standards Printer Digital voltmeter ??? Record ID 6TC3	
				22.47
Instrument serial No:	68-012338	Accur	acy check date/time: 10/07/2013	08:47
First calib	ration check:	Into	erferent detected:	
Second calib	ration check:		erferent detected:	
Concentration (%W/V) Solution lot#:		Soln temp C: nulator Ser No.	
Number of people test Operator	ed since last periodic deter	mination of accurac	y:	
	D	iagnostics check		
5 -	Serial No. Pass teal Time clock Pass uto calibration Pass Download date/time: 10	Temp Pass Motor Pass Range Pass 0/24/2013 10:39	Internal standards Pass Printer Pass Digital voltmeter 3252 Record ID 6TD0	

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/09/2013 12:05

First calibration check: .117 Interferent detected: No Second calibration check: .119 Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.02

Simulator Ser No. DR3707

PLACED INTO SERVICE

Number of people tested since last periodic determination of accuracy: 000

Operator G. GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 19571 Download date/time: 10/24/2013 10:39 Record ID 6T52

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/09/2013 12:06

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .119 Solution lot#:IRS022113 Soln temp C: 34.02

Simulator Ser No. DR3707

2

PLACED INTO SERVICE

Number of people tested since last periodic determination of accuracy: 000

Operator G. GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 48964 Download date/time: 10/24/2013 10:39 Record ID 6T61

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrun	ment serial No	o: 68-012338	Accurac	cy check date/time: 10/09/2013	13:39
	First ca	llibration check:	Inter	ferent detected:	
	Second ca	alibration check:	Inter	ferent detected:	
Conce	ntration (%W	//V) Solution Id	_	soln temp C: lator Ser No.	
Numbe Operat		ested since last periodic o	determination of accuracy	:	
			Diagnostics check		
Eeprom Prom Ram Check	Pass Pass sum 12560	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/tim		Internal standards Pass Printer Pass Digital voltmeter 3340 Record ID 6TE5	
	Reco	ord imported (Y/N) N	Source Diagno	ostic	
Instrun	nent serial No	o: 68-012338	Accurac	cy check date/time: 10/16/2013	10:25
	First ca	llibration check:	Inter	ferent detected:	
		llibration check: alibration check:		ferent detected:	
Conce		alibration check:	Inter		
	Second ca intration (%W er of people to	alibration check: //V) Solution Id	Inter	ferent detected: soln temp C: lator Ser No.	
Numbe	Second ca intration (%W er of people to	alibration check: //V) Solution Id	Inter ot#: S Simu	ferent detected: soln temp C: lator Ser No.	
Numbe Operat Eeprom Prom Ram	Second canning second canning second canning second canning second canning second seco	Serial No. Pass Real Time clock Pass Auto calibration check:	Intercept the second of the se	Internal standards Pass Printer Pass Digital voltmeter 3320	
Numbe Operat Eeprom Prom Ram	Second canning second canning second canning second canning second canning second seco	Serial No. Pass Real Time clock Pass	Intercept the second of the se	Internal standards Pass Printer Pass Digital voltmeter 3320 Record ID 6TF8	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/16/2013 10:27

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 021

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 45787 Download date/time: 10/24/2013 10:39 Record ID 6T72

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/16/2013 10:30

First calibration check: .115 Interferent detected: No Second calibration check: .116 Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.01

Simulator Ser No. DR3707

4

Number of people tested since last periodic determination of accuracy: 021

Operator G. GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 25447 Download date/time: 10/24/2013 10:39 Record ID 6T83

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

	,_0. 000		0.0	•	
Instrument serial	l No: 68	3-012338	Accu	racy check date/time: 10/16/2013	10:31
First	calibration of	check:	Ir	terferent detected:	
Second	calibration	check:	In	terferent detected:	
Concentration (%	6W/V)	Solution lot#		Soln temp C: mulator Ser No.	
Number of people Operator	e tested sind	ce last periodic det	ermination of accura	cy:	
			Diagnostics chec	k	
Eeprom Pass Prom Pass Ram Pass Check sum 2700	Real Tin Auto cal	erial No. Pass ne clock Pass ibration Pass wnload date/time:			
Re	ecord import	ed (Y/N) N	Source Diag	nostic	
Instrument serial		ed (Y/N) N 3-012338		racy check date/time: 10/18/2013	02:57
Instrument serial	calibration of calibration of	3-012338 check:	Accu In In		02:57
Instrument serial First Second Concentration (%	No: 68 calibration of calibration of 600%	3-012338 check: check: Solution lot#	Accu In In	racy check date/time: 10/18/2013 terferent detected: terferent detected: Soln temp C: mulator Ser No.	02:57
First Second Concentration (%	No: 68 calibration of calibration of 600%	a-012338 check: check: Solution lot# ce last periodic det	Accu In In : Sir	racy check date/time: 10/18/2013 terferent detected: terferent detected: Soln temp C: mulator Ser No.	02:57
First Second Concentration (%	calibration of calibr	8-012338 check: check: Solution lot# ce last periodic det erial No. ne clock	Accu In In : Sin	racy check date/time: 10/18/2013 terferent detected: terferent detected: Soln temp C: mulator Ser No.	02:57

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	o: 68-012338		Accuracy check date/tir	me: 10/19/2013	02:07
First ca	libration check:		Interferent detected:		
Second ca	libration check:		Interferent detected:		
Concentration (%W	//V) Solution	lot#:	Soln temp C: Simulator Ser No.		
Invalid sample					
Number of people to	ested since last periodic	determination of a	ccuracy:		
Operator					
		Diagnostics of	check		
Eeprom	Serial No.	Temp	Internal star	ndards	
Prom	Real Time clock	Motor		Printer	
Ram	Auto calibration	Range	Digital vol		
Check sum 60408	Download date/til			cord ID 6TJ0	
Reco	ord imported (Y/N) N	Source	Exception		
Instrument serial No	o: 68-012338		Accuracy check date/tir	me: 10/19/2013	03:30
First ca	libration check:		Interferent detected:		
Second ca	libration check:		Interferent detected:		
Concentration (%W	(/V) Solution	lot#:	Soln temp C: Simulator Ser No.		
Invalid sample Number of people to	ested since last periodic	determination of a	ccuracy:		
Operator					
			.11		
		Diagnostics of	cneck		
Eeprom	Serial No.	Diagnostics of Temp	cneck Internal star	ndards	
Prom	Serial No. Real Time clock	_	Internal star	ndards Printer	
•		Temp	Internal star	Printer	
Prom	Real Time clock	Temp Motor Range	Internal star F Digital vol	Printer	

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	o: 68-012338		Accuracy check date/ti	me: 10/19/2013	03:32
	llibration check: alibration check:		Interferent detected		
Concentration (%W	//V) Solution I	ot#:	Soln temp C: Simulator Ser No.		
Invalid sample					
Operator	ested since last periodic	determination of a	ccuracy:		
		Diagnostics	check		
Eeprom Prom Ram Check sum 33472 Recc	Serial No. Real Time clock Auto calibration Download date/tin		Digital vo	Printer	
Instrument serial No	o: 68-012338		Accuracy check date/ti	me: 10/21/2013	22:09
	llibration check: Alibration check: //V) Solution I	ot#:	Interferent detected Interferent detected Soln temp C: Simulator Ser No.		
Invalid sample Number of people to	ested since last periodic	determination of a	ccuracy:		
		Diagnostics	check		
Eeprom Prom Ram Check sum 43792	Serial No. Real Time clock Auto calibration Download date/time		Digital vo 10:39 Re	Printer	
D	ord imported (Y/N) N	Source	Exception		

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 10/24/2013 68-012338 10:32 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Digital voltmeter 3169 Auto calibration Pass Range Pass Check sum 28731 Download date/time: 10/24/2013 Record ID 6TH2 10:39 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012338 Accuracy check date/time: 10/24/2013 10:34 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 036 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 64459 Record ID 6T94 Download date/time: 10/24/2013 10:39 Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/24/2013 10:35

First calibration check: 106 Interferent detected: No Second calibration check: Unstable reference Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 036

Operator G. GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 38035 Download date/time: 10/24/2013 10:39 Record ID 6TA5

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/24/2013 10:35

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

9

Unstable reference

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 21032 Download date/time: 10/24/2013 10:39 Record ID 6TN0

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/24/2013 10:37

First calibration check: .116 Interferent detected: No Second calibration check: .116 Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.04

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G. GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 53956 Download date/time: 10/24/2013 10:39 Record ID 6TB8

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/30/2013 20:55

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

10

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 57121 Download date/time: 11/07/2013 09:58 Record ID 6UO4

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

IIIIOAIIy2	CI SOUGET T CHOCK	Determination of A	curacy / Maintenance reco	Jiu
Instrument serial No	68-012338	Accui	racy check date/time: 10/31/2013	3 11:55
First cal	ibration check:	In	erferent detected:	
Second ca	libration check:	Int	erferent detected:	
Concentration (%W	V) Solution lo		Soln temp C: nulator Ser No.	
Number of people to Operator	sted since last periodic d	etermination of accura	cy:	
		Diagnostics check	(
Eeprom Pass Prom Pass Ram Pass Check sum 61652 Reco	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/time rd imported (Y/N) N	Temp Pass Motor Pass Range Pass e: 11/07/2013 09:58 Source Diag	Internal standards Pass Printer Pass Digital voltmeter 2685 Record ID 6UE0	
Instrument serial No		-	acy check date/time: 10/31/2013	3 11:56
	ibration check: Not perfor libration check: Not perfor V) Solution lo	med Int	rerferent detected: No rerferent detected: No Soln temp C: nulator Ser No.	
Number of people to	sted since last periodic d	etermination of accurac	cy: 037	
		Diagnostics check	ζ	
Eeprom Prom Ram	Serial No. Real Time clock Auto calibration	Temp Motor Range	Internal standards Printer Digital voltmeter	
Check sum 43765 Reco	Download date/timerd imported (Y/N) N	e: 11/07/2013 09:58 Source Calib	Record ID 6U44 pration	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

11

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/31/2013 11:58

First calibration check: 106 Interferent detected: No Second calibration check: 109 Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.06

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 037

Operator G. GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 32618 Download date/time: 11/07/2013 09:58 Record ID 6U53

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/31/2013 12:05

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

12

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

Serial No. Pass Internal standards Pass Eeprom Temp Pass Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 3316 Auto calibration Pass Check sum 49982 Record ID 6UF9 Download date/time: 11/07/2013 09:58

Record imported (Y/N) N Source Diagnostic

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/31/2013 12:10

First calibration check: .118 Interferent detected: No Second calibration check: .121 Interferent detected: No

Concentration (%W/V) .119 Solution lot#: IRS022113 Soln temp C: 34.01

Simulator Ser No. DR3707

LAST CAL CHECK - COLD SIM HOSE

Number of people tested since last periodic determination of accuracy: 000

Operator G. GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 47184 Download date/time: 11/07/2013 09:58 Record ID 6U68

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/31/2013 14:13

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

13

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromPassSerial No. PassTemp PassInternal standards PassPromPassReal Time clock PassMotor PassPrinter PassRamPassAuto calibration PassRange PassDigital voltmeter 3288

Check sum 33310 Download date/time: 11/07/2013 09:58 Record ID 6UG4

Record imported (Y/N) N Source Diagnostic

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 10/31/2013 68-012338 14:17 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Eeprom Pass Temp Pass Prom Printer Pass Pass Real Time clock Pass Motor Pass Ram **Pass** Digital voltmeter 3382 Auto calibration Pass Range Pass

Download date/time: 11/07/2013 09:58

Record ID 6UH5

14

Record imported (Y/N) N Source Diagnostic

Check sum 54204