







**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

CHP 202K (Rev. 8-08) OPI 051

#3

AREA NAME South Los Angeles	AREA NO. 530	COORDINATOR NAME Officer Kirk Lee	I.D. NUMBER 17046	PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV	PAS SERIAL NO. 008546
--------------------------------	-----------------	--------------------------------------	----------------------	--	--------------------------

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/ COMMENTS
		TEMP (°C)	LOT NO.	VALUE	TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES				
05/16/2014	0900	34	14C13-10-5-10	.100	22		.099			X	Lee	17046	
			C1307252										
			Prepared by:										
			Douglas C. Talbot										
			03-13-14										
			Expires on:										
			03-13-16										

Push No. 3 to erase,  
or power down to retain

Test Result  
0001 05/09/14 23:47 .000  
0002 05/11/14 02:30 .095  
0003 05/11/14 02:33 .094  
0004 05/12/14 02:48 .000  
0005 05/13/14 22:21 .009  
0006 05/13/14 22:24 .008  
0007 05/14/14 02:08 .009  
0008 05/15/14 02:44 .000  
0009 05/16/14 01:07 .111  
0010 05/16/14 01:10 .107  
0011 05/16/14 09:01 .099

No. Date Time 2BAC  
Calibration  
06/28/13 16:36 .100

05/16/14 09:02  
AS4 Serial no: 008546  
Version no: 4797

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.





**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

CHP 202K (Rev. 8-08) OPI 051

#6

AREA NAME South Los Angeles	AREA NO. 530	COORDINATOR NAME Officer Kirk Lee	I.D. NUMBER 17046	PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV	PAS SERIAL NO. 008580
--------------------------------	-----------------	--------------------------------------	----------------------	--	--------------------------

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/ COMMENTS
		TEMP (°C)	LOT NO.	VALUE	TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES				
05/16/2014	0909	34	14C13-10-5-10 C1307252	.100	21		.100			X	Lee	17046	
			Prepared by:										
			Douglas C. Talbot										
			03-13-14										
			Expires on:										
			03-13-16										

Push No. 3 to erase, or power down to retain

```

05/16/14 09:12
AS4 Serial no: 008580
Version no: 4797

No. Date Time %BAC
Calibration
03/06/14 12:39 .100

Test Result
0001 05/13/14 01:56 .000
0002 05/13/14 02:22 .100
0003 05/13/14 02:25 .179
0004 05/14/14 02:47 .206
0005 05/14/14 02:50 .211
0006 05/15/14 00:40 .103
0007 05/15/14 00:42 .105
0008 05/15/14 02:54 .040
0009 05/15/14 23:48 .122
0010 05/15/14 23:51 .129
0011 05/16/14 02:07 .077
0012 05/16/14 09:11 .100
    
```

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

















**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

CHP 202K (Rev. 8-08) OPI 051

# 14

AREA NAME South Los Angeles	AREA NO. 530	COORDINATOR NAME Officer Kirk Lee	I.D. NUMBER 17046	PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV	PAS SERIAL NO. <del>0018</del> 008714
--------------------------------	-----------------	--------------------------------------	----------------------	--	--

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**			PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/ COMMENTS
		TEMP (°C)	LOT NO.	VALUE	TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES	NO				
05/16/2014	0933	34	14C13-10-5-10 C1307252	.100	21		.103			X		Lee	17046	
			Prepared by:											
			Douglas C. Talbot											
			03-13-14											
			Expires on:											
			03-13-16											

Push No. 3 to erase,  
or power down to retain  
 Test Result  
 0001 05/16/14 09:36 .100  
 No. Date Time %BAC  
 Calibration 03/11/04 14:05 .100  
 05/16/14 09:36  
 AS4 Serial no: 008714  
 Version no: 4797

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.









































**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

CHP 202K (Rev. 8-08) OPI 051

#34

AREA NAME South Los Angeles	AREA NO. 530	COORDINATOR NAME Officer Kirk Lee	I.D. NUMBER 17046	PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV	PAS SERIAL NO. 008877
--------------------------------	-----------------	--------------------------------------	----------------------	--	--------------------------

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/ COMMENTS
		TEMP (°C)	LOT NO.	VALUE	TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES				
05/16/2014	10:32	34	14C13-10-5-10 C1307252	.100	21		.102			X	Lee	17046	
			Prepared by:										
			Douglas C. Talbot										
			03-13-14										
			Expires on:										
			03-13-16										

Push No. 3 to erase,  
or power down to retain  
 Test Result  
 0001 05/16/14 10:29 .102  
 No. Date Time XBAC  
 Calibration 05/26/05 10:40 .100  
 Version no: 4797  
 AS4 Serial no: 008877  
 05/16/14 10:30

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.





**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

CHP 202K (Rev. 8-08) OPI 051

#38

AREA NAME South Los Angeles	AREA NO. 530	COORDINATOR NAME Officer Kirk Lee	I.D. NUMBER 17046	PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV	PAS SERIAL NO.
--------------------------------	-----------------	--------------------------------------	----------------------	--	----------------

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/ COMMENTS
		TEMP (°C)	LOT NO.	VALUE	TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES				
05/16/2014	1041	34	14C13-10-5-10	.100	22		.106			X	Lee	17046	
			C1307252										
			Prepared by:										
			Douglas C. Talbot										
			03-13-14										
			Expires on:										
			03-13-16										

Push No. 3 to erase.  
 or power down to retain  
 Test Result  
 0001 05/16/14 10:34 .106  
 Calibration  
 09/09/13 14:50 .100  
 No. Date Time %BAC  
 05/16/14 10:35  
 AS4 Serial no: 018696  
 Version no: 4797

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

























