

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#1

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008501 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS | |
|------------|------|--------------------------------------|---------|------------------|---------|--------------------------------|---------|-------------------------|-----|--------------------------|----------|----------|-------------------------------|----|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | | NO |
| 07/10/2014 | 0905 | 34 | C625 | 0.107 | 22 | | .101 | | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyaovarit
Expire: 03/04/15

Push No. 3 to erase,
or power down to retain

```

Test Result
0001 07/08/14 01:16 .126
0002 07/08/14 01:18 .150
0003 07/08/14 01:21 .146
0004 07/10/14 09:08 .101

```

```

No. Date Time ZBAC
Calibration
03/30/09 15:48 .100

```

```

07/10/14 09:08
001 Serial no: 008501
Version no: 4797

```

or power down to retain

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#2

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|---------------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 018785 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|---------------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|------------------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 0913 | 34 | C625 | 0.107 | 24 | | 104 | | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

07/10/14 09:29
 NS4 Serial no: 018785
 Version no: 4797
 No. Date Time ZBAC
 Calibration 07/18/08 13:27 .100
 Test Result
 0001 07/10/14 09:16 .104
 Push No. 3 to erase,
 or power down to retain

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#3

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008546 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|--|------|-----------------------------------|---------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 0929 | 34 | C625 | 0.107 | 23 | | .106 | | | X | | Lee | 17046 | |
| Prepared by: LASD Crime Lab Darrick Lertyaovarit Expire: 03/04/15 | | | | | | | | | | | | | | |
| Test Result 07/10/14 09:31 NS4 Serial no: 008546 Version no: 4797 No. Date Time ZBAC Calibration 06/28/13 16:36 .100 Push No. 3 to erase, or power down to retain | | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
CHP 202K (Rev. 8-08) OPI 051

#4

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 082659 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 0931 | 34 | C625 | 0.107 | 21 | | .104 | | | X | | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

No. Date Time 28HC
 Calibration 08/28/14 09:04 .100
 Test Result 0801 07/10/14 09:33 .104
 Push No. 3 to erase,
 or power down to retain

07/10/14 09:49
 AS4 Serial no: 082659
 Version no: 4797

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#5

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008559 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|------------------|--|---------|-----------------------------|---------|----------------------|-----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 0950 | 34 | C625 | 0.107 | 22 | | .107 | | | X | Lee | 17046 | |
| | | | Prepared by: | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | |
| | | | | No. Date Time ZBMC Calibration 11/30/11 08:55 .100 Test Result 0001 07/10/14 09:58 .107 Push No. 3 to erase, or power down to retain | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

6

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 003580 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------------|------------------|---------|--------------------------------|---------|-------------------------|-----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 0953 | 34 | C625 | 0.107 | 22 | | .105 | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | |
| | | | | | | | | | | | | | |

07/10/14 09:59
 MS4 Serial no: 003580
 Version no: 4797

No. Date Time ZBAC
 Calibration 08/06/14 12:39 .100

Test Result
 0001 07/10/14 09:56 .105

Push No. 3 to erase,
 or power down to retain

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#7

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 083032 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|--|------|-----------------------------------|---------|---------------|---------|-----------------------------|---------|----------------------|-----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 0958 | 34 | C625 | 0.107 | 22 | | .105 | | | X | Lee | 17046 | |
| <div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p>Prepared by: LASD Crime Lab Darrick Lertyaovarit Expire: 03/04/15</p> </div> <div style="width: 30%; transform: rotate(-90deg); transform-origin: center;"> <p>Push No. 3 to erase or Power down to retain</p> </div> <div style="width: 30%; transform: rotate(-90deg); transform-origin: center;"> <p>Test Result 0001 07/10/14 09:57 .105</p> <p>Calibration 02/17/14 09:01 .100</p> <p>No. Date Time ZBAC 02/17/14 09:01 .100</p> <p>Version not 4797</p> <p>07/10/14 09:57 084 Serial not 083032 Version not 4797</p> </div> </div> | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#8

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008620 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|--|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1000 | 34 | C625 | 0.107 | 22 | | .104 | | | | X | Lee | 17046 | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | Test Result 0001 07/10/14 01:04 .101 0002 07/10/14 01:06 .098 0003 07/10/14 10:05 .104 No. Date Time ZBAC Calibration 01/30/13 14:34 .100 07/10/14 10:05 AS4 Serial no: 000620 Version no: 4797 Push No. 3 to erase, or power down to retain |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#9

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 082957 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|---|------|-----------------------------------|---------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1002 | 34 | C625 | 0.107 | 22 | | 106 | | | | X | Lee | 17046 | |
| <div style="float: right; text-align: right;"> 07/10/14 10:03 NS4 Serial no: 082957 Version no: 4797 </div> <div style="float: right; text-align: right;"> No. Date Time ZBAC Calibration 02/17/14 08:52 .100 </div> <div style="float: right; text-align: right;"> Test Result 0001 07/04/14 02:52 .045 0002 07/04/14 03:08 .078 0003 07/10/14 18:09 .106 </div> <div style="float: left; text-align: left;"> Push No. 3 to erase or power down to retain </div> | | | | | | | | | | | | | | |
| Prepared by: LASD Crime Lab Darrick Lertyaovarit Expire: 03/04/15 | | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#10

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 077505 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|---------|------------------|---------|--------------------------------|---------|-------------------------|-----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 1000 | 34 | C625 | 0.107 | 22 | | .104 | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyaovarit
Expire: 03/04/15

07/10/14 10:08
 HSA Serial not 077505
 Version not 4797
 No. Date Time %BAC
 Calibration 05/21/08 13:16 .100
 Test Result
 0001 07/10/14 10:07 .104
 Push No. 3 to erase,
 or power down to retain

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#11

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor TV | PAS SERIAL NO. 077479 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1023 | 34 | C625 | 0.107 | 21 | | .102 | | | X | | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Push No. 3 to erase.

07/10/14 10:24
 Ver: Serial no: 077479
 Version no: 4797

No. Date Time XBAC
 Calibration
 02/17/14 09:10 .100

Test Result
 0001 07/04/14 03:23 .050
 0002 07/05/14 01:31 .075
 0003 07/06/14 01:21 .074
 0004 07/10/14 10:24 .102

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#12

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 082660 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS | | |
|------------|------|-----------------------------------|---------------------------------|---------------|---------|-----------------------------|---------|----------------------|-----|--------------------|----------|----------|----------------------------|-------|--|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | | NO | |
| 07/10/2014 | 1025 | 34 | C625 | 0.107 | 21 | | .106 | | | | X | | Lee | 17046 | |
| | | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | | |
| | | | Test No. 3 to erase. | | | | | | | | | | | | |
| | | | Push No. 3 to erase. | | | | | | | | | | | | |
| | | | or power down to retain | | | | | | | | | | | | |
| | | | or power down to retain | | | | | | | | | | | | |
| | | | Test Result | | | | | | | | | | | | |
| | | | 0001 07/04/14 01:24 .000 | | | | | | | | | | | | |
| | | | 0002 07/06/14 00:50 .101 | | | | | | | | | | | | |
| | | | 0003 07/06/14 00:58 .075 | | | | | | | | | | | | |
| | | | 0004 07/06/14 01:00 .001 | | | | | | | | | | | | |
| | | | 0005 07/07/14 01:00 .344 | | | | | | | | | | | | |
| | | | 0006 07/07/14 01:02 .373 | | | | | | | | | | | | |
| | | | 0007 07/10/14 10:25 .106 | | | | | | | | | | | | |
| | | | No. Date Time %BAC | | | | | | | | | | | | |
| | | | Calibration 02/17/14 09:16 .100 | | | | | | | | | | | | |
| | | | 07/10/14 10:26 | | | | | | | | | | | | |
| | | | NS4 Serial no: 082660 | | | | | | | | | | | | |
| | | | Version not 4797 | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#13

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008709 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|--|------|--------------------------------------|---------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1027 | 34 | C625 | 0.107 | 22 | | 106 | | | | X | Lee | 17046 | |
| <p>Prepared by: LASD Crime Lab Darrick Lertyaovarit Expire: 03/04/15</p> <p style="text-align: center;">Push No. 3 to erase, or power down to retain</p> <p style="text-align: center;">Test Result 0001 07/05/14 18:27 .152 0002 07/05/14 18:29 .124 0003 07/05/14 18:31 .161 0004 07/10/14 10:31 .106</p> <p style="text-align: center;">No. Date Time ZBAC Calibration 02/17/14 09:22 .100</p> <p style="text-align: center;">07/10/14 10:34 AS4 Serial no: 008709 Version no: 4797</p> <p style="text-align: center;">Power down to retain</p> | | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#14

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008714 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|------------------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1032 | 34 | C625 | 0.107 | 24 | | .109 | | | X | | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

07/10/14 10:37
NS4 Serial no: 000714
Version no: 4797

No. Date Time ZBAC
Calibration
03/11/04 14:05 .100

Test Result
 0001 07/04/14 00:58 .024
 0002 07/05/14 03:22 .179
 0003 07/05/14 03:24 .184
 0004 07/05/14 22:58 .149
 0005 07/05/14 22:59 .145
 0006 07/06/14 04:10 .037
 0007 07/07/14 03:13 .082
 0008 07/07/14 03:16 .096
 0009 07/07/14 03:18 .092
 0010 07/10/14 10:37 .100

Push No. 3 to erase
or equip display for calibration

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#16

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008888 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|---|------|-----------------------------------|---------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1035 | 34 | C625 | 0.107 | 24 | | .105 | | | | X | Lee | 17046 | |
| Prepared by: LASD Crime Lab Darrick Lertyaovarit Expire: 03/04/15 | | | | | | | | | | | | | | |
| Test Result 0001 07/04/14 01:48 .099 0002 07/04/14 01:51 .119 0003 07/04/14 01:56 .104 0004 07/05/14 02:32 .175 0005 07/05/14 02:34 .159 0006 07/06/14 00:19 .073 0007 07/06/14 00:22 .070 0008 07/06/14 20:33 .028 0009 07/06/14 20:35 .032 0010 07/06/14 21:02 .141 0011 07/06/14 21:05 .150 0012 07/06/14 23:54 .000 0013 07/06/14 23:57 .000 0014 07/10/14 18:33 .105 | | | | | | | | | | | | | | |
| No. Date Time XBAC Calibration 03/25/13 18:45 .100 | | | | | | | | | | | | | | |
| 07/10/14 18:33 AS4 Serial no: 0088888 Version no: 4797 | | | | | | | | | | | | | | |
| Push No. 3 to erase. | | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

17

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|---------------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008783 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|---------------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|------------------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1037 | 34 | C625 | 0.107 | 20 | | .100 | | | X | | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

07/10/14 10:41
AS4 Serial no: 000783
Version no: 4797

No. Date Time ZBAC
Calibration 07/10/08 13:52 .100

Test Result
0001 07/03/14 01:47 .064
0002 07/03/14 01:49 .069
0003 07/09/14 01:04 .016
0004 07/09/14 01:06 .015
0005 07/09/14 04:34 .177
0006 07/09/14 04:36 .178
0007 07/10/14 00:36 .184
0008 07/10/14 00:37 .165
0009 07/10/14 10:40 .106

Push No. 3 to erase,
or power down to retain

or power down to retain

* If the reading is within plus or minus (\pm) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#18

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 082657 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1050 | 34 | C625 | 0.107 | 22 | | 100 | | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyavarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Test Result
0001 07/10/14 10:52 .106
 No. Date Time MISC
Calibration
02/17/14 09:50 .100
 07/10/14 10:52
654 Serial no: 082657
Version no: 4797
 Push No. 5 to erase,
or power down to retain

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#19

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008870 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|------------------|---------------|---------|-----------------------------|---------|----------------------|-----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 1244 | 34 | C625 | 0.107 | 21 | | 102 | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

07/10/14 12:45
 AS4 Serial no: 008810
 Version no: 4797
 No. Date Time ZPAC
 Calibration 10/30/03 09:53 1M0
 Test Result
 0001 07/09/14 02:21 218
 0002 07/09/14 02:23 209
 0003 07/10/14 12:45 102

Push No. 3 to erase.

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#20

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 018684 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|---------|---------------|---------|--------------------------------|---------|-------------------------|-----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 1052 | 34 | C625 | 0.107 | 22 | | .107 | | | | Lee | 17046 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyaovarit
Expire: 03/04/15

Dush No. 3 to green

Test Result
0001 07/10/14 10:55 .107

No. Date Time ZMNC
Calibration 11/03/11 16:03 .100

07/10/14 10:55
NS4 Serial No: 018684
Version No: 4797

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#21

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|---------------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 009635 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|---------------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1054 | 34 | C625 | 0.107 | 21 | | .106 | | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

07/10/14 10:59
 PAS Serial no: 008635
 version no: 4797
 No. Date Time %BAC
 Calibration
 10/24/03 09:04 .100
 Test Result
 0001 07/10/14 10:59 .106
 Push No. 3 to erase
 or power down to retain

or power down to retain

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#22

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008845 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|---------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1056 | 34 | C625 | 0.107 | 21 | | .108 | | | X | | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyaovarit
Expire: 03/04/15

Push No. 3 to erase
or power down to retain
 Test Result
 0001 07/10/14 11:00 .108
 No. Date Time %BAC
 Calibration
 12/24/09 11:01 .108
 Version no: 4799
 NS4 Serial no: 008845
 07/10/14 11:04
 07/10/14 11:04

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#23

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 082653 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|--|------|-----------------------------------|---------|---------------|---------|-----------------------------|---------|----------------------|-----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 1104 | 34 | C625 | 0.107 | 23.21 | .105 | | | | X | Lee | 17046 | |
| <p>Prepared by: LASD Crime Lab Darrick Lertyaovarit Expire: 03/04/15</p> | | | | | | | | | | | | | |
| <p style="writing-mode: vertical-rl; transform: rotate(180deg);"> Test Result 0001 07/04/14 01:55 .115 0002 07/04/14 01:59 .112 0003 07/04/14 02:06 .069 0004 07/04/14 02:58 .000 0005 07/04/14 02:59 .091 0006 07/04/14 19:53 .267 0007 07/04/14 19:56 .261 0008 07/05/14 00:27 .052 0009 07/05/14 00:30 .059 0010 07/05/14 02:01 .116 0011 07/05/14 02:09 .117 0012 07/05/14 02:09 .048 0013 07/06/14 02:47 .045 0014 07/06/14 02:49 .046 0015 07/06/14 02:51 .040 0016 07/06/14 02:53 .038 0017 07/06/14 03:54 .046 0018 07/06/14 04:14 .013 0019 07/06/14 06:00 .285 0020 07/06/14 06:03 .202 0021 07/07/14 00:54 .024 0022 07/07/14 00:56 .026 0023 07/10/14 11:05 .105 </p> | | | | | | | | | | | | | |
| <p style="writing-mode: vertical-rl; transform: rotate(180deg);"> No. Date Time %BAC Calibration 02/17/14 10:00 .100 </p> | | | | | | | | | | | | | |
| <p style="writing-mode: vertical-rl; transform: rotate(180deg);"> 07/10/14 11:05 New Serial no: 082653 Version no: 4797 </p> | | | | | | | | | | | | | |
| <p style="writing-mode: vertical-rl; transform: rotate(180deg);"> Push No. 3 to erase, or power down to retain </p> | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#24

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008848 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|---------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1246 | 34 | C625 | 0.107 | 21 | | .105 | | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyaovarit
Expire: 03/04/15

Test Result
0801 07/10/14 12:48 .105

No. Date Time 2DNC
Calibration 01/19/08 09:25 .100

07/10/14 12:48
054 Serial no: 008848
Version no: 4797

* If the reading is within plus or minus (\pm) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#25

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 077591 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS | | |
|---|------|-----------------------------------|---------|---------------|---------|-----------------------------|---------|----------------------|-----|--------------------|----------|----------|----------------------------|-------|--|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | | NO | |
| 07/10/2014 | 1248 | 34 | C625 | 0.107 | 20 | | .105 | | | | X | | Lee | 17046 | |
| <p>Prepared by: LASD Crime Lab Darrick Lertyaovarit Expire: 03/04/15</p> | | | | | | | | | | | | | | | |
| <p style="text-align: center;">No. Date Time ZIMC Calibration 05/21/08 15:00 .100 Test Result 08/01 07/10/14 12:49 .105 Just No. 3 to erase or power down to retain</p> | | | | | | | | | | | | | | | |
| <p style="text-align: center;">07/10/14 12:49 684 Serial no: 077591 Version no: 4797</p> | | | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#26

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008850 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|---------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1250 | 34 | C625 | 0.107 | 21 | | .106 | | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyaovarit
Expire: 03/04/15

```

07/10/14 12:55
NS4 Serial no: 000850
Version no: 4797
No. Date Time ZBNC
Calibration
03/02/06 09:07 .100
Test Result
0001 07/10/14 12:54 .106
Push No. 3 to erase,
or power down to retain
    
```

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#27

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 077523 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|-------|-----------------------------------|---------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 12:34 | | C625 | 0.107 | 23 | | 101 | | | X | | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyaovarit
Expire: 03/04/15

Push No. 3 to erase.

| | | | |
|-----|----------|-------|-----|
| No. | Date | Time | %MC |
| 04 | 09/14 | 08:36 | 000 |
| 05 | 07/05/14 | 01:26 | 048 |
| 06 | 07/09/14 | 01:28 | 049 |
| 07 | 07/09/14 | 02:01 | 014 |
| 08 | 07/09/14 | 02:01 | 014 |
| 09 | 07/09/14 | 02:01 | 014 |
| 10 | 07/09/14 | 19:09 | 043 |
| 11 | 07/09/14 | 20:27 | 054 |
| 12 | 07/09/14 | 03:44 | 023 |
| 13 | 07/09/14 | 03:45 | 024 |
| 14 | 07/10/14 | 03:09 | 037 |
| 15 | 07/10/14 | 03:09 | 037 |
| 16 | 07/10/14 | 12:49 | 101 |

Test Result

07/10/14 12:50
054 Serial no: 077523
Version no: 4797

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#28

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 083051 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|---------|------------------|---------|--------------------------------|---------|-------------------------|-----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 1254 | 34 | C625 | 0.107 | 21 | | .105 | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Prepared by:
 LASD Crime Lab
 Darrick
 Lertyaovarit
 Expire: 03/04/15

Test Result
 0001 07/04/14 19:08 .009
 0002 07/04/14 19:04 .040
 0003 07/10/14 12:52 .105

Push No. 3 to Erase

No. Date Time %BAC
 Calibration
 03/25/13 14:00 .100

07/10/14 12:53
 N04 Serial no: 003051
 Version no: 4797

or power down to retain

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#30

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008897 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|---------|---------------|---------|-----------------------------|---------|----------------------|-----|--------------------|----------|----------|---------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 1250 | 34 | C625 | 0.107 | 21 | | 112 | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyavarit
Expire: 03/04/15

Flush No. 3 to erase,
or power down to retain

Test Result
0001 07/08/14 13:07 .000
0002 07/08/14 01:36 .000
0003 07/08/14 01:40 .000
0004 07/08/14 20:37 .245
0005 07/08/14 20:40 .241
0006 07/08/14 01:26 .122
0007 07/08/14 01:28 .116
0008 07/08/14 03:08 .129
0009 07/08/14 03:11 .121
0010 07/08/14 03:14 .107
0011 07/08/14 05:04 .096
0012 07/08/14 05:07 .101
0013 07/08/14 01:02 .023
0014 07/08/14 12:58 .112

No. Date Time ZHAC
Calibration
1 01/18/12 16:13 .100

07/10/14 12:59
NS4 Serial no: 008897
Version no: 4797

or power down to retain

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#31

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 018624 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|-------|--------------------------------------|---------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 12:59 | 34 | C625 | 0.107 | 22 | | .099 | | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyavarit
Expire: 03/04/15

Push No. 3 to erase,
or power down to retain

Test Result
0001 07/04/14 08:06 .000
0002 07/04/14 08:08 .151
0003 07/04/14 09:00 .154
0004 07/06/14 23:46 .065
0005 07/10/14 12:59 .099

No. Date Time ZHAC
Calibration
18/07/08 09:19 .100

07/10/14 13:00
NS4 Serial not 018624
Version not 4797

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#32

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 018646 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------------|------------------|---------|--------------------------------|---------|-------------------------|-----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 1302 | 34 | C625 | 0.107 | 23 | | .104 | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Push No. 3 to prese-

Test Result
0001 07/10/14 13:03 .104

Calibration
07/29/13 13:32 .100

No. Date Time ZBAC

Version no: 4797

NS4 Serial no: 018646

07/10/14 13:03

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#33

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 077488 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|---|---------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1304 | 34 | C625 | 0.107 | 21 | | .107 | | | | X | Lee | 17046 | |
| | | Prepared by: | | | | | | | | | | | | |
| | | LASD Crime Lab | | | | | | | | | | | | |
| | | Darrick | | | | | | | | | | | | |
| | | Lertyaovarit | | | | | | | | | | | | |
| | | Expire: 03/04/15 | | | | | | | | | | | | |
| | | Push No. 3 to erase, or power down to retain | | | | | | | | | | | | |
| | | Test Result | | | | | | | | | | | | |
| | | 0001 07/08/14 02:08 .098 | | | | | | | | | | | | |
| | | 0002 07/08/14 02:11 .105 | | | | | | | | | | | | |
| | | 0003 07/08/14 02:16 .105 | | | | | | | | | | | | |
| | | 0004 07/08/14 02:17 .099 | | | | | | | | | | | | |
| | | 0005 07/08/14 02:19 .145 | | | | | | | | | | | | |
| | | 0006 07/10/14 01:59 .049 | | | | | | | | | | | | |
| | | 0007 07/10/14 13:02 .107 | | | | | | | | | | | | |
| | | Ho. Date Time %MC Calibration 05/21/08 14:35 100 | | | | | | | | | | | | |
| | | 07/10/14 13:02 ASA Serial no: 077488 Version no: 4797 | | | | | | | | | | | | |
| | | or power down to retain | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#34

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 008877 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|---|------|-----------------------------------|---------|---------------|---------|-----------------------------|---------|----------------------|-----|--------------------|----------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 1300 | 34 | C625 | 0.107 | 21 | | .109 | | | X | Lee | 17046 | |
| <p>Prepared by: LASD Crime Lab Darrick Lertyaovarit Expire: 03/04/15</p> | | | | | | | | | | | | | |
| <p>07/10/14 13:15 AS4 Serial no: 008877 Version no: 4797</p> <p>No. Date Time ZPMC Calibration 05/26/05 16:40 .100</p> <p>Test Result 0001 07/10/14 13:08 .108 0002 07/10/14 13:15 .109</p> <p>Push No. 3 to erase, or power down to retain</p> | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#37

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 018626 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|---------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1317 | 34 | C625 | 0.107 | 22 | | 106 | | | | X | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Prepared by:
LASD Crime Lab
Darrick
Lertyaovarit
Expire: 03/04/15

Test Result
0001 07/10/14 13:16 .106
 No. Date Time Z/NOC
Calibration
04/29/05 00:59 .101
 Version not 4797
 07/10/14 13:16
 684 Serial not 018626
 02/10/14 13:16

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#38

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 018696 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|-------|--------------------------------------|------------------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 13:19 | 34 | C625 | 0.107 | 22 | | .109 | | | X | | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Test Result
 0001 07/10/14 13:18 .109
 No. Date Time ZDAC
 Calibration 09/09/13 14:58 100
 Version not 4797
 07/10/14 13:18
 NS4 Serial not 018696
 Version not 4797

Push No. 3 to erase,
 or power down to retain

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#40

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 018692 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|--|--------------------|--------------------------------------|---------|------------------|---------|--------------------------------|---------|-------------------------|-----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | | | | |
| 07/10/2014 | 1327 34 | | C625 | 0.107 | 22 | | .104 | | | X | Lee | 17046 | |
| <p>Prepared by: LASD Crime Lab Darrick Lertyaovarit Expire: 03/04/15</p> | | | | | | | | | | | | | |
| <p style="text-align: right;"> 07/10/14 13:25 AS4 Serial no: 018692 Version no: 4797 No. Date Time ZBNC Calibration 08/12/08 14:35 106 Test Result 0001 07/10/14 13:24 .104 Push No. 3 to erase. </p> | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

#42

| | | | | | |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Officer Kirk Lee | I.D. NUMBER 17046 | PAS MAKE/MODEL Intoximeters Inc./Alco-Sensor IV | PAS SERIAL NO. 018762 |
|--------------------------------|-----------------|--------------------------------------|----------------------|--|--------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 07/10/2014 | 1331 | 34 | C625 | 0.107 | 22 | | .106 | | | X | | Lee | 17046 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | Prepared by: | | | | | | | | | | | |
| | | | LASD Crime Lab | | | | | | | | | | | |
| | | | Darrick | | | | | | | | | | | |
| | | | Lertyaovarit | | | | | | | | | | | |
| | | | Expire: 03/04/15 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

or power down to retain

07/10/14 13:32
NSA Serial no: 018762
Version no: 4797

No. Date Time ZDHC
Calibration
03/30/09 15:52 .100

Test Result
0001 07/10/14 13:31 .106

Push No. 3 to erase.

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).

** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

