1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

## Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrum	nent serial N		68-012338			ccuracy check dat			07:49
	<b>:</b> 4	dibrot!	on abook			latantana at dat	ا ـ ـ ا		
First calibration check: Second calibration check:						Interferent detec			
						Interferent detec	ted:		
Concentration (%W/V) Solution lot			ot#:	t#: Soln temp C: Simulator Ser No.					
Numbe Operate		ested 	since last periodic	determinatio	on of acc	curacy:			
				Diagnos	stics ch	neck			
Eeprom Prom Ram Check	Pass Pass Pass sum 15775	Auto	Serial No. Pass Time clock calibration Pass Download date/tin	Moto Ranç ne: 10/01/20		:01	Prin voltme		
	Reco	ord im	ported (Y/N) N		Source [	Diagnostic			
Instrum	nent serial N	0:	68-012338		A	ccuracy check dat	e/time	: 10/01/2015	07:51
	First ca	ılibrati	on check:Unstable	reference		Interferent detec	ted:	No	
	Second ca	alibrati	on check:Not perfo	rmed		Interferent detec	ted:	No	
Concer	ntration (%W	//V)	Solution l	ot#:		Soln temp C: Simulator Ser No			
Numbe Operate		ested 	since last periodic	determinatio	on of acc	curacy: 013			
				Diagnos	stics ch	neck			
Eeprom			Serial No.	Tem	р	Internal	standa	ards	
Prom		Real	Time clock	Moto	•		Prir		
Ram			calibration	Rang		Digital			
Check	sum 49592	ند! امد	Download date/tin				Recor	d ID 87G9	
	Rec	ora im	ported (Y/N) N	3	ouice (	Calibration			

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

## Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial	No: 68-012338	Acc	curacy check date/time: 10/01/2015	07:51			
First	calibration check:		Interferent detected:				
Second	calibration check:		Interferent detected:				
Concentration (%	W/V) Sol	ution lot#:					
Number of people	tested since last pe	riodic determination of accu	racy:				
		Diagnostics che	ck				
Eeprom Pass Prom Pass Ram Pass Check sum 6313		Pass Motor Pass Pass Range Pass late/time: 10/01/2015 08:0					
Re	cora importea (Y/N)	N Source Dis	agnostic				
Instrument serial	No: 68-012338		euracy check date/time: 10/01/2015	07:51			
Instrument serial	No: 68-012338 calibration check: calibration check:	Acc ution lot#:		07:51			
Instrument serial  First of Second  Concentration (%)	No: 68-012338 calibration check: calibration check: W/V) Solution	Acc ution lot#:	curacy check date/time: 10/01/2015 Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	07:51			
Instrument serial  First of Second  Concentration (%)  Unstable reference  Number of people	No: 68-012338 calibration check: calibration check: W/V) Solution	Acc ution lot#:	curacy check date/time: 10/01/2015 Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	07:51			
Instrument serial  First of Second  Concentration (%)  Unstable reference  Number of people	No: 68-012338 calibration check: calibration check: W/V) Solution	Accuration lot#:	curacy check date/time: 10/01/2015 Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	07:51			

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/01/2015 08:01

First calibration check: .117 Interferent detected: No Second calibration check: .117 Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.03

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 013

Operator G GOSSAGE 7885

### Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 10600 Download date/time: 10/01/2015 08:06 Record ID 87P5

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/08/2015 07:27

First calibration check: Interferent detected:
Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

#### Diagnostics check

EepromPassSerial No. PassTemp PassInternal standards PassPromPassReal Time clock PassMotor PassPrinter PassRamPassAuto calibration PassRange PassDigital voltmeter 3199

Check sum 50667 Download date/time: 11/05/2015 07:54 Record ID 89S7

Record imported (Y/N) N Source Diagnostic

Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/08/2015 07:29

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 017

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 12587 Download date/time: 11/05/2015 07:54 Record ID 89I6

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/08/2015 07:31

First calibration check: .113 Interferent detected: No Second calibration check: .115 Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.05

Simulator Ser No. DR3707

4

Number of people tested since last periodic determination of accuracy: 017

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 40818 Download date/time: 11/05/2015 07:54 Record ID 89J1

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

## Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrum	nent serial N		8-012338	C.O.T.IIII IGUOTI		cy check date/time:		08:00
	First ca	alibration	check:		Inter	ferent detected:		
	Second ca	alibration	check:			ferent detected:		
Concentration (%W/V) Solution lot#			<del>t</del> :	S	oln temp C: lator Ser No.			
Numbe Operat		ested sin	ce last periodic de	termination of a	accuracy	:		
				Diagnostics	check			
Eeprom Prom Ram Check	Pass Pass Pass sum 58564	Real Ti Auto ca	Serial No. Pass me clock Pass libration Pass ownload date/time	Temp Pas Motor Pas Range Pas :11/05/2015	SS	Digital voltme	ter Pass	
	Reco	ord impo	ted (Y/N) N	Sourc	e Diagno	estic		
Instrum	nent serial N	o: 6	8-012338		Accurac	cy check date/time:	10/15/2015	08:02
Conce		alibration	check: Not perform check: Not perform Solution lot#	ned	Inter S	ferent detected: ferent detected: foln temp C: lator Ser No.	No No	
Numbe Operat		ested sin	ce last periodic de	termination of a	accuracy	: 009		
				Diagnostics	check			
Eeprom Prom		Real Ti	Serial No. me clock	Temp Motor		Internal standa Prin	ter	
Ram	00070		libration	Range		Digital voltme		
Cneck	sum 33370		ownload date/time ted (Y/N) N		07:54 e Calibra		d ID 89K8	

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/15/2015 08:07

First calibration check: .117 Interferent detected: No Second calibration check: .118 Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 009

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 22491 Download date/time: 11/05/2015 07:54 Record ID 89L5

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/18/2015 04:31

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

6

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 25880 Download date/time: 11/05/2015 07:54 Record ID 89Y7

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

## Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrum	ent serial N		68-012338	, Doloiiii	iii iatioi		cy check date/time		13:39
monuni	Ciil Sellai IV	J.	00 <b>-</b> 012330			Accurat	by oneon date/tillle	. 10/22/2013	13.38
First calibration check:					Interferent detected:				
Second calibration check:					Interferent detected:				
Concentration (%W/V) Solution lot			ot#:						
Number Operato		ested 	since last periodic	determina	ation of	accuracy	:		
				Diagr	ostics	check			
Prom Ram	Pass Pass Pass sum 25834	Auto	Serial No. Pass Time clock Pass calibration Pass Download date/tir	Mo Ra		nss nss 07:54	Digital voltmo Recor	nter Pass	
	Rec	ord im	ported (Y/N) N		Sourc	e Diagno	ostic		
Instrume	ent serial N	0:	68-012338			Accurac	cy check date/time	: 10/22/2015	13:40
Concen		alibrati	on check: Not perfo on check: Not perfo Solution I	ormed		Inter S	rferent detected: rferent detected: Soln temp C: llator Ser No.	No No	
Number Operato		ested	since last periodic	determina	ation of	accuracy	: 013		
				Diagr	nostics	check			
Eeprom			Serial No.	Te	emp		Internal standa	ards	
Prom		Real	Time clock		otor		Prir		
Ram			calibration		ange		Digital voltmo		
Check s	um 12633 Rec	ord im	Download date/tir	ne: 11/05/		07:54 e Calibra		d ID 89M2	

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/22/2015 13:42

First calibration check: .119 Interferent detected: No Second calibration check: .119 Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.03

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 013

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 48631 Download date/time: 11/05/2015 07:54 Record ID 89N7

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/25/2015 04:45

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

8

Unstable reference

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 29258 Download date/time: 11/05/2015 07:54 Record ID 89Z6

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 10/29/2015 68-012338 07:12 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram **Pass** Auto calibration Pass Range Pass Digital voltmeter 3238 Check sum 57254 Record ID 89V0 Download date/time: 11/05/2015 07:54 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012338 Accuracy check date/time: 10/29/2015 07:14 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 012 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 62550 Record ID 8904 Download date/time: 11/05/2015 07:54 Record imported (Y/N) N Source Calibration

> This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/29/2015 07:17

First calibration check: .117 Interferent detected: No Second calibration check: .118 Interferent detected: No

Concentration (%W/V) .120 Solution lot#: IRS121014 Soln temp C: 34.01

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 012

Operator G GOSSAGE 7885

### Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 38697 Download date/time: 11/05/2015 07:54 Record ID 89P2

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/30/2015 01:56

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

10

Number of people tested since last periodic determination of accuracy:

Operator

#### Diagnostics check

Serial No. Pass Internal standards Pass Eeprom Temp Pass Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 3203 Auto calibration Pass Check sum 72400 Record ID 89W3 Download date/time: 11/05/2015 07:54

Record imported (Y/N) N Source Diagnostic

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

Date printed 11/05/2015 Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7704

## Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	o: 68-012338	А	ccuracy check date/time: 10/31/2015	04:48		
	libration check:		Interferent detected:			
	10.0		Interferent detected:			
Concentration (%W	(7V) Solution	lot#:	Soln temp C: Simulator Ser No.			
Invalid sample						
Number of people to	ested since last periodic	determination of acc	curacy:			
Operator						
		Diagnostics ch	neck			
Eeprom	Serial No.	Temp	Internal standards			
Prom Ram	Real Time clock	Motor	Printer			
Check sum 14640	Auto calibration	Range	Digital voltmeter			
	Download date/ti ord imported (Y/N) N		:54 Record ID 8A06 Exception			
Rece	ord imported (1714) 14	000,00	zzecption			
Instrument serial No	o: 68-012338	А	ccuracy check date/time: 10/31/2015	04:54		
First ca	libration check:		Interferent detected:			
Second ca	llibration check:		Interferent detected:			
Concentration (%W	//V) Solution	lot#:	Soln temp C:			
			Simulator Ser No.			
Invalid sample						
Number of people to	ested since last periodic	determination of acc	curacy:			
Operator	·		,			
		Diagnostics ch	neck			
Eeprom	Serial No.	Temp	Internal standards			
Prom	Real Time clock	Motor	Printer			
Ram	Auto calibration	Range	Digital voltmeter			
Check sum 41410	Download date/ti	me: 11/05/2015 07	:54 Record ID 8A19			