1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 03/02/2017 68-012337 12:59 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3524 Check sum 49691 Download date/time: 03/02/2017 Record ID 96F5 13:24 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012337 Accuracy check date/time: 03/02/2017 13:01 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 010 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 35186 Record ID 9680 Download date/time: 03/02/2017 13:24 Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012337 Accuracy check date/time: 03/02/2017 13:03

First calibration check: .114 Interferent detected: No Second calibration check: .118 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 33.99

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 010

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 59614 Download date/time: 03/02/2017 13:24 Record ID 9697

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012337 Accuracy check date/time: 03/02/2017 13:12

First calibration check: .121 Interferent detected: No Second calibration check: .122 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 33.99

Simulator Ser No. DR3707

2

LAST CAL CHECK - COLD SOLN

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 30730 Download date/time: 03/02/2017 13:24 Record ID 96A4

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012337 Accuracy check date/time: 03/08/2017 11:28

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

Internal standards Pass Serial No. Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3493 Check sum 56043 Record ID 96K8 Download date/time: 03/08/2017 11:47

Record imported (Y/N) N Source Diagnostic

Instrument serial No: 68-012337 Accuracy check date/time: 03/08/2017 11:32

First calibration check: .115 Interferent detected: No Second calibration check: .116 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.03

Simulator Ser No. DR3707

Page

3

Number of people tested since last periodic determination of accuracy: 014

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 21393 Download date/time: 03/08/2017 11:47 Record ID 9618

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012337 Accuracy check date/time: 03/08/2017 11:33

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.03

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 014

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 83100 Download date/time: 03/08/2017 11:47 Record ID 96J1

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012337 Accuracy check date/time: 03/08/2017 11:52

First calibration check: 120 Interferent detected: No Second calibration check: 119 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.02

Simulator Ser No. DR3707

4

LAST CAL CHECK - COLD SOLN

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 42251 Download date/time: 03/08/2017 12:03 Record ID 9618

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Accuracy check date/time: 03/12/2017

02:14

First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. CHANGED TIME FROM 0214 TO 0314 Number of people tested since last periodic determination of accuracy: Operator G GOSSAGE 7885 Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range Check sum 41336 Record ID 96Y5 Download date/time: 03/30/2017 13:31 Source Memo Record imported (Y/N) N Instrument serial No: 68-012337 Accuracy check date/time: 03/12/2017 05:49 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No.

Invalid sample

Instrument serial No:

68-012337

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 62889 Download date/time: 03/30/2017 13:31 Record ID 96U9

Record imported (Y/N) N Source Exception

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 03/16/2017 68-012337 08:14 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3478 Check sum 64830 Record ID 96R8 Download date/time: 03/30/2017 13:31 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012337 Accuracy check date/time: 03/16/2017 08:16 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 010 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 22658 Record ID 96J1 Download date/time: 03/30/2017 13:31 Record imported (Y/N) N Source Calibration

> This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

> > 6

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012337 Accuracy check date/time: 03/16/2017 08:18

First calibration check: .114 Interferent detected: No Second calibration check: .117 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.03

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 010

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 26188 Download date/time: 03/30/2017 13:31 Record ID 96K8

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012337 Accuracy check date/time: 03/16/2017 08:21

First calibration check: .117 Interferent detected: No Second calibration check: .118 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.01

Simulator Ser No. DR3707

LAST CAL CHECK - COLD SOLN

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 13175 Download date/time: 03/30/2017 13:31 Record ID 96L9

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

| Instrument seria | l No: | 68-012337 | | | check date/time: 03/23/2017 | 05:12 | | |
|--|------------|--|---|--|--|-------|--|--|
| First calibration check: | | | | Interferent detected: | | | | |
| Second calibration check: | | | | Interferent detected: | | | | |
| Concentration (%W/V) Solution lo | | ot#: | Soln temp C: Simulator Ser No. | | | | | |
| Ambient air cond | dition | | | | | | | |
| Number of peopl | e tested s | since last periodic | determination of a | accuracy: | | | | |
| Operator | | | | | | | | |
| Diagnostics check | | | | | | | | |
| Eeprom Prom Ram | Auto | Serial No. Time clock calibration | Temp Motor Range | | Internal standards Printer Digital voltmeter | | | |
| Check sum 611 | | Download date/tim | | 13:31 | Record ID 96V6 | | | |
| R | ecord imp | oorted (Y/N) N | Sourc | e Exception | | | | |
| Instrument serial No: 68-012337 | | | | Accuracy check date/time: 03/23/2017 11:33 | | | | |
| First | on check: | | Interferent detected: | | | | | |
| Second | on check: | | Interferent detected: | | | | | |
| Concentration (%W/V) S | | Solution lo | t#: Soln temp C: Simulator Ser No. | | • | | | |
| Number of peopl | e tested s | since last periodic o | determination of a | accuracy: | | | | |
| | | | Diagnostics | check | | | | |
| Eeprom Pass Prom Pass Ram Pass Check sum 323 | Auto | Serial No. Pass Time clock Pass calibration Pass Download date/tim | Temp Pa Motor Pa Range Pa ne: 03/30/2017 | ss | Internal standards Pass Printer Pass Digital voltmeter 3457 Record ID 96S1 | | | |
| R | ecord imp | orted (Y/N) N | Sourc | e Diagnosti | | | | |

Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012337 Accuracy check date/time: 03/23/2017 11:35

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 022

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 43540 Download date/time: 03/30/2017 13:31 Record ID 96M6

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012337 Accuracy check date/time: 03/23/2017 11:42

First calibration check: .117 Interferent detected: No Second calibration check: .118 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.03

Simulator Ser No. DR3707

9

Number of people tested since last periodic determination of accuracy: 022

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 10854 Download date/time: 03/30/2017 13:31 Record ID 96N9

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

| Instrument serial No: 68-012337 | | Accuracy check date/time: 03/25/2017 | | | 18:18 | | | | | |
|--|---|--------------------------------------|-----------------------------------|--|-------|--|--|--|--|--|
| First cal | ibration check: | | Interferent detected: | | | | | | | |
| Second cal | libration check: | | Interferent detected: | | | | | | | |
| Concentration (%W/ | /V) Solution lo | t# : | Soln temp C: Simulator Ser No. | | | | | | | |
| Unstable reference | | | | | | | | | | |
| Number of people tested since last periodic determination of accuracy: | | | | | | | | | | |
| Operator | | | | | | | | | | |
| Diagnostics check | | | | | | | | | | |
| Eeprom Prom Ram Check sum 15232 | Serial No. Real Time clock Auto calibration | Temp Motor Range | Digit | al standards Printer al voltmeter Record ID 96W9 | | | | | | |
| | Download date/time | | 13:31 | Record ID 90009 | | | | | | |
| Record imported (Y/N) N Source Exception | | | | | | | | | | |
| Instrument serial No | o: 68-012337 | | Accuracy check d | ate/time: 03/26/2017 | 02:20 | | | | | |
| First cal | ibration check: | Interferent dete | Interferent detected: | | | | | | | |
| Second cal | libration check: | | Interferent dete | | | | | | | |
| Concentration (%W/ | t# : | Soln temp C: Simulator Ser No. | | | | | | | | |
| Invalid sample | | | | | | | | | | |
| Number of people te | ested since last periodic d | etermination of | accuracy: | | | | | | | |
| Operator | | | | | | | | | | |
| Diagnostics check | | | | | | | | | | |
| Eeprom | Serial No. | Temp | Interna | al standards | | | | | | |
| Prom | Real Time clock | Motor | | Printer | | | | | | |
| Ram | Auto calibration | Range | Digit | al voltmeter | | | | | | |
| Check sum 46507 | Download date/time | e: 03/30/2017 | 13:31 | Record ID 96X2 | | | | | | |
| Reco | rd imported (Y/N) N | Sour | ce Exception | | | | | | | |

10

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 03/30/2017 68-012337 11:43 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3445 Check sum 53872 Record ID 96T6 Download date/time: 03/30/2017 13:31 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012337 Accuracy check date/time: 03/30/2017 11:44 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 016 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 34856 Record ID 9606 Download date/time: 03/30/2017 13:31 Record imported (Y/N) N Source Calibration

11

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012337 Accuracy check date/time: 03/30/2017 11:47

First calibration check: .112 Interferent detected: No Second calibration check: .114 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.00

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 016

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 46384 Download date/time: 03/30/2017 13:31 Record ID 96P8

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012337 Accuracy check date/time: 03/30/2017 11:52

First calibration check: .118 Interferent detected: No Second calibration check: .119 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.10

Simulator Ser No. DR3707

12

LAST CAL CHECK - COLD SIM HOSE

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 44062 Download date/time: 03/30/2017 13:31 Record ID 96Q1

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.