1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 04/06/2017 10:29

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

Internal standards Pass Serial No. Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3195 Check sum 35343 Record ID 97V7 Download date/time: 04/06/2017 10:42

Record imported (Y/N) N Source Diagnostic

Instrument serial No: 68-012335 Accuracy check date/time: 04/06/2017 10:31

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.07

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 45801 Download date/time: 04/06/2017 10:42 Record ID 97Q0

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 04/06/2017 68-012335 10:36

First calibration check: 121 Interferent detected: Nο Second calibration check: 123 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.13

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range

Check sum 56300 Record ID 97X9 Download date/time: 04/06/2017 10:47

> Source Calibration Record imported (Y/N) N

Instrument serial No: 68-012335 Accuracy check date/time: 04/09/2017 18:43

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

Serial No. Pass Internal standards Pass Eeprom Pass Temp Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 3183 Auto calibration Pass Check sum 87900 Record ID 99M8 Download date/time: 05/04/2017

08:45

Record imported (Y/N) N Source Diagnostic

Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 04/13/2017 10:59

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 001

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 36528 Download date/time: 05/04/2017 08:45 Record ID 99D7

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 04/13/2017 11:05

First calibration check: .121 Interferent detected: No Second calibration check: .123 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 33.95

Simulator Ser No. DR3707

Page

3

Number of people tested since last periodic determination of accuracy: 001

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 64652 Download date/time: 05/04/2017 08:45 Record ID 99E8

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 04/21/2017 09:38

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

Internal standards Pass Serial No. Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3243 Check sum 36491 Download date/time: 05/04/2017 Record ID 99N3 08:45

Record imported (Y/N) N Source Diagnostic

Instrument serial No: 68-012335 Accuracy check date/time: 04/21/2017 09:40

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 33.95

Simulator Ser No. DR3707

4

Number of people tested since last periodic determination of accuracy: 001

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 33178 Download date/time: 05/04/2017 08:45 Record ID 99F3

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 04/21/2017 09:43

First calibration check: 121 Interferent detected: No Second calibration check: 123 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.07

Simulator Ser No. DR3707

TAKEN OUT OF SERVICE - MOVED TO BOOKING

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 51115 Download date/time: 05/04/2017 08:45 Record ID 99G4

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 04/21/2017 11:22

First calibration check: 126 Interferent detected: No Second calibration check: 128 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.03

Simulator Ser No. DR3707

5

PLACED INTO SERVICE - BOOKING

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 16599 Download date/time: 05/04/2017 08:45 Record ID 99H1

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	o: 68-012335		Accuracy check	date/time: 04/22/2017	02:54
First calibration check:			Interferent detected:		
Second ca	llibration check:		Interferent de	etected:	
Concentration (%W/V) Solution lot#:		ution lot#:	Soln temp C: Simulator Ser No.		
Invalid sample					
Number of people to	ested since last pe	riodic determination of	f accuracy:		
Operator					
		Diagnostic	s check		
Eeprom	Serial No.	Temp	Inter	nal standards	
Prom	Real Time clock	Motor		Printer	
Ram	Auto calibration	Range		gital voltmeter	
Check sum 20082		ate/time: 05/04/2017	08:45	Record ID 99S9	
Reco	ord imported (Y/N)	N Sour	rce Exception		
Instrument serial No	o: 68-012335		Accuracy check	date/time: 04/22/2017	02:57
	o: 68-012335 libration check:		Accuracy check		02:57
First ca			•	etected:	02:57
First ca	libration check:	ution lot#:	Interferent de	etected: etected: o C:	02:57
First ca Second ca	libration check:	ution lot#:	Interferent de Interferent de Soln temp	etected: etected: o C:	02:57
First ca Second ca Concentration (%W	libration check: libration check: //V) Sol	ution lot#: riodic determination o	Interferent de Interferent de Soln temp Simulator Sei	etected: etected: o C:	02:57
First ca Second ca Concentration (%W	libration check: libration check: //V) Sol		Interferent de Interferent de Soln temp Simulator Sei	etected: etected: o C:	02:57
First ca Second ca Concentration (%W Invalid sample Number of people to	libration check: libration check: //V) Sol		Interferent de Interferent de Soln temp Simulator Sei	etected: etected: o C:	02:57
First ca Second ca Concentration (%W Invalid sample Number of people to	libration check: libration check: //V) Sol	riodic determination o	Interferent de Interferent de Soln temp Simulator Ser f accuracy:	etected: etected: o C:	02:57
First ca Second ca Concentration (%W Invalid sample Number of people to Operator Eeprom Prom	libration check: libration check: //V) Solution	riodic determination of Diagnostic	Interferent de Interferent de Soln temp Simulator Ser f accuracy:	etected: etected: o C: · No.	02:57
First ca Second ca Concentration (%W Invalid sample Number of people to Operator	libration check: libration check: libration check: libration check: Solution	riodic determination of Diagnostic	Interferent de Interferent de Soln temp Simulator Sel f accuracy: s check	etected: etected: o C: No. rnal standards Printer gital voltmeter	02:57
First ca Second ca Concentration (%W Invalid sample Number of people to Operator Eeprom Prom	libration check: libration check: libration check: libration check: Solution Serial No. Real Time clock Auto calibration	riodic determination of Diagnostic Temp Motor	Interferent de Interferent de Soln temp Simulator Sel f accuracy: s check	etected: etected: o C: No. rnal standards Printer	02:57

6

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	o: 68-012335	Accurac	cy check date/time: 04/25/2017	16:11
	libration check: libration check:	Interferent detected: Interferent detected:		
Concentration (%W			·	
Ambient air condition	on			
Number of people to	ested since last periodic dete	ermination of accuracy	:	
Operator				
		Diagnostics check		
Eeprom Prom Ram Check sum 64374	Serial No. Real Time clock Auto calibration Download date/time: 0	Temp Motor Range 05/04/2017 08:45	Internal standards Printer Digital voltmeter Record ID 99U9	
	rd imported (Y/N) N	Source Except		
Instrument serial No	o: 68-012335	Accurac	cy check date/time: 04/27/2017	08:01
	libration check:	Inter	ferent detected:	
Second calibration check:		Interferent detected:		
Concentration (%W/V) Solution lot#		S Simu		
	ested since last periodic dete	ermination of accuracy	:	
Number of people to Operator			:	
		ermination of accuracy Diagnostics check	·	
Operator Eeprom Pass Prom Pass Ram Pass	Serial No. Pass Real Time clock Pass Auto calibration Pass	Diagnostics check Temp Pass Motor Pass Range Pass	Internal standards Pass Printer Pass Digital voltmeter 3198	
Operator Eeprom Pass Prom Pass Ram Pass Check sum 26326	Serial No. Pass Real Time clock Pass	Diagnostics check Temp Pass Motor Pass Range Pass	Internal standards Pass Printer Pass Digital voltmeter 3198 Record ID 9904	

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 04/27/2017 08:03

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 021

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 49883 Download date/time; 05/04/2017 08:45 Record ID 99I2

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 04/27/2017 08:06

First calibration check: 120 Interferent detected: No Second calibration check: 122 Interferent detected: No

Concentration (%W/V) .126 Solution lot#: IRS070116 Soln temp C: 34.02

Simulator Ser No. DR3707

8

Number of people tested since last periodic determination of accuracy: 021

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 14470 Download date/time: 05/04/2017 08:45 Record ID 99J7

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial N	o: 68-012335	Accur	racy check date/time: 04/28/2017	21:34
	llibration check: alibration check:		Interferent detected: Interferent detected:	
Concentration (%W	montration (0/ M/A/)		Soln temp C: nulator Ser No.	
Unstable reference		determination of accurac	ov:	
Operator			•	
		Diagnostics check	<u> </u>	
Eeprom Prom Ram Check sum 10433 Recc	Serial No. Real Time clock Auto calibration Download date/tir	Temp Motor Range me: 05/04/2017 08:45 Source Exce	Internal standards Printer Digital voltmeter Record ID 99V6 ption	
Instrument serial N	o: 68-012335	Accui	racy check date/time: 04/29/2017	12:59
	alibration check:		erferent detected: erferent detected:	
Concentration (%W/V) Solution lot#		t#: Soln temp C: Simulator Ser No.		
Number of people to Operator	ested since last periodic	determination of accurac	cy:	
		Diagnostics check	<u> </u>	
Eeprom Pass Prom Pass Ram Pass Check sum 49775	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/tir	Temp Pass Motor Pass Range Pass me: 05/04/2017 08:45	Internal standards Pass Printer Pass Digital voltmeter 3184 Record ID 99P4	
Reco				