1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	o: 68-012335		Accuracy check da	te/time: 07/02/2017	21:39
First calibration check:			Interferent detected:		
Second calibration check:			Interferent dete	cted:	
Concentration (%W	//V) Solution lo	ot#:	Soln temp C Simulator Ser No		
Ambient air condition	on				
Number of people to	ested since last periodic o	determination of	accuracy:		
Operator					
		Diagnostics	s check	•	
Eeprom Prom Ram	Serial No. Real Time clock Auto calibration	Temp Motor Range	Digita	standards Printer I voltmeter	
Check sum 47276	Download date/tim		13:50	Record ID 9CI0	
Reco	ord imported (Y/N) N	Sourc	ce Exception		
Instrument serial No	o: 68-012335		Accuracy check da	te/time: 07/04/2017	20:02
First ca	libration check:		Interferent dete	cted:	
Second ca	alibration check:		Interferent dete	cted:	
Concentration (%W/V) Solution lot#:		ot#:	Soln temp C Simulator Ser No		
Ambient air condition	on				
Number of people to	ested since last periodic o	determination of	accuracy:		
Operator					
		Diagnostics	check	•	
Eeprom	Serial No.	Temp	Internal	standards	
Prom	Real Time clock	Motor		Printer	
Ram	Auto calibration	Range	Digita	l voltmeter	
Check sum 56290	Download date/tim		13:50	Record ID 9CJ5	
Reco	ord imported (Y/N) N	Sourc	ce Exception		

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 07/05/2017 68-012335 12:32 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Ambient air condition Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range Check sum 31912 Record ID 9CK6 Download date/time: 07/05/2017 13:50 Record imported (Y/N) N Source Exception Instrument serial No: 68-012335 Accuracy check date/time: 07/05/2017 12:34 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Unstable reference Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 20546 Record ID 9CL1 Download date/time: 07/05/2017 13:50 Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

	,			•		
Instrun	nent serial No	o: 68-012335		Accuracy check date/time	: 07/05/2017	13:32
	First ca	libration check: Not perfor	med	Interferent detected:	No	
	Second ca	libration check:Not perfor	med	Interferent detected:	No	
Conce	ntration (%W	/V) Solution lo	t#:	Soln temp C: Simulator Ser No.		
Numbe Operat		ested since last periodic d	etermination of a	accuracy: 037		
			Diagnostics	check		
Eeprom Prom Ram		Serial No. Real Time clock Auto calibration	Temp Motor Range	Internal standa Prir Digital voltme	nter	
Check	sum 79350	Download date/time			d ID 9CE6	
	Reco	ord imported (Y/N) N	Sourc	e Calibration		
Instrun	nent serial No	o: 68-012335		Accuracy check date/time	: 07/05/2017	13:33
	First ca	libration check:		Interferent detected:		
	Second ca	libration check:		Interferent detected:		
Conce	ntration (%W	/V) Solution lo	t#:	Soln temp C: Simulator Ser No.		
Numbe Operat		ested since last periodic d	etermination of a	accuracy:		
			Diagnostics	check		
Eeprom Prom Ram	Pass Pass Pass	Serial No. Pass Real Time clock Pass Auto calibration Pass	Temp Pa Motor Pa Range Pa	ss Prir	nter Pass	
Check	sum 11885	Download date/time		13:50 Recor	d ID 9CG2	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 07/06/2017 68-012335 10:57 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3050 Check sum 52424 Download date/time: 08/02/2017 Record ID 9EV8 08:55 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012335 Accuracy check date/time: 07/06/2017 10:59 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 038 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 43633 Record ID 9EM0 Download date/time: 08/02/2017 08:55 Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 07/06/2017 11:16

First calibration check: .133 Interferent detected: No Second calibration check: .133 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.10

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 038

Operator G GOSSAGE 7885

#### Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 20500 Download date/time: 08/02/2017 08:55 Record ID 9EN1

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 07/12/2017 19:50

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

5

Number of people tested since last periodic determination of accuracy:

Operator

#### Diagnostics check

Serial No. Pass Internal standards Pass Eeprom Pass Temp Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 2983 Auto calibration Pass Check sum 56172 Record ID 9EW3 Download date/time: 08/02/2017 08:55

Record imported (Y/N) N Source Diagnostic

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 07/13/2017 68-012335 10:15 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3085 Check sum 31070 Download date/time: 08/02/2017 Record ID 9EX4 08:55 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012335 Accuracy check date/time: 07/13/2017 10:16 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 016 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 53376 Record ID 9E06 Download date/time: 08/02/2017 08:55 Record imported (Y/N) N Source Calibration

> This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 07/13/2017 10:18

First calibration check: .129 Interferent detected: No Second calibration check: .130 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.01

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 016

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 29242 Download date/time: 08/02/2017 08:55 Record ID 9EP2

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 07/16/2017 22:30

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

7

Page

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 74520 Download date/time: 08/02/2017 08:55 Record ID 9F27

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 07/20/2017 68-012335 08:26 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3027 Check sum 17050 Download date/time: 08/02/2017 Record ID 9EY9 08:55 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012335 Accuracy check date/time: 07/20/2017 08:29 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 022 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 98270 Record ID 9EQ7 Download date/time: 08/02/2017 08:55 Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 07/20/2017 08:33

First calibration check: .130 Interferent detected: No Second calibration check: .132 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 022

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 58244 Download date/time: 08/02/2017 08:55 Record ID 9ER8

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 07/21/2017 03:47

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

9

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 14400 Download date/time: 08/02/2017 08:55 Record ID 9F32

Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial N	o: 68-012335		Accuracy ch	eck date/time: 07/23/2017	04:33
	alibration check:		Interfere	nt detected:	
Second ca	alibration check:		Interfere	nt detected:	
Concentration (%W	//V) Solution	lot#:	Soln t Simulator	emp C: Ser No.	
Invalid sample					
Number of people to	ested since last periodic	determination of a	accuracy:		
Operator					
		Diagnostics	check		
Eeprom	Serial No.	Temp	I	nternal standards	
Prom	Real Time clock	Motor		Printer	
Ram	Auto calibration	Range		Digital voltmeter	
Check sum 23849	Download date/til		08:55	Record ID 9F49	
Reco	ord imported (Y/N) N	Sourc	e Exception		
Instrument serial N	o: 68-012335		Accuracy ch	eck date/time: 07/24/2017	20:06
First ca	alibration check:		Interfere	nt detected:	
Second ca	alibration check:		Interfere	nt detected:	
Concentration (%W	//V) Solution	lot#·	Soln t	omp C:	
,	, Coldwon		Soln temp C: Simulator Ser No.		
Unstable reference	•				
Number of people to	ested since last periodic	determination of a	accuracy:		
Operator					
		Diagnostics	check		
Eeprom	Serial No.	Temp	I	nternal standards	
Prom		Motor		Printer	
1 10111	Real Time clock	MOLOI			
Ram	Real Time clock Auto calibration	Range		Digital voltmeter	
		Range	08:55		

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 07/27/2017 68-012335 09:00 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3023 Check sum 14820 Download date/time: 08/02/2017 Record ID 9EZ0 08:55 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012335 Accuracy check date/time: 07/27/2017 09:03 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 032 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 22510 Record ID 9ES3 Download date/time: 08/02/2017 08:55 Record imported (Y/N) N Source Calibration

### 1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 07/27/2017 68-012335 09:06

First calibration check: .132 Interferent detected: Nο Second calibration check: 132 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 032

Operator G GOSSAGE 7885

#### Diagnostics check

Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range

Check sum 42321 Record ID 9ET2 Download date/time: 08/02/2017 08:55

> Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 07/28/2017 05:43

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

12

Number of people tested since last periodic determination of accuracy:

Operator

#### Diagnostics check

Serial No. Pass Internal standards Pass Eeprom Pass Temp Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 2921 Auto calibration Pass Check sum 52594 Record ID 9F07

Download date/time: 08/02/2017 08:55

> Record imported (Y/N) N Source Diagnostic

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

•			·	
Instrument serial No:	68-012335		Accuracy check date/time: 07/28/2017	23:58
First calil	bration check:		Interferent detected:	
Second cali	bration check:		Interferent detected:	
Concentration (%W/\	V) Solution	lot#:	Soln temp C: Simulator Ser No.	
Invalid sample				
Number of people tes	sted since last periodic	determination of a	accuracy:	
Operator				
		Diagnostics	check	
Eeprom	Serial No.	Temp	Internal standards	
	Real Time clock	Motor	Printer	
Ram	Auto calibration	Range	Digital voltmeter	
Check sum 13480	Download date/tir	me: 08/02/2017	08:55 Record ID 9F69	
Recor	d imported (Y/N) N	Source	Exception	
Instrument serial No:	68-012335		Accuracy check date/time: 07/29/2017	00:00
	68-012335 bration check:		Accuracy check date/time: 07/29/2017 Interferent detected:	00:00
First calil				00:00
First calil Second cali	bration check: bration check:	lot#:	Interferent detected: Interferent detected:	00:00
First calil	bration check: bration check:	lot#:	Interferent detected:	00:00
First calil Second cali	bration check: bration check:	lot#:	Interferent detected: Interferent detected: Soln temp C:	00:00
First calil Second cali Concentration (%W/\	bration check: bration check:	lot#:	Interferent detected: Interferent detected: Soln temp C:	00:00
First calil Second cali Concentration (%W/\footnote{N}\) Invalid sample	bration check: bration check: V) Solution		Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	00:00
First calil Second cali Concentration (%W/\footnote{N}\) Invalid sample	bration check: bration check:		Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	00:00
First calil Second cali Concentration (%W/\footnote{N}\) Invalid sample	bration check: bration check: V) Solution		Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	00:00
First califul Second califul Concentration (%W/N) Invalid sample Number of people test	bration check: bration check: V) Solution		Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	00:00
First califul Second califul Second califul Concentration (%W/N)  Invalid sample  Number of people test Operator	bration check: bration check: V) Solution	determination of a	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	00:00
First calil Second cali Concentration (%W/Number of people test Operator  Eeprom	bration check: bration check:  V) Solution I	determination of a	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	00:00
First calii Second cali Concentration (%W/\footnote{N}) Invalid sample Number of people tes Operator  Eeprom Prom	bration check: bration check:  V) Solution    Sted since last periodic  Serial No.	determination of a  Diagnostics  Temp	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.  Accuracy: Check Internal standards	00:00
First calii Second cali Concentration (%W/\footnote{N}) Invalid sample Number of people tes Operator  Eeprom Prom	bration check: bration check: V) Solution Sted since last periodic Serial No. Real Time clock	Diagnostics  Temp  Motor  Range	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.  Inccuracy: Check  Internal standards Printer	00:00

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.