1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 08/02/2017 68-012335 07:49 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3087 Check sum 49884 Download date/time: 08/02/2017 Record ID 9F12 08:55 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012335 Accuracy check date/time: 08/02/2017 07:50 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 005 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 25401 Record ID 9EU7 Download date/time: 08/02/2017 08:55 Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 08/02/2017 08:54

First calibration check: .131 Interferent detected: No Second calibration check: .130 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.07

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 21049 Download date/time: 08/02/2017 09:09 Record ID 9EM0

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 08/10/2017 09:05

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

2

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

Serial No. Pass Internal standards Pass Eeprom Pass Temp Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 3021 Auto calibration Pass Check sum 45560 Record ID 9FJ0 Download date/time: 08/29/2017 09:42

Record imported (Y/N) N Source Diagnostic

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 08/10/2017 09:07

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 016

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 35810 Download date/time: 08/29/2017 09:42 Record ID 9FC9

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 08/10/2017 09:10

First calibration check: .130 Interferent detected: No Second calibration check: .131 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.05

Simulator Ser No. DR3707

3

Number of people tested since last periodic determination of accuracy: 016

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 41926 Download date/time: 08/29/2017 09:42 Record ID 9FD0

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

			curacy / Maintenance Reco	
Instrument serial N	lo: 68-012335	Accu	racy check date/time: 08/18/2017	09:31
First calibration check:		Interferent detected:		
Second calibration check:		In	Interferent detected:	
Concentration (%\	V/V) Solution lo		Soln temp C: nulator Ser No.	
Number of people Operator	tested since last periodic	determination of accurad	cy:	
		Diagnostics checl	<	
Eeprom Pass Prom Pass Ram Pass Check sum 41194 Rec	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/tin	Temp Pass Motor Pass Range Pass ne: 08/29/2017 09:42 Source Diag	Internal standards Pass Printer Pass Digital voltmeter 2994 Record ID 9FK9	
Instrument serial N		Accu	racy check date/time: 08/18/2017	09:34
	alibration check: Not perfo alibration check: Not perfo		terferent detected: No	
Concentration (%)	•	ot#:	terferent detected: No Soln temp C: nulator Ser No.	
Number of people Operator	tested since last periodic	determination of accura	cy: 019	
	tested since last periodic	determination of accurace Diagnostics checl		
	tested since last periodic of the street			

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 08/18/2017 09:39

First calibration check: .131 Interferent detected: No Second calibration check: .132 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.06

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 019

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 60818 Download date/time: 08/29/2017 09:42 Record ID 9FF8

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 08/19/2017 04:15

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

5

Unstable reference

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 46937 Download date/time: 08/29/2017 09:42 Record ID 9FM9

Record imported (Y/N) N Source Exception

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial N	o: 68-012335		Accuracy check date/time: 08/19/2017	04:18
First calibration check: Second calibration check:			Interferent detected:	
Concentration (%W		lot#:	Interferent detected: Soln temp C: Simulator Ser No.	
Unstable reference	ested since last periodic	determination of ac	ccuracy:	
Operator				
		Diagnostics of	heck	
Eeprom Prom Ram	Serial No. Real Time clock Auto calibration	Temp Motor Range	Internal standards Printer Digital voltmeter	
Check sum 23913	Download date/ti ord imported (Y/N) N		9:42 Record ID 9FN8 Exception	
Instrument serial N			Accuracy check date/time: 08/26/2017	04:21
First calibration check: Second calibration check:				
			Interferent detected: Interferent detected:	
	alibration check:	lot#:		
Second ca Concentration (%W Invalid sample Number of people to	alibration check:		Interferent detected: Soln temp C: Simulator Ser No.	
Second ca Concentration (%W	alibration check: //V) Solution	determination of ac	Interferent detected: Soln temp C: Simulator Ser No.	
Second ca Concentration (%W Invalid sample Number of people to	alibration check: //V) Solution ested since last periodic		Interferent detected: Soln temp C: Simulator Ser No.	
Second ca Concentration (%W Invalid sample Number of people to Operator	alibration check: //V) Solution ested since last periodic Serial No.	determination of ac Diagnostics of Temp	Interferent detected: Soln temp C: Simulator Ser No. ccuracy: check Internal standards	
Second ca Concentration (%W Invalid sample Number of people to Operator Eeprom Prom	Alibration check: //V) Solution ested since last periodic Serial No. Real Time clock	Diagnostics of Temp	Interferent detected: Soln temp C: Simulator Ser No. ccuracy: check Internal standards Printer	
Second ca Concentration (%W Invalid sample Number of people to Operator	alibration check: //V) Solution ested since last periodic Serial No.	Diagnostics of Temp Motor Range	Interferent detected: Soln temp C: Simulator Ser No. ccuracy: check Internal standards	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

6

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

	nent serial No:	68-012335		Accuracy check date/time: 08/26/2017	10:00
First calibration check:			Interferent detected:		
Second calibration check:			Interferent detected:		
Concer	ntration (%W/\	V) Solution lo	ot#:	Soln temp C: Simulator Ser No.	
Invalid	sample				
Numbe	r of people tes	sted since last periodic	determination of ac	curacy:	
Operato	or				
			Diagnostics of	heck	
Eeprom		Serial No.	Temp	Internal standards	
Prom		Real Time clock	Motor	Printer	
Ram		Auto calibration	Range	Digital voltmeter	
Check	sum 43124	Download date/tim		9:42 Record ID 9FP3	
	Recor	d imported (Y/N) N	Source	Exception	
		00.04000=		A	40.40
Instrum	nent serial No:	68-012335		Accuracy check date/time: 08/26/2017	16:43
Instrum		68-012335 bration check:		Interferent detected:	16:43
Instrum	First calil				16:43
	First calil	oration check: bration check:		Interferent detected: Interferent detected: Soln temp C:	16:43
	First calil Second cali	bration check: bration check:		Interferent detected: Interferent detected:	16:43
	First calil Second cali	bration check: bration check:		Interferent detected: Interferent detected: Soln temp C:	16:43
Concer	First calit Second cali	oration check: bration check:	ot#:	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	16:43
Concer	First calit Second cali ntration (%W/\ r of people tes	bration check: bration check:	ot#:	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	16:43
Concer	First calit Second cali ntration (%W/\ r of people tes	oration check: bration check:	ot#:	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	16:43
Concer	First calit Second cali ntration (%W/\ r of people tes	oration check: bration check:	ot#:	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No.	16:43
Concer	First calit Second cali ntration (%W/\ r of people tes	oration check: bration check:	ot#: determination of ac	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No. curacy:	16:43
Concer Numbe Operate Eeprom Prom	First calib Second cali Intration (%W/V or of people test or Pass Pass	oration check: bration check: V) Solution losted since last periodic of Serial No. Pass Real Time clock Pass	determination of ac Diagnostics of Temp Pass Motor Pass	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No. curacy: heck Internal standards Pass Printer Pass	16:43
Concer Numbe Operate Eeprom Prom Ram	First calification (Second calification (SW/N) r of people testor Pass Pass Pass Pass	Serial No. Pass Auto calibration Pass	Diagnostics of Temp Pass Motor Pass Range Pass	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No. curacy: heck Internal standards Pass Printer Pass Digital voltmeter 2978	16:43
Concer Numbe Operate Eeprom Prom Ram	First calib Second calib Intration (%W/V) or of people test or Pass Pass /	oration check: bration check: V) Solution losted since last periodic of Serial No. Pass Real Time clock Pass	Diagnostics of Motor Pass Range Pass	Interferent detected: Interferent detected: Soln temp C: Simulator Ser No. curacy: heck Internal standards Pass Printer Pass	16:43

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 08/26/2017 16:45

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 034

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 56660 Download date/time: 08/29/2017 09:42 Record ID 9FG7

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 08/26/2017 16:48

First calibration check: .131 Interferent detected: No Second calibration check:RFI detected Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.03

Simulator Ser No. DR3707

8

Number of people tested since last periodic determination of accuracy: 034

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 37628 Download date/time: 08/29/2017 09:42 Record ID 9FH2

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 08/26/2017 16:48

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Radio frequency interference detected

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 90430 Download date/time: 08/29/2017 09:42 Record ID 9FQ4

Record imported (Y/N) N Source Exception

Instrument serial No: 68-012335 Accuracy check date/time: 08/26/2017 16:50

First calibration check: .131 Interferent detected: No Second calibration check: .132 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.05

Simulator Ser No. DR3707

9

LAST CAL CHECK - RFI FROM RADIO

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 36590 Download date/time: 08/29/2017 09:42 Record ID 9FI1

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 08/27/2017 68-012335 05:06 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Invalid sample Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Auto calibration Range Digital voltmeter Check sum 56557 Record ID 9FR1 Download date/time: 08/29/2017 09:42 Record imported (Y/N) N Source Exception