1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

| Instrun | nent serial N | o: 68-012338 | Accura | cy check date/time: 10/04/2017 | 04:56 |
|------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------|-------------------------------------------------------------------------------------------------------------|-------|
| | First ca | alibration check: | Inte | rferent detected: | |
| | Second ca | alibration check: | Inte | Interferent detected: | |
| Conce | ntration (%W | V/V) Solution | | Soln temp C: ulator Ser No. | |
| Numbe Operat | | ested since last periodi | c determination of accuracy | <i>r</i> : | |
| | | | Diagnostics check | | |
| Eeprom Prom Ram Check | Pass Pass Pass sum 50430 | Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/t | Motor Pass | Internal standards Pass Printer Pass Digital voltmeter 2949 Record ID 9L19 | |
| | Reco | ord imported (Y/N) N | Source Diagn | ostic | |
| Instrun | nent serial N | o: 68-012338 | Accura | acy check date/time: 10/05/2017 | 09:24 |
| First calibration check: | | | Inte | Interferent detected: | |
| | Second ca | alibration check: | Inte | Interferent detected: | |
| | | alibration check. | into | inerent detected. | |
| Conce | ntration (%W | | n lot#: | Soln temp C: ulator Ser No. | |
| | ntration (%W | V/V) Solution | n lot#: | Soln temp C: ulator Ser No. | |
| Numbe | ntration (%W | V/V) Solution | n lot#: Simu | Soln temp C: ulator Ser No. | |
| Numbe | ntration (%W | V/V) Solution | Diagnostics check Temp Pass Motor Pass | Soln temp C: ulator Ser No. | |
| Numbe Operat Eeprom Prom Ram | er of people to Pass Pass Pass Pass Sum 36174 | ested since last periodi Serial No. Pass Real Time clock Pass Auto calibration Pass | Diagnostics check Temp Pass Motor Pass | Soln temp C: ulator Ser No. /: Internal standards Pass Printer Pass Digital voltmeter 2962 Record ID 9L22 | |

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/05/2017 09:25

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 025

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 56793 Download date/time: 10/05/2017 09:48 Record ID 9L02

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/05/2017 09:34

First calibration check: .131 Interferent detected: No Second calibration check: .131 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.06

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 025

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 39416 Download date/time: 10/05/2017 09:51 Record ID 9L48

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

| Instrument serial N | o: 68-0123 | | Accuracy check date | | 00:10 |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------|
| First ca | llibration check | | Interferent detected: | | |
| Second ca | alibration check | : | Interferent detected: | | |
| Concentration (%W/V) Solution | | Solution lot#: | lot#: Soln temp C: Simulator Ser No. | | |
| Invalid sample | | | | | |
| Number of people to | ested since last | periodic determination | of accuracy: | | |
| Operator | | | | | |
| | | Diagnosti | cs check | | |
| Eeprom | Serial N | lo. Temp | Internal | standards | |
| Prom | Real Time clo | ' | | Printer | |
| Ram | Auto calibration | n Range | Digital | voltmeter | |
| Check sum 26150 | Downloa | ad date/time: 10/25/2017 | 10:40 | Record ID 9M47 | |
| Reco | ord imported (Y | /N) N So | urce Exception | | |
| | | <u>'</u> | | | |
| Instrument serial N | | | Accuracy check date | e/time: 10/11/2017 | 01:58 |
| Instrument serial N | | 338 | | | 01:58 |
| Instrument serial N | o: 68-0123 | 338 | Accuracy check dat | ted: | 01:58 |
| Instrument serial N | o: 68-0123 dibration check | 338 | Accuracy check dat | ted: ted: | 01:58 |
| Instrument serial Non- First can Second can Concentration (%W | o: 68-0123 dibration check alibration check | 338 | Accuracy check dat Interferent detec Interferent detec Soln temp C: Simulator Ser No | ted: ted: | 01:58 |
| Instrument serial Non- First can Second can Concentration (%W | o: 68-0123 dibration check alibration check | 338 : : : Solution lot#: | Accuracy check dat Interferent detec Interferent detec Soln temp C: Simulator Ser No | ted: ted: | 01:58 |
| Instrument serial Non- First can Second can Concentration (%W | o: 68-0123 dibration check alibration check | 338 : : : Solution lot#: | Accuracy check dat Interferent detec Interferent detec Soln temp C: Simulator Ser No | ted: ted: | 01:58 |
| Instrument serial Non- First can Second can Concentration (%W | o: 68-0123 dibration check alibration check | 338 : : : : : : : : : : : : : : : : : : | Accuracy check dat Interferent detec Interferent detec Soln temp C: Simulator Ser No of accuracy: | ted: ted: | 01:58 |
| Instrument serial Non- First can Second can Concentration (%W Invalid sample Number of people to Operator | o: 68-0123 Ilibration check Ilibration check I/V) ested since last | 338 : : : : : : : : : : : : : : : : : : | Accuracy check dat Interferent detec Interferent detec Soln temp C: Simulator Ser No of accuracy: | ted: ted: | 01:58 |
| Instrument serial Notes First can Second can Concentration (%W. Invalid sample Number of people to Operator Eeprom | o: 68-0123 Ilibration check Ilibration check IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | 338 : : : : : Solution lot#: periodic determination Diagnosti lo. Temp ck Motor | Accuracy check dat Interferent detect Interferent detect Soln temp C: Simulator Ser No of accuracy: cs check Internal | ted: ted: | 01:58 |
| Instrument serial Notes First can Second can Concentration (% Work Invalid sample Number of people to Operator Eeprom Prom | o: 68-0123 Ilibration check Ilibration check IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | 338 : : : : : Solution lot#: periodic determination Diagnosti lo. Temp ck Motor | Accuracy check dat Interferent detec Interferent detec Soln temp C: Simulator Ser No of accuracy: cs check Internal Digital | ted: ted: standards Printer | 01:58 |

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 10/12/2017 68-012338 07:43 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 2917 Check sum 11690 Record ID 9M01 Download date/time: 10/25/2017 10:40 Source Diagnostic Record imported (Y/N) N Instrument serial No: 68-012338 Accuracy check date/time: 10/12/2017 07:49 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 034 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 13064 Record ID 9LU5 Download date/time: 10/25/2017 10:40 Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 10/12/2017 68-012338 07:51

First calibration check: 131 Interferent detected: Nο Second calibration check: 131 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 034

Operator G GOSSAGE 7885

Diagnostics check

Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range

Check sum 29638 Record ID 9LV4 Download date/time: 10/25/2017 10:40

> Source Calibration Record imported (Y/N) N

Instrument serial No: 68-012338 Accuracy check date/time: 10/14/2017 19:36

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Ambient air condition

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range

Check sum 11530 Record ID 9M63 Download date/time: 10/25/2017 10:40

> Record imported (Y/N) N Source Exception

Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 10/18/2017 68-012338 09:57 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 2931 Check sum 12792 Record ID 9M14 Download date/time: 10/25/2017 10:40 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012338 Accuracy check date/time: 10/18/2017 09:58 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 029 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 61690 Record ID 9LW7 Download date/time: 10/25/2017 10:40 Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/18/2017 10:00

First calibration check: .130 Interferent detected: No Second calibration check: .131 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 029

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 50617 Download date/time: 10/25/2017 10:40 Record ID 9LX8

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/21/2017 11:59

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

Serial No. Pass Internal standards Pass Eeprom Pass Temp Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 2863 Auto calibration Pass Check sum 43995 Record ID 9M27 Download date/time: 10/25/2017 10:40

Record imported (Y/N) N Source Diagnostic

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 10/25/2017 68-012338 10:18 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Digital voltmeter 2932 Auto calibration Pass Range Pass Check sum 62401 Record ID 9M30 Download date/time: 10/25/2017 10:40 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012338 Accuracy check date/time: 10/25/2017 10:20 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 024 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 92300 Record ID 9LY1 Download date/time: 10/25/2017 10:40 Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 10/25/2017 10:21

First calibration check: .131 Interferent detected: No Second calibration check: .131 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.01

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 024

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 33560 Download date/time; 10/25/2017 10:40 Record ID 9LZ0

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 10/27/2017 05:31

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Invalid sample

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 29051 Download date/time: 11/02/2017 08:51 Record ID 9MA5

Record imported (Y/N) N Source Exception