1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No:	68-012338		Accuracy check date/time: 01/02/2018			00:09
First calibration check: Second calibration check:		Interferent detected: Interferent detected:				
Concentration (%W/V)	Solution lo	t#:	Soln temp C: Simulator Ser No.			
Invalid sample Number of people tested	d since last periodic d	etermination of	acchiacy.			
Operator						
_		Diagnostics	check			
Ram Aut	Serial No. al Time clock to calibration	Temp Motor Range	Digital	standard Printe	er er	
Check sum 76680	Download date/timenton ported (Y/N) N		08:25 ce Exception	Record	ID 9QI9	
	iipoited (1/14) 14	Court	·			
Instrument serial No:	68-012338		Accuracy check dat	te/time: (01/04/2018	07:59
First calibration check: STD Second calibration check: Not performed			Interferent detected: No Interferent detected: No			
Concentration (%W/V) Solution lot#:		t#:	Soln temp C: Simulator Ser No.			
Number of people tested	d since last periodic d	etermination of	accuracy: 023			
Operator –						
		Diagnostics	check			
Eeprom	Serial No.	Temp	Internal	standard	ds	
	al Time clock	Motor		Printe		
Ram Aut	o calibration	Range	Digital	l voltmete	er	
Check sum 22041	Download date/time	a· 01/04/2018	08:25	Record	ID 90G5	

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 01/04/2018 07:59

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Internal standard out of tolerance

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 63580 Download date/time: 01/04/2018 08:25 Record ID 9QJ6

Record imported (Y/N) N Source Exception

Instrument serial No: 68-012338 Accuracy check date/time: 01/04/2018 08:01

First calibration check: .127 Interferent detected: No Second calibration check: .127 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.06

Simulator Ser No. DR3707

2

Number of people tested since last periodic determination of accuracy: 023

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 25400 Download date/time: 01/04/2018 08:25 Record ID 9QH6

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 01/11/2018 68-012338 08:08 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Fail Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Digital voltmeter 2672 Auto calibration Pass Range Pass Check sum 39117 Record ID 9SE1 Download date/time: 02/01/2018 15:28 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012338 Accuracy check date/time: 01/11/2018 08:09 First calibration check: .STD No Interferent detected: Second calibration check:Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 014 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 36650 Record ID 9S58 Download date/time: 02/01/2018 15:28 Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

3

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 01/11/2018 08:09

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Internal standard out of tolerance

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 63468 Download date/time: 02/01/2018 15:29 Record ID 9SI3

Record imported (Y/N) N Source Exception

Instrument serial No: 68-012338 Accuracy check date/time: 01/11/2018 08:11

First calibration check: 122 Interferent detected: No Second calibration check: 126 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.00

Simulator Ser No. DR3707

4

Number of people tested since last periodic determination of accuracy: 014

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 29610 Download date/time: 02/01/2018 15:28 Record ID 9S69

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 01/11/2018 08:14

First calibration check: .128 Interferent detected: No Second calibration check: .130 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.04

Simulator Ser No. DR3707

LAST CAL CHECK - COLD SIM HOSE

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 39692 Download date/time: 02/01/2018 15:28 Record ID 9S76

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 01/17/2018 13:49

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

5

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromPassSerial No. PassTemp PassInternal standards FailPromPassReal Time clock PassMotor PassPrinter PassRamPassAuto calibration PassRange PassDigital voltmeter 2656

Check sum 54940 Download date/time: 02/01/2018 15:28 Record ID 9SF4

Record imported (Y/N) N Source Diagnostic

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 01/17/2018 68-012338 13:50 First calibration check: .STD Interferent detected: Nο Second calibration check:Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 016 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range Check sum 62515 Record ID 9S87 Download date/time: 02/01/2018 15:28 Record imported (Y/N) N Source Calibration Instrument serial No: 68-012338 Accuracy check date/time: 01/17/2018 13:50 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Internal standard out of tolerance Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 47064 Record ID 9SJ6 Download date/time: 02/01/2018 15:29 Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

6

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 01/17/2018 13:55

First calibration check: .125 Interferent detected: No Second calibration check: .127 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.03

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 016

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 10355 Download date/time: 02/01/2018 15:28 Record ID 9S94

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012338 Accuracy check date/time: 01/20/2018 04:12

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

7

Unstable reference

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 32847 Download date/time: 02/01/2018 15:29 Record ID 9SK3

Record imported (Y/N) N Source Exception

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 01/25/2018 68-012338 08:18 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Fail Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 2646 Check sum 43536 Record ID 9SG1 Download date/time: 02/01/2018 15:28 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012338 Accuracy check date/time: 01/25/2018 08:19 First calibration check: .STD No Interferent detected: Second calibration check:Not performed Interferent detected: Nο Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 014 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 56147 Record ID 9SA9 Download date/time: 02/01/2018 15:28 Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

8

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 01/25/2018 08:19

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Internal standard out of tolerance

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 32183 Download date/time: 02/01/2018 15:29 Record ID 9SL8

Record imported (Y/N) N Source Exception

Instrument serial No: 68-012338 Accuracy check date/time: 01/25/2018 08:24

First calibration check: 129 Interferent detected: No Second calibration check: 128 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.02

Simulator Ser No. DR3707

9

Number of people tested since last periodic determination of accuracy: 014

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 62670 Download date/time: 02/01/2018 15:28 Record ID 9SB2

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No	: 68-012338	Accura	cy check date/time: 01/27/2018	02:44			
First cali	bration check:	Inte	Interferent detected:				
Second calibration check:		Inte	rferent detected:				
Concentration (%W/	V) Solution lot#	st#: Soln temp C: Simulator Ser No.					
Invalid sample							
Number of people te	sted since last periodic de	termination of accuracy	r:				
Operator							
Diagnostics check							
_	Serial No. Real Time clock Auto calibration	Temp Motor Range	Internal standards Printer Digital voltmeter				
Check sum 39498	Download date/time	:02/01/2018 15:29	Record ID 9SM5				
Recor	rd imported (Y/N) N	Source Excep	tion				
Instrument serial No	: 68-012338	Accura	cy check date/time: 01/31/2018	12:02			
First cali	bration check:	Inte	Interferent detected:				
Second cal	ibration check:	Inte	Interferent detected:				
Concentration (%W/V) Solution lot		#: Simu					
Number of people tea	sted since last periodic de	etermination of accuracy	r:				
		Diagnostics shock					
		Diagnostics check					
Eeprom Pass Prom Pass	Serial No. Pass Real Time clock Pass	Temp Pass Motor Pass	Internal standards Fail Printer Pass				
_	Auto calibration Pass	Range Pass	Digital voltmeter 2641				
Check sum 23762		_	Record ID 9SH6				
	Download date/time	: 02/01/2018	Record ID 93110				

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

10

Date printed 02/01/2018 Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 01/31/2018 68-012338 12:03 First calibration check: .STD Interferent detected: Nο Second calibration check:Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 012 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range Check sum 25972 Record ID 9SC9 Download date/time: 02/01/2018 15:28 Record imported (Y/N) N Source Calibration Instrument serial No: 68-012338 Accuracy check date/time: 01/31/2018 12:03 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Internal standard out of tolerance Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 41773 Record ID 9SN8 Download date/time: 02/01/2018 15:29 Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

11

Date printed 02/01/2018 Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012338 Accuracy check date/time: 01/31/2018 12:09

First calibration check: 128 Interferent detected: No Second calibration check: 128 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 012

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 43500 Download date/time: 02/01/2018 15:28 Record ID 9SD4

Record imported (Y/N) N Source Calibration

Date printed **02/01/2018** Page 12