



# 2

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: Kirk Lee      I.D. NUMBER: 17046      PAS MAKE/MODEL: Lifeloc/FC20      PAS SERIAL NO.: 16120194

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)	PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.		TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	1252-34		17AP41035							M. Tippett	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	Calibration / Check Printout	Lifeloc Technologies
.100	08:35 AM	04/25/2017	.101	.100	12:51 PM	01/08/2018	BAC	16120194	8.7.24		

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

# 3

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Lifeloc/FC20  
 PAS SERIAL NO.: 16120197

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	TEMP (°C)	LOT NO.	PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
				TEST #1 (Optional)	TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	1254	34	17AP41035	.100	22	.098		NO	NO		M. Tippett	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	Calibration / Check Printout	Lifeloc Technologies
.100	10:22 AM	10/21/2016	.098	.100	12:58 PM	01/08/2018	BAC	16120197	8.7.24		

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

*Handwritten:* #4

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Lifeloc/FC20  
 PAS SERIAL NO.: *Handwritten:* 16120195

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)	PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.		TEST #1	TEST #2 (Optional)	YES	NO				
01/08/2018	12:52	34	17AP41035		TEST #1	TEST #2 (Optional)	YES	NO		M. Tippett	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	Calibration / Check Printout	Lifeloc Technologies
.100	08:47 AM	04/25/2017	.104	.100	12:56 PM	01/08/2018	BAC	16120195	8.7.24		

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



#6

AREA NAME: South Los Angeles    AREA NO.: 530    COORDINATOR NAME: Kirk Lee    I.D. NUMBER: 17046    PAS MAKE/MODEL: Lifeloc/FC20    PAS SERIAL NO.: 16040161

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		VALUE	TEST #1	TEST #2 (Optional)	PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.				TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	125834		17AP41035	.100	21		100			X		M. Tippett	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	Calibration / Check Printout	Lifeloc Technologies
.100	08:56 AM	04/25/2017	.100	.100	2:00 PM	01/08/2018	BAC	16040161	8.7.24		

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#7

AREA NAME: South Los Angeles  
 AREA NO: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS WAKE/MODEL: Lifeloc/FC20  
 PAS SERIAL NO: 16046140

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)	PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/ COMMENTS
		TEMP (°C)	LOT NO.		TEST #1	TEST #2 (Optional)	YES	NO				
01/08/2018	1:30p	54	17AP41035		100	102		X		M. Tippett	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	Calibration / Check Printout
100	08:58 AM	04/25/2017	102	100	12:57 PM	01/08/2018	BAC	16040140	8.7.24	Lifeloc Technologies

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#8

AREA NAME: South Los Angeles    AREA NO.: 530    COORDINATOR NAME: Kirk Lee    I.D. NUMBER: 17046    PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV    PAS SERIAL NO.: 008620

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.	TEST #1	TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	0904 34	17AP41035	.100	21		101					M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19													
* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110). ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.													

AS4 Serial no: 008620  
 Version no: 4797  
 No. Date Time XBAC  
 Calibration 01/15/16 11:10 .100  
 Test Result 0001 01/08/18 10:15 .101  
 Push No. 3 to erase,  
 or Power down to retain







STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

*#11*

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: Kirk Lee      ID NUMBER: 17046      PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV      PAS SERIAL NO.: *077479*

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	TEMP (°C)	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
			LOT NO.	VALUE	TEST #1	TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	0908	34	17AP41035	.100	20		103		NO	NO		M. Tippet	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19														
* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110). ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.														

01/08/18 10:14  
 NS4 Serial no: 077479  
 Version no: 4797  
 No. Date Time ZBAC  
 Calibration 01/22/16 11:01 .100  
 Test Result 0001 01/08/18 10:14 .103  
 Push No. 3 to erase,  
 or power down to retain

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#12

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV  
 PAS SERIAL NO.: 082653

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.	VALUE	TEST #1	TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	YES				
01/08/2018	091034		17AP41035	.100	21						M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19													
* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110). ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.													

01/08/18 09:16 AS4 Serial no: 082653  
 Version no: 4797  
 No. Date Time %BAC  
 Calibration 02/11/16 10:14 .100  
 Test Result  
 0001 12/30/17 02:20 .211  
 0002 12/30/17 02:21 .211  
 0003 01/01/18 01:20 .108  
 0004 01/01/18 01:22 .108  
 0005 01/07/18 03:15 .068  
 0006 01/08/18 09:15 .101  
 Push No. 3 to erase,  
 or Power down to retain

#13

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV  
 PAS SERIAL NO.: 008709

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	TEMP (°C)	SIMULATOR SOLUTION (OR DRY GAS)**	LOT NO.	VALUE	TEST #1	PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
							TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	TEST #1 (Optional)	YES	NO				
01/08/2018	0912	34	17AP41035		.100	21								M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19																
Push No. 3 to erase, or power down to retain Test Result 0001 12/30/17 01:19 .000 0002 12/30/17 01:22 .000 0003 12/30/17 21:02 .098 0004 12/30/17 21:05 .100 0005 12/31/17 20:49 .062 0006 12/31/17 20:52 .063 0007 01/08/18 10:25 .102 Calibration 03/17/16 09:40 .100 No. Date Time %BAC NS4 Serial no: 008709 Version no: 4797																

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#114

AREA NAME: South Los Angeles    AREA NO.: 530    COORDINATOR NAME: Kirk Lee    I.D. NUMBER: 17046    PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV    PAS SERIAL NO.: 008714

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.	TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES	NO				
01/08/2018	0916 34		17AP41035	100	21	100					M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19													
* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110). ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.													

01/08/18 10:28  
 NS4 Serialno: 008714  
 Version no: 4797  
 No. Date Time XMAC  
 Calibration 05/14/17 09:50 .100  
 Test Result 0001 01/08/18 10:28 .100  
 Push No. 3 to erase  
 OR Power down to retain



#117

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV  
 PAS SERIAL NO.: 008783

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	TEMP (°C)	LOT NO.	VALUE	PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
					TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES	NO				
01/08/2018	0922	34	17AP41035	.100		20		.100				M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19														
Push No. 3 to erase, or Power down to retain Test Result 0001 12/29/17 22:30 .179 0002 12/29/17 22:33 .171 0003 12/29/17 22:35 .131 0004 12/30/17 02:16 .000 0005 01/01/18 05:47 .092 0006 01/01/18 05:52 .089 0007 01/02/18 02:32 .093 0008 01/02/18 02:33 .090 0009 01/07/18 02:32 .034 0010 01/07/18 03:30 .205 0011 01/07/18 03:32 .214 0012 01/07/18 03:34 .212 0013 01/08/18 10:35 .100														
No. Date Time %BAC Calibration 05/14/17 10:07 .100 Version no: 4797 NS4 Serial no: 008783														

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.









#21

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV  
 PAS SERIAL NO.: 008635

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.	TEMP #1	TEMP #2 (Optional)	TEST #1	TEST #2 (Optional)	YES	NO				
01/08/2018	0956 34	17AP41035	.100	20							M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19													
Push No. 3 to erase, OR Power down to retain 01/08/18 10:49 NS4 Serial no: 008635 Version no: 4797 No. Date Time XTRAC Calibration 05/21/17 08:23 .100 Test Result 0001 12/30/17 23:23 .072 0002 12/30/17 23:25 .071 0003 01/06/18 02:24 .225 0004 01/06/18 02:29 .265 0005 01/06/18 02:32 .283 0006 01/06/18 03:58 .206 0007 01/06/18 04:01 .158 0008 01/06/18 04:04 .184 0009 01/08/18 10:48 .102													

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#222

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Lifeloc/FC20  
 PAS SERIAL NO.: 16040162

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	TEMP (°C)	LOT NO.	VALUE	TEST #1	TEST #2 (Optional)	PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
							TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	1302	74	17AP41035	.100	22		.090			NO		M. Tippett	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	Calibration / Check Printout
.100	10:14 AM	08/14/2017	.090	.100	12:59 PM	01/08/2018	BAC	16040162	8.7.24	

**Lifeloc Technologies**

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



#24

AREA NAME: South Los Angeles  
 AREA NO: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV  
 PAS SERIAL NO: 008848

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.	TEST #1	TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	0942 34	17AP41035	.100	20		102					M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19													
* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110). ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.													

01/08/18 10:53  
 MS4 Serial no: 008848  
 Version no: 4797  
 No. Date Time ZBAC  
 Calibration 05/21/17 08:30 .100  
 Test Result 0001 12/28/17 12:12 .107  
 0002 01/08/18 10:52 .102  
 Push No. 3 to erase,  
 OR Power down to retain





STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#26

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Lifeloc/FC20  
 PAS SERIAL NO.: 16080065

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		VALUE	PAS TEMP (°C)		PAS ACCURACY CHECK (RESULTS*)		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.		TEST #1	TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	1:54 PM	34	17AP41035	.100	22		.101				NO	M. Tippett	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	Calibration / Check Printout
.100	1:54 PM	12/19/2017	.101	.100	1:56 PM	01/08/2018	BAC	16080065	8.7.24	

**Lifeloc Technologies**

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#27

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: Kirk Lee      I.D. NUMBER: 17046      PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV      PAS SERIAL NO.: 077573

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	TEMP (°C)		LOT NO.	VALUE	TEST #1	TEST #2 (Optional)	PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	TEMP (°C)					TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	0950	34		17AP41035	.100	22		✓	✓	✓	NO		M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19															
No. Date Time %BAC      Calibration      10/21/16 14:23 .100      Test Result      0001 01/08/18 10:51 .104      Push No. 3 to erase or power down to retain															
01/08/18 10:52      NS4 Serial no: 077573      Version no: 4797															

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.







#32

AREA NAME: South Los Angeles  
 AREA NO: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Lifeloc/FC20  
 PAS SERIAL NO: 16080071

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		VALUE	PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.		TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES	NO				
01/08/2018	1306 34		17AP41035	.100	22		.098	.100				M. Tippett	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	Lifeloc Technologies
.100	10:41 AM	08/14/2017	.098	.100	1:05 PM	01/08/2018	BAC	16080071	8.7.24	

Calibration / Check Printout

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.







STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#36

AREA NAME: South Los Angeles  
 AREA NO: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Lifeloc/FC20  
 PAS SERIAL NO: 16040163

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		VALUE	PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.		TEST #1	TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	1:58	34	17AP41035	.100	22		.093			NO		M. Tippet	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	
.100	11:02 AM	06/07/2017	.093	.100	1:08 PM	01/08/2018	BAC	16040163	8.7.24	

Calibration / Check Printout  
**Lifeloc Technologies**

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.









#42

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 ID NUMBER: 17046  
 PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV  
 PAS SERIAL NO.: 018762

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RE-TEST RESULTS	OPERATOR	ID. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.	TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES	NO				
01/08/2018	10234	17AP41035		.100	21		.095		X		M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19													
Test Result 0001 12/30/17 01:02 .053 0002 12/30/17 03:00 .000 0003 12/30/17 20:36 .103 0004 12/30/17 20:40 .178 0005 12/30/17 23:02 .000 0006 12/30/17 23:02 .000 0007 01/01/18 00:31 .154 0008 01/01/18 00:34 .146 0009 01/01/18 04:25 .084 0010 01/01/18 04:28 .074 0011 01/07/18 03:33 .152 0012 01/07/18 03:36 .143 0013 01/07/18 03:41 .090 0014 01/08/18 01:38 .009 0015 01/08/18 12:06 .095													
Calibration No. Date Time %BAC 12/28/17 14:01 .100													
NS4 Serial no: 018762 Version no: 4797													
Push No. 3 to erase, OR Power down to retain													

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#43

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV  
 PAS SERIAL NO.: 018766

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		VALUE	TEST #1	PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.			TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	YES	NO					
01/08/2018	1104	34	17AP41035	.100	21								M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19															
Push No. 3 to erase, or Power down to retain															
Test Result 0001 12/30/17 01:52 .000 0002 01/01/18 06:17 .114 0003 01/01/18 06:20 .117 0004 01/06/18 00:10 .121 0005 01/06/18 00:14 .129 0006 01/06/18 03:00 .042 0007 01/08/18 03:31 .131 0008 01/08/18 03:34 .130 0009 01/08/18 03:38 .044 0010 01/08/18 12:09 .103															
No. Date Time XBAC Calibration 01/22/16 13:16 .100															
NS4 Serial no: 018766 Version no: 4797															

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g. with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.





STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#45

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Kirk Lee  
 I.D. NUMBER: 17046  
 PAS MAKE/MODEL: Intoximeters/Alco-Sensor IV  
 PAS SERIAL NO.: 617 990

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.	TEST #1	TEST #2 (Optional)	TEST #1 (Optional)	TEST #2 (Optional)	YES	NO				
01/08/2018	1728	34	17AP41035	.100	22	.100					M. Tippett	20137	
Solution prepared by: Cesar A. Mejia Date: 1-09-17 Expiration date: 1-09-19													
* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110). ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.													

01/08/18 14:34  
 NS4 Serial no: 017990  
 Version no: 4797  
 No. Date Time XDAC  
 Calibration 11/26/03 11:10 .100  
 Test Result  
 0001 01/01/18 06:38 .104  
 0002 01/01/18 06:40 .105  
 0003 01/08/18 14:33 .100  
 Push No. 3 to erase,  
 or Power down to retain







STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#52

AREA NAME: South Los Angeles      AREA NO: 530      COORDINATOR NAME: Kirk Lee      I.D. NUMBER: 17046      PAS MAKE/MODEL: Lifeloc/FC20      PAS SERIAL NO: 16080013

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

DATE	TIME	SIMULATOR SOLUTION (OR DRY GAS)**		PAS TEMP (°C)		PAS ACCURACY CHECK RESULTS*		CALIBRATION REQUIRED		PAS RETEST RESULTS	OPERATOR	I.D. NO.	REPAIRS/PROBLEMS/COMMENTS
		TEMP (°C)	LOT NO.	TEST #1	TEST #2 (Optional)	TEST #1	TEST #2 (Optional)	YES	NO				
01/08/2018	1314	34	17AP41035	.100		.094					M. Tippet	20137	

Solution prepared by:  
 Cesar A. Mejia  
 Date: 1-09-17  
 Expiration date:  
 1-09-19

Cal Standard	Time:	Last Cal	Result	Cal Standard	Time:	Last Check	UOM	Serial No.	FC20	Calibration / Check Printout	Lifeloc Technologies
.100	09:43 AM	08/14/2017	.094	.100	1:19 PM	01/08/2018	BAC	16080013	8.7.24		

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



