

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/01/2018 08:55

First calibration check:  
Second calibration check:

Interferent detected:  
Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:  
Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |                   |                    |      |  |
|-----------------------|-------|---------------------|------------|-------|-------------------|--------------------|------|--|
| Eeprom                | Pass  | Serial No.          | Pass       | Temp  | Pass              | Internal standards | Pass |  |
| Prom                  | Pass  | Real Time clock     | Pass       | Motor | Pass              | Printer            | Pass |  |
| Ram                   | Pass  | Auto calibration    | Pass       | Range | Pass              | Digital voltmeter  | 2884 |  |
| Check sum             | 63667 | Download date/time: | 03/01/2018 | 09:18 |                   | Record ID          | 9U98 |  |
| Record imported (Y/N) |       |                     |            | N     | Source Diagnostic |                    |      |  |

Instrument serial No: 68-012339 Accuracy check date/time: 03/01/2018 08:57

First calibration check: Not performed  
Second calibration check: Not performed

Interferent detected: No  
Interferent detected: No

Concentration (%W/V) .133

Solution lot#: IRS042717

Soln temp C: 34.04  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885 \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |                    |                    |      |  |
|-----------------------|-------|---------------------|------------|-------|--------------------|--------------------|------|--|
| Eeprom                |       | Serial No.          |            | Temp  |                    | Internal standards |      |  |
| Prom                  |       | Real Time clock     |            | Motor |                    | Printer            |      |  |
| Ram                   |       | Auto calibration    |            | Range |                    | Digital voltmeter  |      |  |
| Check sum             | 15031 | Download date/time: | 03/01/2018 | 09:18 |                    | Record ID          | 9U45 |  |
| Record imported (Y/N) |       |                     |            | N     | Source Calibration |                    |      |  |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/01/2018 09:01

First calibration check: .122 Interferent detected: No  
Second calibration check: Aborted Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 33.99  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

| Eeprom                  | Serial No.                     | Temp               | Internal standards |
|-------------------------|--------------------------------|--------------------|--------------------|
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 21516         | Download date/time: 03/01/2018 | 09:21              | Record ID 9UA1     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

Instrument serial No: 68-012339 Accuracy check date/time: 03/01/2018 09:03

First calibration check: .126 Interferent detected: No  
Second calibration check: .127 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.00  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

| Eeprom                  | Serial No.                     | Temp               | Internal standards |
|-------------------------|--------------------------------|--------------------|--------------------|
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 86360         | Download date/time: 03/01/2018 | 09:23              | Record ID 9UB6     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/08/2018 09:45

First calibration check: .STD Interferent detected: No  
Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.00  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 36965         | Download date/time: 04/04/2018 | 12:29 | Record ID 9VX0     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

Instrument serial No: 68-012339 Accuracy check date/time: 03/08/2018 09:45

First calibration check: Interferent detected:  
Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:  
Simulator Ser No.

Internal standard out of tolerance

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 35103         | Download date/time: 04/04/2018 | 12:29 | Record ID 9WA3     |
| Record imported (Y/N) N | Source Exception               |       |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/08/2018 09:48

First calibration check: .125 Interferent detected: No  
Second calibration check: .128 Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.03  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 18239         | Download date/time: 04/04/2018 | 12:29 | Record ID 9VY7     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

Instrument serial No: 68-012339 Accuracy check date/time: 03/11/2018 02:36

First calibration check: Interferent detected:  
Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:  
Simulator Ser No.

CHANGED TIME FROM 0236 TO 0336

Number of people tested since last periodic determination of accuracy:

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 30241         | Download date/time: 04/04/2018 | 12:29 | Record ID 9WF6     |
| Record imported (Y/N) N | Source Memo                    |       |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/15/2018 11:03

First calibration check:  
Second calibration check:

Interferent detected:  
Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:  
Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |                   |                    |      |
|-----------------------|-------|---------------------|------------|-------|-------------------|--------------------|------|
| Eeprom                | Pass  | Serial No.          | Pass       | Temp  | Pass              | Internal standards | Fail |
| Prom                  | Pass  | Real Time clock     | Pass       | Motor | Pass              | Printer            | Pass |
| Ram                   | Pass  | Auto calibration    | Pass       | Range | Pass              | Digital voltmeter  | 2786 |
| Check sum             | 46076 | Download date/time: | 04/04/2018 | 12:29 |                   | Record ID          | 9W63 |
| Record imported (Y/N) |       |                     |            | N     | Source Diagnostic |                    |      |

Instrument serial No: 68-012339 Accuracy check date/time: 03/15/2018 11:04

First calibration check: .STD  
Second calibration check: Not performed

Interferent detected: No  
Interferent detected: No

Concentration (%W/V) .133

Solution lot#: IRS042717

Soln temp C: 34.03  
Simulator Ser No. DR3707

CHANGED TIME FROM 0236 TO 0336

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885 \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |                    |                    |      |
|-----------------------|-------|---------------------|------------|-------|--------------------|--------------------|------|
| Eeprom                |       | Serial No.          |            | Temp  |                    | Internal standards |      |
| Prom                  |       | Real Time clock     |            | Motor |                    | Printer            |      |
| Ram                   |       | Auto calibration    |            | Range |                    | Digital voltmeter  |      |
| Check sum             | 38694 | Download date/time: | 04/04/2018 | 12:29 |                    | Record ID          | 9VZ6 |
| Record imported (Y/N) |       |                     |            | N     | Source Calibration |                    |      |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/15/2018 11:04

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Internal standard out of tolerance

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

| Eeprom                  | Serial No.                     | Temp             | Internal standards |
|-------------------------|--------------------------------|------------------|--------------------|
| Prom                    | Real Time clock                | Motor            | Printer            |
| Ram                     | Auto calibration               | Range            | Digital voltmeter  |
| Check sum 18540         | Download date/time: 04/04/2018 | 12:29            | Record ID 9WB8     |
| Record imported (Y/N) N |                                | Source Exception |                    |

---

Instrument serial No: 68-012339 Accuracy check date/time: 03/15/2018 11:09

First calibration check: .127

Interferent detected: No

Second calibration check: .132

Interferent detected: No

Concentration (%W/V) .133

Solution lot#: IRS042717

Soln temp C: 34.02

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

| Eeprom                  | Serial No.                     | Temp               | Internal standards |
|-------------------------|--------------------------------|--------------------|--------------------|
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 63157         | Download date/time: 04/04/2018 | 12:29              | Record ID 9W01     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/21/2018 13:03

First calibration check: .STD Interferent detected: No  
Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 34.02  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |                    |                    |
|-------------------------|--------------------------------|--------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp               | Internal standards |
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 11035         | Download date/time: 04/04/2018 | 12:29              | Record ID 9W18     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

Instrument serial No: 68-012339 Accuracy check date/time: 03/21/2018 13:03

First calibration check: Interferent detected:  
Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:  
Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |                   |                         |
|-------------------------|--------------------------------|-------------------|-------------------------|
| Eeprom Pass             | Serial No. Pass                | Temp Pass         | Internal standards Fail |
| Prom Pass               | Real Time clock Pass           | Motor Pass        | Printer Pass            |
| Ram Pass                | Auto calibration Pass          | Range Pass        | Digital voltmeter 2768  |
| Check sum 36548         | Download date/time: 04/04/2018 | 12:29             | Record ID 9W70          |
| Record imported (Y/N) N |                                | Source Diagnostic |                         |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/21/2018 13:03

First calibration check:  
Second calibration check:

Interferent detected:  
Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:  
Simulator Ser No.

Internal standard out of tolerance

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |           |                    |
|-------------------------|--------------------------------|-----------|--------------------|
| Eeprom                  | Serial No.                     | Temp      | Internal standards |
| Prom                    | Real Time clock                | Motor     | Printer            |
| Ram                     | Auto calibration               | Range     | Digital voltmeter  |
| Check sum 77620         | Download date/time: 04/04/2018 | 12:29     | Record ID 9WC5     |
| Record imported (Y/N) N | Source                         | Exception |                    |

---

Instrument serial No: 68-012339 Accuracy check date/time: 03/21/2018 13:06

First calibration check: .124  
Second calibration check: .126

Interferent detected: No  
Interferent detected: No

Concentration (%W/V) .133

Solution lot#: IRS042717

Soln temp C: 33.98  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |             |                    |
|-------------------------|--------------------------------|-------------|--------------------|
| Eeprom                  | Serial No.                     | Temp        | Internal standards |
| Prom                    | Real Time clock                | Motor       | Printer            |
| Ram                     | Auto calibration               | Range       | Digital voltmeter  |
| Check sum 37503         | Download date/time: 04/04/2018 | 12:29       | Record ID 9W21     |
| Record imported (Y/N) N | Source                         | Calibration |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.



**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/28/2018 10:36

First calibration check: Interferent detected:  
Second calibration check: Interferent detected:  
Concentration (%W/V) Solution lot#: Soln temp C:  
Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |                   |                    |      |
|-----------------------|-------|---------------------|------------|-------|-------------------|--------------------|------|
| Eeprom                | Pass  | Serial No.          | Pass       | Temp  | Pass              | Internal standards | Fail |
| Prom                  | Pass  | Real Time clock     | Pass       | Motor | Pass              | Printer            | Pass |
| Ram                   | Pass  | Auto calibration    | Pass       | Range | Pass              | Digital voltmeter  | 2737 |
| Check sum             | 33680 | Download date/time: | 04/04/2018 | 12:29 |                   | Record ID          | 9W81 |
| Record imported (Y/N) |       |                     |            | N     | Source Diagnostic |                    |      |

Instrument serial No: 68-012339 Accuracy check date/time: 03/28/2018 10:37

First calibration check: .STD Interferent detected: No  
Second calibration check: Not performed Interferent detected: No  
Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 33.98  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885 \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |                    |                    |      |
|-----------------------|-------|---------------------|------------|-------|--------------------|--------------------|------|
| Eeprom                |       | Serial No.          |            | Temp  |                    | Internal standards |      |
| Prom                  |       | Real Time clock     |            | Motor |                    | Printer            |      |
| Ram                   |       | Auto calibration    |            | Range |                    | Digital voltmeter  |      |
| Check sum             | 60424 | Download date/time: | 04/04/2018 | 12:29 |                    | Record ID          | 9W38 |
| Record imported (Y/N) |       |                     |            | N     | Source Calibration |                    |      |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012339 Accuracy check date/time: 03/28/2018 10:37

First calibration check:  
Second calibration check:

Interferent detected:  
Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:  
Simulator Ser No.

Internal standard out of tolerance

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |           |                    |
|-------------------------|--------------------------------|-----------|--------------------|
| Eeprom                  | Serial No.                     | Temp      | Internal standards |
| Prom                    | Real Time clock                | Motor     | Printer            |
| Ram                     | Auto calibration               | Range     | Digital voltmeter  |
| Check sum 49959         | Download date/time: 04/04/2018 | 12:29     | Record ID 9WD4     |
| Record imported (Y/N) N | Source                         | Exception |                    |

---

Instrument serial No: 68-012339 Accuracy check date/time: 03/28/2018 10:40

First calibration check: .128  
Second calibration check: .131

Interferent detected: No  
Interferent detected: No

Concentration (%W/V) .133

Solution lot#: IRS042717

Soln temp C: 34.03  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |             |                    |
|-------------------------|--------------------------------|-------------|--------------------|
| Eeprom                  | Serial No.                     | Temp        | Internal standards |
| Prom                    | Real Time clock                | Motor       | Printer            |
| Ram                     | Auto calibration               | Range       | Digital voltmeter  |
| Check sum 14103         | Download date/time: 04/04/2018 | 12:29       | Record ID 9W43     |
| Record imported (Y/N) N | Source                         | Calibration |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.