1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrum	ent serial No	68-012335		Accuracy chec	ck date/time: 05/01/2018	20:38
		ibration check: libration check:		Interferent Interferent		
Concentration (%W/V) Solution lot#		ot#:				
Invalid	sample					
Number	of people te	sted since last periodic of	determination of a	accuracy:		
Operato	or					
			Diagnostics	check		
Eeprom Prom Ram Check s	sum 32760 Reco	Serial No. Real Time clock Auto calibration Download date/tim rd imported (Y/N) N			ernal standards Printer Digital voltmeter Record ID 9Z10	
Instrum	ent serial No	o: 68-012335		Accuracy chec	ck date/time: 05/03/2018	08:05
		ibration check: libration check:		Interferent Interferent		
Concentration (%W/V) Solution lot#:			ot#:	Soln temp C: Simulator Ser No.		
Number Operato		ested since last periodic o	determination of a	accuracy:		
			Diagnostics	check		
Eeprom Prom Ram Check s	Pass Pass Pass sum 51550 Reco	Serial No. Pass Real Time clock Pass Auto calibration Pass Download date/tim rd imported (Y/N) N		SS	ernal standards Pass Printer Pass Digital voltmeter 3158 Record ID 9Z05	

Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 05/03/2018 08:07

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 018

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 28831 Download date/time: 05/03/2018 08:33 Record ID 9YY1

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 05/03/2018 08:11

First calibration check: .132 Interferent detected: No Second calibration check: .133 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.06

Simulator Ser No. DR3707

2

Number of people tested since last periodic determination of accuracy: 018

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 18324 Download date/time: 05/03/2018 08:33 Record ID 9YZ6

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

Date printed **06/07/2018** Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 05/10/2018 68-012335 09:29 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3122 Check sum 61680 Record ID 9ZC3 Download date/time: 05/24/2018 09:39 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012335 Accuracy check date/time: 05/10/2018 09:31 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 002 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 15887 Record ID 9Z52 Download date/time: 05/24/2018 09:39 Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

3

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 05/10/2018 09:35

First calibration check: .131 Interferent detected: No Second calibration check: .133 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.06

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 002

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 40012 Download date/time: 05/24/2018 09:39 Record ID 9Z61

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 05/17/2018 08:49

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

4

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

Serial No. Pass Internal standards Pass Eeprom Pass Temp Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 3138 Auto calibration Pass Check sum 73380 Record ID 9ZD8 Download date/time: 05/24/2018 09:39

Record imported (Y/N) N Source Diagnostic

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 05/17/2018 08:50

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 015

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 34335 Download date/time: 05/24/2018 09:39 Record ID 9Z76

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 05/17/2018 08:55

First calibration check: .131 Interferent detected: No Second calibration check: .131 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.04

Simulator Ser No. DR3707

5

Number of people tested since last periodic determination of accuracy: 015

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 35149 Download date/time: 05/24/2018 09:39 Record ID 9Z89

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial N	o: 68-012335		Accuracy che	eck date/time: 05/17/2018	22:11
	alibration check:		Interferen	detected:	
Second ca		Interferent detected:			
Concentration (%W/V) Solution lot#		ot#:	Soln temp C: Simulator Ser No.		
Ambient air condition	on				
Number of people t	ested since last periodic	determination of a	accuracy:		
Operator					
		Diagnostics	check		
Eeprom	Serial No.	Temp	In	ternal standards	
Prom Ram	Real Time clock	Motor		Printer	
	Auto calibration	Range		Digital voltmeter	
Check sum 35258	Dominoda dato, in		09:39	Record ID 9ZF2	
Reco	ord imported (Y/N) N	Source	e Exception		
Instrument serial N	o: 68-012335		Accuracy che	eck date/time: 05/21/2018	00:50
First ca	alibration check:		Interferent	detected:	
Second ca	alibration check:		Interferent	t detected:	
Concentration (%W	V/V) Solution I	Ot#·	Soln to	mn C:	
`	Columbia	our.	Soln temp C: Simulator Ser No.		
Invalid sample					
Number of people t	ested since last periodic	determination of a	accuracy:		
Operator	· 		,		
		Diagnostics	check		
Eeprom	Serial No.	Temp	In	ternal standards	
Prom	Real Time clock	Motor		Printer	
Dam					
Ram	Auto calibration	Range		Digital voltmeter	
Check sum 39631	Auto calibration Download date/tir	_	09:39	Digital voltmeter Record ID 9ZG1	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

6

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 05/24/2018 68-012335 09:11 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 3129 Check sum 14301 Record ID 9ZE7 Download date/time: 05/24/2018 09:39 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012335 Accuracy check date/time: 05/24/2018 09:12 First calibration check: Not performed No Interferent detected: Second calibration check: Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 020 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 13241 Record ID 9Z94 Download date/time: 05/24/2018 09:39 Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

7

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 05/24/2018 09:15

First calibration check: 124 Interferent detected: No Second calibration check: 127 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.03

Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 020

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 32043 Download date/time: 05/24/2018 09:39 Record ID 9ZA9

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 05/24/2018 09:17

First calibration check: .128 Interferent detected: No Second calibration check: .130 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.11

Simulator Ser No. DR3707

8

LAST CAL CHECK - COLD SIM HOSE

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 45215 Download date/time: 05/24/2018 09:39 Record ID 9ZB4

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial N	o: 68-012335	,	Accuracy check date/time: 05/24/	/2018 09:22	
First ca	alibration check:		Interferent detected:		
Second ca	alibration check:		Interferent detected:		
Concentration (%W/V) Solution lot#		ot#:			
Ambient air condition	on				
Number of people to	ested since last periodic	determination of ac	curacy:		
Operator					
		Diagnostics c	heck		
Eeprom	Serial No.	Temp	Internal standards		
Prom	Real Time clock	Motor	Printer		
Ram	Auto calibration	Range	Digital voltmeter	N. 1.4	
Check sum 47640	Download date/tir		8:34 Record ID AC)U4	
Reco	ord imported (Y/N) N	Source	Exception		
Instrument serial N	o: 68-012335	,	Accuracy check date/time: 05/26/	/2018 01:29	
First ca	alibration check:		Interferent detected:		
Second ca	alibration check:		Interferent detected:		
Concentration (%W	//V) Solution I	ot#·	Soln temp C:		
· ·		-	Simulator Ser No.		
Invalid sample					
Number of people to	ested since last periodic	determination of ac	curacy:		
Operator					
		Diagnostics c	heck		
Eeprom	Serial No.	Temp	Internal standards		
Prom	Real Time clock	Motor	Printer		
Ram	Auto calibration	Range	Digital voltmeter		
Check sum 37287	Download date/tir	00:06/07/2019 0	8:34 Record ID AC)V7	
	Download date/til	ne.00/07/2016 0	0.04 Record ID 7.6		

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrun	nent serial N	o: 6	8-012335	Accurac	y check date/time: 05/29/2018	01:53	
	First ca	alibration	check:	Inter	ferent detected:		
Second calibration check:			check:	Inter	Interferent detected:		
Concentration (%W/V) Solution lot#:		Soln temp C: Simulator Ser No.					
Numbe Operat		ested sin	ce last periodic det	ermination of accuracy:			
				Diagnostics check			
Eeprom Prom Ram Check	Pass Pass Pass sum 34469	Real Tii Auto ca Do	Serial No. Pass me clock Pass libration Pass ownload date/time:		Internal standards Pass Printer Pass Digital voltmeter 3064 Record ID A0R9		
	TH:	ora imbor	Tea (Y/N) N	Source Diagnos	STIC		
Inetrum			ted (Y/N) N	Source Diagno		08:37	
Instrun	nent serial N First ca	o: 6 alibration	8-012335 check:	Accurac	ey check date/time: 05/30/2018	08:37	
	nent serial N First ca Second ca	o: 6 alibration alibration	8-012335 check: check:	Accurac Interi	y check date/time: 05/30/2018	08:37	
	nent serial N First ca	o: 6 alibration alibration	8-012335 check:	Accurace Interi Interi	ey check date/time: 05/30/2018	08:37	
Conce	nent serial N First ca Second ca ntration (%W	o: 6 alibration alibration //V)	8-012335 check: check: Solution lot#	Accurace Interi Interi	ey check date/time: 05/30/2018 ferent detected: ferent detected: oln temp C: ator Ser No.	08:37	
Conce	nent serial N First ca Second ca ntration (%W	o: 6 alibration alibration //V)	8-012335 check: check: Solution lot# ce last periodic det	Accurace Interior Interior Simul	ey check date/time: 05/30/2018 ferent detected: ferent detected: oln temp C: ator Ser No.	08:37	
Conce Numbe Operat Eeprom Prom Ram	First ca Second ca ntration (%W er of people to or Pass Pass Pass	o: 6 Alibration Alibration I/V) ested sin S Real Til Auto ca	8-012335 check: check: Solution lot# ce last periodic det serial No. Pass me clock Pass libration Pass	Accurace Interior Int	ferent detected: ferent detected: form C: ator Ser No. Internal standards Pass Printer Pass Digital voltmeter 3152	08:37	
Conce Numbe Operat Eeprom Prom Ram	First ca Second ca ntration (%W er of people to or Pass Pass Pass Pass Sum 39340	o: 6 Alibration Alibration I/V) ested sin Real Til Auto ca	8-012335 check: check: Solution lot# ce last periodic det serial No. Pass me clock Pass	Accurace Interior Int	ferent detected: ferent detected: form C: ator Ser No. Internal standards Pass Printer Pass Digital voltmeter 3152 Record ID A0S2	08:37	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

10

Date printed 06/07/2018 Page

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012335 Accuracy check date/time: 05/30/2018 08:40

First calibration check: Not performed Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 023

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 16850 Download date/time: 06/07/2018 08:34 Record ID A0N8

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012335 Accuracy check date/time: 05/30/2018 08:44

First calibration check: .129 Interferent detected: No Second calibration check: .131 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.07

Simulator Ser No. DR3707

11

Number of people tested since last periodic determination of accuracy: 023

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 57636 Download date/time: 06/07/2018 08:34 Record ID A0O5

Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

Date printed 06/07/2018 Page