

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012337 Accuracy check date/time: 05/03/2018 10:01

First calibration check: Interferent detected:  
Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:  
Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |      |                    |      |                   |
|-----------------------|-------|---------------------|------------|-------|------|--------------------|------|-------------------|
| Eeprom                | Pass  | Serial No.          | Pass       | Temp  | Pass | Internal standards | Pass |                   |
| Prom                  | Pass  | Real Time clock     | Pass       | Motor | Pass | Printer            | Pass |                   |
| Ram                   | Pass  | Auto calibration    | Pass       | Range | Pass | Digital voltmeter  | 3383 |                   |
| Check sum             | 22220 | Download date/time: | 05/03/2018 | 10:27 |      | Record ID          | 9Z34 |                   |
| Record imported (Y/N) |       |                     |            | N     |      |                    |      | Source Diagnostic |

Instrument serial No: 68-012337 Accuracy check date/time: 05/03/2018 10:05

First calibration check: Not performed Interferent detected: No  
Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .133 Solution lot#: IRS042717 Soln temp C: 33.98  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885 \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |  |                    |      |                    |
|-----------------------|-------|---------------------|------------|-------|--|--------------------|------|--------------------|
| Eeprom                |       | Serial No.          |            | Temp  |  | Internal standards |      |                    |
| Prom                  |       | Real Time clock     |            | Motor |  | Printer            |      |                    |
| Ram                   |       | Auto calibration    |            | Range |  | Digital voltmeter  |      |                    |
| Check sum             | 21652 | Download date/time: | 05/03/2018 | 10:27 |  | Record ID          | 9Z29 |                    |
| Record imported (Y/N) |       |                     |            | N     |  |                    |      | Source Calibration |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012337 Accuracy check date/time: 05/03/2018 10:09

First calibration check: .127 Interferent detected: No  
Second calibration check: .125 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.02  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 25300         | Download date/time: 05/03/2018 | 10:30 | Record ID 9Z47     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

Instrument serial No: 68-012337 Accuracy check date/time: 05/10/2018 11:26

First calibration check: Interferent detected:  
Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:  
Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |            |                         |
|-------------------------|--------------------------------|------------|-------------------------|
| Eeprom Pass             | Serial No. Pass                | Temp Pass  | Internal standards Pass |
| Prom Pass               | Real Time clock Pass           | Motor Pass | Printer Pass            |
| Ram Pass                | Auto calibration Pass          | Range Pass | Digital voltmeter 3388  |
| Check sum 27630         | Download date/time: 05/24/2018 | 11:02      | Record ID A0K7          |
| Record imported (Y/N) N | Source Diagnostic              |            |                         |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012337 Accuracy check date/time: 05/10/2018 11:27

First calibration check: Not performed Interferent detected: No  
Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.02  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 33681         | Download date/time: 05/24/2018 | 11:02 | Record ID A0C1     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

Instrument serial No: 68-012337 Accuracy check date/time: 05/10/2018 11:29

First calibration check: .131 Interferent detected: No  
Second calibration check: .133 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.06  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |       |                    |
|-------------------------|--------------------------------|-------|--------------------|
| Eeprom                  | Serial No.                     | Temp  | Internal standards |
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 30804         | Download date/time: 05/24/2018 | 11:02 | Record ID A0D6     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012337 Accuracy check date/time: 05/18/2018 11:08

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |                   |                    |      |
|-----------------------|-------|---------------------|------------|-------|-------------------|--------------------|------|
| Eeprom                | Pass  | Serial No.          | Pass       | Temp  | Pass              | Internal standards | Pass |
| Prom                  | Pass  | Real Time clock     | Pass       | Motor | Pass              | Printer            | Pass |
| Ram                   | Pass  | Auto calibration    | Pass       | Range | Pass              | Digital voltmeter  | 3393 |
| Check sum             | 20593 | Download date/time: | 05/24/2018 | 11:02 |                   | Record ID          | A0L2 |
| Record imported (Y/N) |       |                     |            | N     | Source Diagnostic |                    |      |

Instrument serial No: 68-012337 Accuracy check date/time: 05/18/2018 11:12

First calibration check: .123

Interferent detected: No

Second calibration check: Aborted

Interferent detected: No

Concentration (%W/V) .135

Solution lot#: IRS041118

Soln temp C:

Simulator Ser No. DRXXXX

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885 \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |                    |                    |      |
|-----------------------|-------|---------------------|------------|-------|--------------------|--------------------|------|
| Eeprom                |       | Serial No.          |            | Temp  |                    | Internal standards |      |
| Prom                  |       | Real Time clock     |            | Motor |                    | Printer            |      |
| Ram                   |       | Auto calibration    |            | Range |                    | Digital voltmeter  |      |
| Check sum             | 56291 | Download date/time: | 05/24/2018 | 11:02 |                    | Record ID          | A0E3 |
| Record imported (Y/N) |       |                     |            | N     | Source Calibration |                    |      |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012337 Accuracy check date/time: 05/18/2018 11:18

First calibration check: .130 Interferent detected: No  
Second calibration check: .134 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 33.94  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |                    |                    |
|-------------------------|--------------------------------|--------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp               | Internal standards |
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 25063         | Download date/time: 05/24/2018 | 11:02              | Record ID A0F2     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

Instrument serial No: 68-012337 Accuracy check date/time: 05/24/2018 10:29

First calibration check: Interferent detected:  
Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:  
Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

---

**Diagnostics check**

|                         |                                |                   |                         |
|-------------------------|--------------------------------|-------------------|-------------------------|
| Eeprom Pass             | Serial No. Pass                | Temp Pass         | Internal standards Pass |
| Prom Pass               | Real Time clock Pass           | Motor Pass        | Printer Pass            |
| Ram Pass                | Auto calibration Pass          | Range Pass        | Digital voltmeter 3387  |
| Check sum 36208         | Download date/time: 05/24/2018 | 11:02             | Record ID A0M9          |
| Record imported (Y/N) N |                                | Source Diagnostic |                         |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012337 Accuracy check date/time: 05/24/2018 10:32

First calibration check: Aborted Interferent detected: No  
Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 33.94  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

| Eeprom                  | Serial No.                     | Temp  | Internal standards |
|-------------------------|--------------------------------|-------|--------------------|
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 26093         | Download date/time: 05/24/2018 | 11:02 | Record ID A0G9     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

Instrument serial No: 68-012337 Accuracy check date/time: 05/24/2018 10:35

First calibration check: .121 Interferent detected: No  
Second calibration check: Aborted Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.05  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

| Eeprom                  | Serial No.                     | Temp  | Internal standards |
|-------------------------|--------------------------------|-------|--------------------|
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 50305         | Download date/time: 05/24/2018 | 11:02 | Record ID A0H4     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012337 Accuracy check date/time: 05/24/2018 10:38

First calibration check: .037 Interferent detected: No  
Second calibration check: .130 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.03  
Simulator Ser No. DR3707

LAST CAL CHECK - LEAKY SIM HOSE

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

| Eeprom                  | Serial No.                     | Temp  | Internal standards |
|-------------------------|--------------------------------|-------|--------------------|
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 61696         | Download date/time: 05/24/2018 | 11:02 | Record ID A011     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

Instrument serial No: 68-012337 Accuracy check date/time: 05/24/2018 10:40

First calibration check: .131 Interferent detected: No  
Second calibration check: .131 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.01  
Simulator Ser No. DR3707

LAST CAL CHECK - LEAKY SIM HOSE

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

| Eeprom                  | Serial No.                     | Temp  | Internal standards |
|-------------------------|--------------------------------|-------|--------------------|
| Prom                    | Real Time clock                | Motor | Printer            |
| Ram                     | Auto calibration               | Range | Digital voltmeter  |
| Check sum 27948         | Download date/time: 05/24/2018 | 11:02 | Record ID A0J0     |
| Record imported (Y/N) N | Source Calibration             |       |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012337 Accuracy check date/time: 05/30/2018 10:02

First calibration check:

Interferent detected:

Second calibration check:

Interferent detected:

Concentration (%W/V)

Solution lot#:

Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator \_\_\_\_\_

**Diagnostics check**

|                       |       |                     |            |       |      |                    |      |                   |
|-----------------------|-------|---------------------|------------|-------|------|--------------------|------|-------------------|
| Eeprom                | Pass  | Serial No.          | Pass       | Temp  | Pass | Internal standards | Pass |                   |
| Prom                  | Pass  | Real Time clock     | Pass       | Motor | Pass | Printer            | Pass |                   |
| Ram                   | Pass  | Auto calibration    | Pass       | Range | Pass | Digital voltmeter  | 3381 |                   |
| Check sum             | 44498 | Download date/time: | 06/07/2018 | 10:07 |      | Record ID          | A193 |                   |
| Record imported (Y/N) |       |                     |            | N     |      |                    |      | Source Diagnostic |

Instrument serial No: 68-012337 Accuracy check date/time: 05/30/2018 10:03

First calibration check: Not performed

Interferent detected: No

Second calibration check: Not performed

Interferent detected: No

Concentration (%W/V) .135

Solution lot#: IRS041118

Soln temp C: 34.01

Simulator Ser No. DR3707

LAST CAL CHECK - LEAKY SIM HOSE

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

**Diagnostics check**

|                       |                  |                     |                    |       |           |      |                    |
|-----------------------|------------------|---------------------|--------------------|-------|-----------|------|--------------------|
| Eeprom                | Serial No.       | Temp                | Internal standards |       |           |      |                    |
| Prom                  | Real Time clock  | Motor               | Printer            |       |           |      |                    |
| Ram                   | Auto calibration | Range               | Digital voltmeter  |       |           |      |                    |
| Check sum             | 49951            | Download date/time: | 06/07/2018         | 10:07 | Record ID | A151 |                    |
| Record imported (Y/N) |                  |                     |                    | N     |           |      | Source Calibration |

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.



**Long Beach Police Department  
Forensic Science Services Division**

1400 Canal Ave  
Long Beach, Ca 90813  
PH: (562) 570-7680 Fax: (562) 570-7689

**Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record**

Instrument serial No: 68-012337 Accuracy check date/time: 05/30/2018 10:08

First calibration check: .124 Interferent detected: No  
Second calibration check: .131 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.05  
Simulator Ser No. DR3707

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |                    |                    |
|-------------------------|--------------------------------|--------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp               | Internal standards |
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 46990         | Download date/time: 06/07/2018 | 10:07              | Record ID A168     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

Instrument serial No: 68-012337 Accuracy check date/time: 05/30/2018 10:10

First calibration check: .131 Interferent detected: No  
Second calibration check: .133 Interferent detected: No

Concentration (%W/V) .135 Solution lot#: IRS041118 Soln temp C: 34.01  
Simulator Ser No. DR3707

LAST CAL CHECK - COLD SIM HOSE

Number of people tested since last periodic determination of accuracy: 000

Operator G GOSSAGE 7885

---

**Diagnostics check**

|                         |                                |                    |                    |
|-------------------------|--------------------------------|--------------------|--------------------|
| Eeprom                  | Serial No.                     | Temp               | Internal standards |
| Prom                    | Real Time clock                | Motor              | Printer            |
| Ram                     | Auto calibration               | Range              | Digital voltmeter  |
| Check sum 41860         | Download date/time: 06/07/2018 | 10:07              | Record ID A171     |
| Record imported (Y/N) N |                                | Source Calibration |                    |

---

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.