	Forensic Scienc 1400 Long Bea	olice Department e Services Divisio Canal Ave ch, Ca 90813) Fax: (562) 570-768		
Intoxilyzer 5000	EN Periodic Determir	ation of Accuracy	Maintenance Record	ł
Instrument serial No: 68-	012335	Accuracy check	k date/time: 10/01/2018	20:59
First calibration ch Second calibration ch		Interferent d Interferent d		
Concentration (%W/V)	Solution lot#:	Soln tem Simulator Se	•	
Unstable reference				
Number of people tested since Operator	e last periodic determinati	on of accuracy:		
	Diagno	stics check		
Prom Real Time Ram Auto calib		or	rnal standards Printer igital voltmeter	
Check sum 30836 Dow Record importe	/nload date/time: 10/02/20 d (Y/N) N	018 15:22 Source Exception	Record ID A719	
Instrument serial No: 68-	012335	Accuracy check	k date/time: 10/04/2018	08:25
First calibration ch Second calibration ch		Interferent d Interferent d		
Concentration (%W/V)	Solution lot#:	Soln tem Simulator Se		
Number of people tested since Operator	e last periodic determinati	on of accuracy:		
	Diagno	stics check		
Prom Pass Real Time		np Pass Inte or Pass	rnal standards Pass Printer Pass	
Check sum 39072 Dow Record importe	vation Pass Ran	ge Pass Di	igital voltmeter 3020 Record ID A8I8	

	Forens	1400 Cana Long Beach, C	rvices Division Il Ave	
Intoxilyze	er 5000EN Periodic	Determination	n of Accuracy / Mainten	ance Record
Instrument serial No:	68-012335		Accuracy check date/time	: 10/04/2018 08:28
	pration check:Not perfo		Interferent detected: Interferent detected:	No No
Concentration (%W/\	/) Solution I	ot#:	Soln temp C: Simulator Ser No.	
Number of people tes Operator	ted since last periodic			
		Diagnostics	check	
	Serial No. Real Time clock Auto calibration	Temp Motor Range	Internal standa Prin Digital voltme	iter
Check sum 47502	Download date/tin			d ID A873
Record	d imported (Y/N) N	Sourc	e Calibration	
Instrument serial No:	68-012335		Accuracy check date/time	: 10/04/2018 08:30
	pration check: 127		Interferent detected: Interferent detected:	No No
Concentration (%W/\	/) .135 Solution I	ot#:IRS041118	Soln temp C: 33.98 Simulator Ser No. DR37	
Number of people tes Operator G GOSSA	ted since last periodic GE 7885	determination of	accuracy: 016	
		Diagnostics	check	
_	Serial No. Real Time clock Auto calibration	Temp Motor Range	Internal standa Prin Digital voltme	iter
Check sum 25890 Record	Download date/tin d imported (Y/N) N		08:57 Record	d ID A888

	Long Beach Poli Forensic Science S 1400 Ca Long Beach PH: (562) 570-7680	Services Division nal Ave , Ca 90813	
Intoxilyzer 5000EN	Periodic Determinati	ion of Accuracy / Main	tenance Record
Instrument serial No: 68-0123	335	Accuracy check date/t	ime: 10/11/2018 08:25
First calibration check Second calibration check		Interferent detected	
Concentration (%W/V)	Solution lot#:	Soln temp C: Simulator Ser No.	
Number of people tested since las Operator			
	Diagnosti	cs check	
EepromPassSerial NPromPassReal Time cloRamPassAuto calibration		Pass	andards Pass Printer Pass oltmeter 3002
Check sum 48576 Downloa Record imported (Y	ad date/time: 11/01/2018 //N) N Sou	08:57 Re urce Diagnostic	ecord ID A8J3
Instrument serial No: 68-012		Accuracy check date/t	ime: 10/11/2018 08:28
First calibration check Second calibration check		Interferent detected	
Concentration (%W/V)	Solution lot#:	Soln temp C: Simulator Ser No.	
Number of people tested since las Operator	t periodic determination	of accuracy: 019	
	Diagnosti	cs check	
Eeprom Serial M Prom Real Time clo Ram Auto calibratio	ock Motor	Internal sta Digital vo	Printer
Check sum 16439 Downloa Record imported (Y	ad date/time: 11/01/2018 //N) N So	08:57 Re urce Calibration	ecord ID A893

		Forensi	c Science Se 1400 Cana ong Beach, 0			
Intox	kilyzer 5000E	N Periodic	Determination	n of Accuracy / M	aintenance Reco	ď
Instrument seria	al No: 68-07	2335		Accuracy check da	ate/time: 10/11/2018	08:31
	t calibration che d calibration che			Interferent dete Interferent dete		
Concentration (%W/V).135	Solution Ic	ot#:IRS041118	Soln temp C Simulator Ser N		
Number of peop Operator G GC		ast periodic c	letermination of Diagnostics		_	
_			Ū			
Eeprom Prom	Seria Real Time		Temp Motor	Interna	Il standards Printer	
Ram	Auto calibra		Range	Digita	al voltmeter	
Check sum 172			e: 11/01/2018	08:57	Record ID A8A4	
F	Record imported			ce Calibration		
Instrument seria	al No: 68-0'	12335		Accuracy check da	ate/time: 10/15/2018	04:42
Firs	t calibration che	ck:		Interferent dete	ected:	
Secon	d calibration che	ck:		Interferent dete	ected:	
Concentration (%W/V)	Solution Ic	ot#:	Soln temp C Simulator Ser N		
Invalid sample						
Number of peop	le tested since l	ast periodic o	letermination of	accuracy:		
Operator						
			Diagnostics	check	-	
Eeprom	Seria	l No.	Temp	Interna	Il standards	
Prom	Real Time	clock	Motor		Printer	
Ram	Auto calibra	ation	Range	Digita	al voltmeter	
Check sum 636	20111		e: 11/01/2018	08:57	Record ID A8O6	
F	Record imported	(Y/N) N	Sourc	ce Exception		

	Forensic Sc 14 Long	400 Canal A Beach, Ca s	ces Division ve		
Intoxilyzer 5	000EN Periodic Dete	ermination of	Accuracy / Mai	ntenance Record	b
Instrument serial No:	68-012335	A	ccuracy check date	/time: 10/18/2018	08:57
First calibrati Second calibrat			Interferent detect		
Concentration (%W/V)	Solution lot#:		Soln temp C: Simulator Ser No.		
Number of people tested Operator	since last periodic detern	nination of acc	uracy:		
	Dia	agnostics ch	eck		
_	Serial No. Pass I Time clock Pass calibration Pass	Temp Pass Motor Pass Range Pass		tandards Pass Printer Pass voltmeter 2970	
Check sum 60551 Record im	Download date/time: 11/ ported (Y/N) N		57 F Diagnostic	Record ID A8K4	
Instrument serial No:	68-012335	A	ccuracy check date	/time: 10/18/2018	08:58
	on check:Not performed ion check:Not performed		Interferent detect		
Concentration (%W/V)	Solution lot#:		Soln temp C: Simulator Ser No.		
Number of people tested Operator	since last periodic detern	nination of acc	uracy: 010		
_	Dia	agnostics ch	eck		
Ram Auto	Serial No. I Time clock o calibration	Temp Motor Range	-	Printer voltmeter	
Check sum 60845 Record im	Download date/time: 11/ ported (Y/N) N		57 F Calibration	Record ID A8B9	

		Forensio	Science Se 1400 Cana ong Beach, C			
Intox	kilyzer 5000EN	N Periodic	Determinatior	of Accuracy / Mair	ntenance Reco	ď
Instrument seria	al No: 68-01	2335		Accuracy check date/	/time: 10/18/2018	09:00
	t calibration chee			Interferent detecte	ed: No	
Secon	d calibration che	ck:.128		Interferent detecte	ed: No	
Concentration (%W/V).135	Solution lo	t#:IRS041118	Soln temp C: 3 Simulator Ser No. I		
Number of peop Operator G GC	le tested since la SSAGE 7885	ast periodic d	etermination of a	accuracy: 010		
			Diagnostics	check		
Eeprom Prom Ram	Seria Real Time o Auto calibra	lock	Temp Motor Range	Internal st Digital v	andards Printer oltmeter	
Check sum 247 R	798 Downl Record imported		e: 11/01/2018 Sourc	08:57 R e Calibration	ecord ID A8C0	
Instrument seria				Accuracy check date/	/time: 10/18/2018	09:02
-	t calibration che			Interferent detecte		
Concentration (t#:IRS041118	Interferent detecte Soln temp C: 3 Simulator Ser No. I	34.00	
LAST CAL CHE	CK - COLD SIM	HOSE				
Number of peop	le tested since la	ast periodic d	etermination of a	accuracy: 000		
Operator G GC	SSAGE 7885					
			Diagnostics	check		
Eeprom	Seria	No.	Temp	Internal st	andards	
Prom	Real Time of		Motor		Printer	
Ram	Auto calibra		Range	-	oltmeter	
Check sum 219	046 Downl Record imported		e: 11/01/2018 Sourc	08:57 R e Calibration	ecord ID A8D5	
•						

	Forensic S	1400 Canal ng Beach, Ca	rices Division Ave	
Intoxilyzer	5000EN Periodic D	etermination of	of Accuracy / Maintenance Record	
Instrument serial No:	68-012335	1	Accuracy check date/time: 10/20/2018 00	0:08
First calibra Second calibra			Interferent detected: Interferent detected:	
Concentration (%W/V)	Solution lot#	:	Soln temp C: Simulator Ser No.	
Number of people tester Operator	d since last periodic det	ermination of ac	curacy:	
		Diagnostics c	heck	
D -	Serial No. Pass al Time clock Pass to calibration Pass	Temp Pass Motor Pass Range Pass	Printer Pass	
Check sum 31159	Download date/time:		8:57 Record ID A8L9	
Instrument serial No:	nported (Y/N) N 68-012335		Diagnostic Accuracy check date/time: 10/25/2018 08	3:35
First calibra Second calibra			Interferent detected: Interferent detected:	
Concentration (%W/V)	Solution lot#	:	Soln temp C: Simulator Ser No.	
Internal standard out of Number of people tester Operator		ermination of ac	curacy:	
		Diagnostics c	heck	
_	Serial No. al Time clock to calibration	Temp Motor Range	Internal standards Printer Digital voltmeter	
Check sum 52994 Record ir	Download date/time: mported (Y/N) N		8:57 Record ID A8P2 Exception	

		Forensic Lo	1400 Canal / ng Beach, Ca	vices Division Ave	
Into	xilyzer 5000	EN Periodic D	etermination c	of Accuracy / Maintenance Record	
Instrument seri	al No: 68-	012335	ŀ	Accuracy check date/time: 10/25/2018 08:36	
	st calibration ch d calibration cl			Interferent detected: Interferent detected:	
Concentration	(%W/V)	Solution lot#	:	Soln temp C: Simulator Ser No.	
Number of peop Operator	ble tested since		ermination of ac		
			Diagnostics c	heck	
Eeprom Pass Prom Pass Ram Pass Check sum 64	Real Time Auto calib	ial No.Pass e clock Pass ration Pass nload date/time: d (Y/N) N		Printer Pass	
Instrument seri		012335		Accuracy check date/time: 10/25/2018 08:38	
Secon	st calibration ch Id calibration ch			Interferent detected: No Interferent detected: No	
Concentration	(%W/V) .135	Solution lot#	:IRS041118	Soln temp C: 34.03 Simulator Ser No. DR3707	
Number of peop Operator G GC		last periodic de	ermination of ac	curacy: 007	
			Diagnostics c	heck	
Eeprom Prom Ram Check sum 43	Real Time Auto calib		Temp Motor Range 11/01/2018 08	Internal standards Printer Digital voltmeter 8:57 Record ID A8E6	
ŀ	Record importe	d (Y/N) N	Source	Calibration	

	Forensi	c Science Se 1400 Cana _ong Beach, (
Intoxilyze	er 5000EN Periodic	Determination	n of Accuracy / Maintenance Reco	rd
Instrument serial No:	68-012335		Accuracy check date/time: 10/27/2018	02:29
	pration check:		Interferent detected:	
	oration check:		Interferent detected:	
Concentration (%W/\	/) Solution lo	ot#:	Soln temp C: Simulator Ser No.	
Invalid sample				
Number of people tes	ted since last periodic of	determination of	accuracy:	
Operator				
		Diagnostics	check	
_	Serial No. Real Time clock Auto calibration	Temp Motor Range	Internal standards Printer Digital voltmeter	
Check sum 10210	Download date/tim	ne: 11/01/2018	08:57 Record ID A8Q1	
Record	d imported (Y/N) N	Sour	ce Exception	
Instrument serial No:	68-012335		Accuracy check date/time: 10/27/2018	22:00
First calib	oration check:		Interferent detected:	
Second calil	oration check:		Interferent detected:	
Concentration (%W/\	/) Solution Id	ot#:	Soln temp C: Simulator Ser No.	
Invalid sample				
Number of people tes	ted since last periodic	determination of	accuracy:	
Operator				
		Diagnostics	check	
Eeprom	Serial No.	Temp	Internal standards	
•	Real Time clock	Motor	Printer	
Ram A	Auto calibration	Range	Digital voltmeter	
Check sum 23259	Download date/tim		08:57 Record ID A8R8	
Record	d imported (Y/N) N	Sour	ce Exception	