

| Test Number | Result | ID | Test Time | Test Date | Cal Time | Cal Date | Check Result | Check Time | Check Date | Unit Serial Number |
|-------------|--------|----|-----------|------------|----------|------------|--------------|------------|------------|--------------------|
| 76 | 0.213 | | 9:52 PM | 11/16/2019 | 3:25 PM | 03/28/2019 | 0.094 | 1:23 PM | 11/13/2019 | 16040119 |
| 77 | 0.206 | | 9:55 PM | 11/16/2019 | 3:25 PM | 03/28/2019 | 0.094 | 1:23 PM | 11/13/2019 | 16040119 |
| 78 | 0 | | 3:14 AM | 11/17/2019 | 3:25 PM | 03/28/2019 | 0.094 | 1:23 PM | 11/13/2019 | 16040119 |
| 79 | 0.181 | | 4:36 AM | 11/17/2019 | 3:25 PM | 03/28/2019 | 0.094 | 1:23 PM | 11/13/2019 | 16040119 |
| 80 | 0.175 | | 4:40 AM | 11/17/2019 | 3:25 PM | 03/28/2019 | 0.094 | 1:23 PM | 11/13/2019 | 16040119 |
| 81 | 0.11 | | 11:28 PM | 11/20/2019 | 3:25 PM | 03/28/2019 | 0.094 | 1:23 PM | 11/13/2019 | 16040119 |
| 82 | 0.108 | | 11:30 PM | 11/20/2019 | 3:25 PM | 03/28/2019 | 0.094 | 1:23 PM | 11/13/2019 | 16040119 |
| 112 | NEG | | 1:13 PM | 11/13/2019 | 7:46 AM | 04/12/2019 | 0.095 | 1:39 PM | 11/06/2019 | 16040140 |
| 113 | 0.017 | | 12:56 AM | 11/16/2019 | 7:46 AM | 04/12/2019 | 0.095 | 1:13 PM | 11/13/2019 | 16040140 |
| 114 | 0.077 | | 1:33 AM | 11/16/2019 | 7:46 AM | 04/12/2019 | 0.095 | 1:13 PM | 11/13/2019 | 16040140 |
| 72 | 0.373 | | 11:46 AM | 11/18/2019 | 3:41 PM | 03/28/2019 | 0.099 | 1:18 PM | 11/13/2019 | 16040141 |
| 73 | 0.38 | | 11:49 AM | 11/18/2019 | 3:41 PM | 03/28/2019 | 0.099 | 1:18 PM | 11/13/2019 | 16040141 |
| 368 | 0.011 | | 4:29 AM | 11/15/2019 | 4:09 PM | 06/25/2019 | 0.101 | 1:48 PM | 11/13/2019 | 16040162 |
| 442 | 0.186 | | 3:45 AM | 11/13/2019 | 7:30 AM | 04/12/2019 | 0.094 | 1:48 PM | 11/06/2019 | 16040163 |
| 443 | 0.19 | | 3:48 AM | 11/13/2019 | 7:30 AM | 04/12/2019 | 0.094 | 1:48 PM | 11/06/2019 | 16040163 |
| 94 | 0 | | 1:31 AM | 11/13/2019 | 12:59 PM | 01/29/2018 | 0.098 | 2:05 PM | 11/06/2019 | 16080013 |
| 95 | 0.148 | | 2:46 AM | 11/13/2019 | 12:59 PM | 01/29/2018 | 0.098 | 2:05 PM | 11/06/2019 | 16080013 |
| 96 | 0.157 | | 2:47 AM | 11/13/2019 | 12:59 PM | 01/29/2018 | 0.098 | 2:05 PM | 11/06/2019 | 16080013 |
| 97 | 0.122 | | 4:13 AM | 11/13/2019 | 12:59 PM | 01/29/2018 | 0.098 | 2:05 PM | 11/06/2019 | 16080013 |
| 98 | 0.121 | | 4:16 AM | 11/13/2019 | 12:59 PM | 01/29/2018 | 0.098 | 2:05 PM | 11/06/2019 | 16080013 |
| 99 | 0 | | 11:51 PM | 11/16/2019 | 12:59 PM | 01/29/2018 | 0.099 | 1:39 PM | 11/13/2019 | 16080013 |
| 100 | 0 | | 11:51 PM | 11/16/2019 | 12:59 PM | 01/29/2018 | 0.099 | 1:39 PM | 11/13/2019 | 16080013 |
| 101 | 0.084 | | 2:52 AM | 11/17/2019 | 12:59 PM | 01/29/2018 | 0.099 | 1:39 PM | 11/13/2019 | 16080013 |
| 102 | 0.089 | | 2:55 AM | 11/17/2019 | 12:59 PM | 01/29/2018 | 0.099 | 1:39 PM | 11/13/2019 | 16080013 |
| 103 | 0 | | 4:38 PM | 11/17/2019 | 12:59 PM | 01/29/2018 | 0.099 | 1:39 PM | 11/13/2019 | 16080013 |
| 104 | 0 | | 7:11 PM | 11/17/2019 | 12:59 PM | 01/29/2018 | 0.099 | 1:39 PM | 11/13/2019 | 16080013 |
| 105 | 0.026 | | 7:38 PM | 11/17/2019 | 12:59 PM | 01/29/2018 | 0.099 | 1:39 PM | 11/13/2019 | 16080013 |
| 63 | 0 | | 11:31 PM | 11/16/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |
| 64 | 0.008 | | 1:00 AM | 11/17/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |
| 65 | 0.136 | | 1:38 AM | 11/17/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |
| 66 | 0.13 | | 1:41 AM | 11/17/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |
| 67 | 0.084 | | 12:15 AM | 11/18/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |
| 68 | 0.086 | | 12:18 AM | 11/18/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |

| Test Number | Result | ID | Test Time | Test Date | Cal Time | Cal Date | Check Result | Check Time | Check Date | Unit Serial Number |
|-------------|--------|----|-----------|------------|----------|------------|--------------|------------|------------|--------------------|
| 69 | 0.153 | | 2:52 AM | 11/18/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |
| 70 | 0.155 | | 2:55 AM | 11/18/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |
| 71 | 0.206 | | 11:59 PM | 11/18/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |
| 72 | 0.216 | | 12:02 AM | 11/19/2019 | 11:51 AM | 07/05/2019 | 0.1 | 1:33 PM | 11/13/2019 | 16080014 |
| 63 | 0.091 | | 6:42 AM | 11/21/2019 | 4:05 PM | 03/28/2019 | 0.101 | 1:38 PM | 11/13/2019 | 16080028 |
| 64 | 0.09 | | 6:45 AM | 11/21/2019 | 4:05 PM | 03/28/2019 | 0.101 | 1:38 PM | 11/13/2019 | 16080028 |
| 57 | 0.176 | | 7:23 PM | 11/14/2019 | 4:07 PM | 03/28/2019 | 0.1 | 1:36 PM | 11/13/2019 | 16080030 |
| 58 | 0.169 | | 7:25 PM | 11/14/2019 | 4:07 PM | 03/28/2019 | 0.1 | 1:36 PM | 11/13/2019 | 16080030 |
| 99 | 0.182 | | 4:06 AM | 11/14/2019 | 4:12 PM | 03/28/2019 | 0.101 | 1:37 PM | 11/13/2019 | 16080064 |
| 100 | 0.181 | | 4:09 AM | 11/14/2019 | 4:12 PM | 03/28/2019 | 0.101 | 1:37 PM | 11/13/2019 | 16080064 |
| 439 | 0.225 | | 11:36 PM | 11/17/2019 | 10:41 AM | 08/14/2017 | 0.099 | 1:48 PM | 11/13/2019 | 16080071 |
| 440 | 0.153 | | 2:12 AM | 11/18/2019 | 10:41 AM | 08/14/2017 | 0.099 | 1:48 PM | 11/13/2019 | 16080071 |
| 441 | 0.141 | | 2:15 AM | 11/18/2019 | 10:41 AM | 08/14/2017 | 0.099 | 1:48 PM | 11/13/2019 | 16080071 |
| 35 | 0.058 | | 2:03 AM | 11/16/2019 | 2:05 PM | 12/19/2017 | 0.104 | 2:06 PM | 11/13/2019 | 16080072 |
| 36 | 0.152 | | 2:53 AM | 11/17/2019 | 2:05 PM | 12/19/2017 | 0.104 | 2:06 PM | 11/13/2019 | 16080072 |
| 37 | 0.134 | | 2:56 AM | 11/17/2019 | 2:05 PM | 12/19/2017 | 0.104 | 2:06 PM | 11/13/2019 | 16080072 |
| 28 | 0.176 | | 2:26 AM | 11/16/2019 | 4:24 PM | 03/28/2019 | 0.101 | 1:58 PM | 11/13/2019 | 16080075 |
| 29 | 0.188 | | 2:29 AM | 11/16/2019 | 4:24 PM | 03/28/2019 | 0.101 | 1:58 PM | 11/13/2019 | 16080075 |
| 80 | 0.108 | | 3:01 PM | 11/15/2019 | 4:36 PM | 03/28/2019 | 0.105 | 1:56 PM | 11/13/2019 | 16120175 |
| 81 | 0.098 | | 3:04 PM | 11/15/2019 | 4:36 PM | 03/28/2019 | 0.105 | 1:56 PM | 11/13/2019 | 16120175 |
| 82 | 0.064 | | 11:48 PM | 11/16/2019 | 4:36 PM | 03/28/2019 | 0.105 | 1:56 PM | 11/13/2019 | 16120175 |
| 83 | 0.061 | | 11:51 PM | 11/16/2019 | 4:36 PM | 03/28/2019 | 0.105 | 1:56 PM | 11/13/2019 | 16120175 |
| 84 | 0 | | 2:38 AM | 11/18/2019 | 4:36 PM | 03/28/2019 | 0.105 | 1:56 PM | 11/13/2019 | 16120175 |
| 85 | 0 | | 2:41 AM | 11/18/2019 | 4:36 PM | 03/28/2019 | 0.105 | 1:56 PM | 11/13/2019 | 16120175 |
| 107 | 0.123 | | 3:40 AM | 11/16/2019 | 8:16 AM | 10/21/2016 | 0.098 | 2:04 PM | 11/13/2019 | 16120188 |
| 108 | 0.101 | | 3:00 AM | 11/18/2019 | 8:16 AM | 10/21/2016 | 0.098 | 2:04 PM | 11/13/2019 | 16120188 |
| 109 | 0.107 | | 3:03 AM | 11/18/2019 | 8:16 AM | 10/21/2016 | 0.098 | 2:04 PM | 11/13/2019 | 16120188 |
| 110 | 0.132 | | 9:35 PM | 11/18/2019 | 8:16 AM | 10/21/2016 | 0.098 | 2:04 PM | 11/13/2019 | 16120188 |
| 111 | 0.141 | | 9:37 PM | 11/18/2019 | 8:16 AM | 10/21/2016 | 0.098 | 2:04 PM | 11/13/2019 | 16120188 |
| 334 | 0.091 | | 1:53 AM | 11/16/2019 | 12:20 PM | 08/15/2019 | 0.093 | 3:13 PM | 11/13/2019 | 16120194 |
| 335 | 0.089 | | 1:56 AM | 11/16/2019 | 12:20 PM | 08/15/2019 | 0.093 | 3:13 PM | 11/13/2019 | 16120194 |
| 388 | 0.106 | | 2:29 AM | 11/16/2019 | 12:48 PM | 06/09/2019 | 0.102 | 3:27 PM | 11/13/2019 | 16120195 |
| 389 | 0.101 | | 2:32 AM | 11/16/2019 | 12:48 PM | 06/09/2019 | 0.102 | 3:27 PM | 11/13/2019 | 16120195 |

| Test Number | Result | ID | Test Time | Test Date | Cal Time | Cal Date | Check Result | Check Time | Check Date | Unit Serial Number |
|-------------|--------|----|-----------|------------|----------|------------|--------------|------------|------------|--------------------|
| 345 | 0 | | 3:35 PM | 11/13/2019 | 3:25 PM | 06/25/2019 | 0.094 | 2:47 PM | 11/06/2019 | 16120197 |
| 346 | 0.101 | | 2:57 AM | 11/17/2019 | 3:25 PM | 06/25/2019 | 0.095 | 3:37 PM | 11/13/2019 | 16120197 |
| 347 | 0.101 | | 3:00 AM | 11/17/2019 | 3:25 PM | 06/25/2019 | 0.095 | 3:37 PM | 11/13/2019 | 16120197 |
| 126 | 0.057 | | 2:11 AM | 11/13/2019 | 5:05 PM | 03/28/2019 | 0.098 | 2:51 PM | 11/06/2019 | 17170064 |
| 127 | 0.056 | | 2:13 AM | 11/13/2019 | 5:05 PM | 03/28/2019 | 0.098 | 2:51 PM | 11/06/2019 | 17170064 |
| 128 | 0.035 | | 10:43 PM | 11/16/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 129 | 0.203 | | 11:01 PM | 11/16/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 130 | 0.209 | | 11:03 PM | 11/16/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 131 | 0.083 | | 12:23 AM | 11/17/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 132 | 0.086 | | 12:26 AM | 11/17/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 133 | 0.073 | | 1:58 AM | 11/17/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 134 | 0.073 | | 1:59 AM | 11/17/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 135 | 0.153 | | 2:50 AM | 11/17/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 136 | 0.152 | | 2:52 AM | 11/17/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 137 | 0.189 | | 3:39 AM | 11/17/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |
| 138 | 0.17 | | 3:42 AM | 11/17/2019 | 5:05 PM | 03/28/2019 | 0.105 | 3:49 PM | 11/13/2019 | 17170064 |

#1

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16040162

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1420 | 34 | 19DP41092 | .100 | 24 | | .102 | | X | | | E. Mc Elroy | 16193 | |
| | | | | | | | | | | | | | | |

Solution prepared by:
Cesar Munoz
Date: 04-22-19
Expiration date:
04-22-21

| Cal Standard | | Time: | | Last Cal | Result | Cal Standard | Time: | | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|------|-------|---------|------------|--------|--------------|-------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| | .100 | | 4:09 PM | 06/25/2019 | .102 | .100 | | 2:20 PM | 11/21/2019 | BAC | 16040162 | 8.7.24 | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OPI 051

#2

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16040119

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1508 | 34 | 19DP41092 | .100 | 22 | | .101 | | NO | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout |
|--------------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|
| .100 | 3:25 PM | 03/28/2019 | .101 | .100 | 3:11 PM | 11/21/2019 | BAC | 16040119 | 8.7.24 | |

Lifeloc Technologies

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#3

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16040140

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | TEST #1 | TEST #2 (Optional) | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|--|------|-----------------------------------|-----------|-------|---------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | | | | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1503 | 31 | 19DP41092 | .100 | 22 | | .100 | | | X | | E. Mc Elroy | 16193 | |
| Solution prepared by: Cesar Munoz Date: 04-22-19 Expiration date: 04-22-21 | | | | | | | | | | | | | | |

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|----------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 07:46 AM | 04/12/2019 | .100 | .100 | 3:06 PM | 11/21/2019 | BAC | 16040140 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OP1 051

#4

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Liteloc FC20 PAS SERIAL NO.: 16040141

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|---------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1531 | 34 | 19DP41092 | .100 | 21 | | .101 | | | X | | E. Mc Elroy | 16193 | |

| | | | | | | | | | | | | | | |
|-----------------------------------|--|--|--|------|-----------------------|--|---------------------|--|---------------------|--|-------------------|--|------------------------------|--|
| Solution prepared by: Cesar Munoz | | | | | | | | | | | | | | |
| Date: 04-22-19 | | | | | | | | | | | | | | |
| Expiration date: 04-22-21 | | | | | | | | | | | | | | |
| Cal Standard | | | | | | | | | | | | | | |
| | | | | .100 | Time: 3:41 PM | | Last Cal 03/28/2019 | | Result .101 | | Cal Standard .100 | | Time: 3:30 PM | |
| | | | | | Last Check 11/21/2019 | | UOM BAC | | Serial No. 16040141 | | FC20 8.7.24 | | Calibration / Check Printout | |

Liteloc Technologies

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OPI 051

#5

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16040161

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------|------------|-------|---------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
| | | | | | | | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1553 | 39 | 19DDP41092 | .100 | 21 | | .102 | | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date: 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|----------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 08:56 AM | 04/25/2017 | .102 | .100 | 3:55 PM | 11/21/2019 | BAC | 16040161 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OP1 051

#6

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16040163

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|-----------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1550 | 34 | 19DP41092 | .100 | 22 | .100 | .100 | NO | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout |
|--------------|----------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|
| .100 | 07:30 AM | 04/12/2019 | .100 | .100 | 3:51 PM | 11/21/2019 | BAC | 16040163 | 8.7.24 | |

Lifeloc Technologies

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OP1 051

#7

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO: 16080013

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|---------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1616 | 34 | 19DP41092 | .100 | | 21 | | .100 | | | X | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date: 04-22-21

| Cal Standard | | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|------|----------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| | .100 | 12:59 PM | 01/29/2018 | .100 | .100 | 4:16 PM | 11/21/2019 | BAC | 16080013 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OPI 051

8

| | | | | | |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Edward Mc Elroy | I.D. NUMBER 16193 | PAS MAKE/MODEL Lifeloc FC20 | PAS SERIAL NO. 16080014 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | TEST #1 | TEST #2 (Optional) | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------------------------|------|--------------|--------------------------------------|--|-------|---------|-----------------------|-----------------------|-----------------------|--------------------------------|----|-------------------------|-----------------------|--------------------------|-------------|----------|-------------------------------|
| | | | LOT NO. | | | | | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | TEST #1 (Optional) | TEST #2 (Optional) | | | | |
| 11/21/2019 | 1611 | 34 | 19DP41092 | | .100 | 22 | | | | | | | X | | E. Mc Elroy | 16193 | |
| Solution prepared by: | | | | | | | | | | | | | | | | | |
| Cesar Munoz | | | | | | | | | | | | | | | | | |
| Date: 04-22-19 | | | | | | | | | | | | | | | | | |
| Expiration date: 04-22-21 | | | | | | | | | | | | | | | | | |
| Cal Standard | | | | | | | | | | | | | | | | | |
| Time: 11:51 AM | | | | | | | | | | | | | | | | | |
| Last Cal | | | | | | | | | | | | | | | | | |
| 07/05/2019 | | | | | | | | | | | | | | | | | |
| Result | | | | | | | | | | | | | | | | | |
| .102 | | | | | | | | | | | | | | | | | |
| Cal Standard | | | | | | | | | | | | | | | | | |
| .100 | | | | | | | | | | | | | | | | | |
| Time: 4:12 PM | | | | | | | | | | | | | | | | | |
| Last Check | | | | | | | | | | | | | | | | | |
| 11/21/2019 | | | | | | | | | | | | | | | | | |
| UOM | | | | | | | | | | | | | | | | | |
| BAC | | | | | | | | | | | | | | | | | |
| Serial No. | | | | | | | | | | | | | | | | | |
| 16080014 | | | | | | | | | | | | | | | | | |
| FC20 | | | | | | | | | | | | | | | | | |
| 8.7.24 | | | | | | | | | | | | | | | | | |
| Calibration / Check Printout | | | | | | | | | | | | | | | | | |
| Lifeloc Technologies | | | | | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OP1 051

#9

AREA NAME: South Los Angeles AREA NO: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO: 16080015

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|---------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1613 | 34 | 19DP41092 | .100 | 21 | | .095 | .096 | X | | | E. Mc Elroy | 16193 | |

Solution prepared by:

Cesar Munoz
 Date: 04-22-19
 Expiration date: 04-22-21

| Cal Standard | | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| | .100 | 3:58 PM | 03/28/2019 | .096 | .095 | 4:25 PM | 11/21/2019 | BAC | 16080015 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OP1 051

#10

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16080027

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | TEST #1 | TEST #2 (Optional) | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|-----------|-------|---------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | | | TEST #1 (°C) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1629 | 34 | 19DP41092 | .100 | 21 | | .097 | | | X | | E. Mc Elroy | 16193 | |

| | | | | | | | | | | | | | | |
|---|--|--|------------|--|--|--------|--|--|--------------|--|--|---------|--|--|
| Solution prepared by: Cesar Munoz Date: 04-22-19 Expiration date: 04-22-21 | | | | | | | | | | | | | | |
| Cal Standard | | | | | | | | | | | | | | |
| Time: | | | Last Cal | | | Result | | | Cal Standard | | | Time: | | |
| 3:58 PM | | | 03/28/2019 | | | .097 | | | .100 | | | 4:30 PM | | |
| Last Check | | | | | | | | | | | | | | |
| Time: | | | Last Check | | | Result | | | Cal Standard | | | Time: | | |
| 4:30 PM | | | 11/21/2019 | | | .097 | | | .100 | | | 4:30 PM | | |
| UOM | | | | | | | | | | | | | | |
| BAC | | | | | | | | | | | | | | |
| Serial No. | | | | | | | | | | | | | | |
| 16080027 | | | | | | | | | | | | | | |
| FC20 | | | | | | | | | | | | | | |
| 8.7.24 | | | | | | | | | | | | | | |
| Calibration / Check Printout | | | | | | | | | | | | | | |
| Lifeloc Technologies | | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

11

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16080028

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1638 | 31 | 19DP41092 | .100 | 21 | | .095 | | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 4:05 PM | 03/28/2019 | .095 | .100 | 4:39 PM | 11/21/2019 | BAC | 16080028 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OP1051

#12

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16080030

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|-------|-----------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|---------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 16:12 | 34 | 19DP41092 | .100 | | | | | | | | E. Mc Elroy | 16193 | |

Solution prepared by:

Cesar Munoz
 Date: 04-22-19
 Expiration date: 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout |
|--------------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|
| .100 | 4:07 PM | 03/28/2019 | .093 | .100 | 4:43 PM | 11/21/2019 | BAC | 16080030 | 8.7.24 | |

Lifeloc Technologies

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#13

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lieloc FC20 PAS SERIAL NO.: 16080064

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | TEMP (°C) | LOT NO. | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|---------------------------|
| | | | | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1644 | 34 | 19DP41092 | .100 | | 21 | | .099 | | | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date: 04-22-21

| Cal Standard | | Last Cal | | Cal Standard | | Last Check | | UOM | | Serial No. | | FC20 | | Calibration / Check Printout | Lieloc Technologies |
|--------------|---------|----------|------------|--------------|---------|------------|------------|-------|-------|------------|-------|--------|-------|------------------------------|---------------------|
| Value | Time: | Value | Time: | Value | Time: | Value | Time: | Value | Time: | Value | Time: | Value | Time: | | |
| .100 | 4:12 PM | .099 | 03/28/2019 | .100 | 4:45 PM | .099 | 11/21/2019 | BAC | | 16080064 | | 8.7.24 | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#14

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16080065

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1648 | 34 | 19DDP41092 | .100 | 21 | | .097 | | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
Cesar Munoz
Date: 04-22-19
Expiration date:
04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout |
|--------------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|
| .100 | 1:54 PM | 12/19/2017 | .097 | .100 | 4:49 PM | 11/21/2019 | BAC | 16080065 | 8.7.24 | |

Lifeloc Technologies

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OPI 051

#15

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16080069

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|---------|---------------|---------|-----------------------------|--------------------|----------------------|-----|--------------------|-------------|----------|----------------------------------|
| | | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | | | | |
| 11/21/2019 | | 19DP41092 | | .100 | | | | | | | E. Mc Elroy | 16193 | DEVICE NOT IN LOCKER FOR TESTING |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

* If the reading is within plus or minus (\pm) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#16

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16080071

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1653 | 31 | 19DP41092 | .100 | 21 | | .090 | .092 | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|----------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 10:41 AM | 08/14/2017 | .092 | .090 | 4:58 PM | 11/21/2019 | BAC | 16080071 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#17

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16080072

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | TEST #1 | TEST #2 (Optional) | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|-----------|-------|---------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | | | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1746 | 34 | 19DP41092 | .100 | 21 | | .094 | | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 2:05 PM | 12/19/2017 | .094 | .100 | 5:46 PM | 11/21/2019 | BAC | 16080072 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#118

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16080075

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | TEST #1 | TEST #2 (Optional) | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|-----------|-------|---------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | | | | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1741 | 34 | 19DP41092 | .100 | 21 | | .095 | | | X | | E. Mc Elroy | 16193 | |

| Solution prepared by: | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--|--------------|------|-------|---------|----------|------------|--------|------|--------------|------|-------|---------|------------|------------|-----|-----|------------|----------|------|--------|------------------------------|--|
| Cesar Munoz | | | | | | | | | | | | | | | | | | | | | | | |
| Date: 04-22-19 | | | | | | | | | | | | | | | | | | | | | | | |
| Expiration date: 04-22-21 | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cal Standard | | Time: | | Last Cal | | Result | | Cal Standard | | Time: | | Last Check | | UOM | | Serial No. | | FC20 | | Calibration / Check Printout | |
| | | | .100 | | 4:24 PM | | 03/28/2019 | | .095 | | .100 | | 5:42 PM | | 11/21/2019 | | BAC | | 16080075 | | 8.7.24 | | |

Lifeloc Technologies

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OPI 051

#19

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16080077

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | TEST #1 | TEST #2 (Optional) | PAS TEMP (°C) | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|-----------|-------|---------|--------------------|---------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | | | | | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1741 | 34 | 19DP41092 | .100 | 22 | | | 102 | | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 4:30 PM | 03/28/2019 | .102 | .100 | 5:42 PM | 11/21/2019 | BAC | 16080077 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#20

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16120175

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | TEST #1 | TEST #2 (Optional) | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------|-------|---------|-----------------------|---------------|---------|-----------------------------|---------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | | | TEMP #1 | TEMP #2 | TEST #1 | TEST #2 | YES | NO | | | | |
| 11/21/2019 | 1739 | 34 | 19DDP41092 | .100 | 21 | | | | .104 | | | | X | E. Mc Elroy | 16193 | |

| Solution prepared by: | | | | | | | | | | | | | | | | |
|------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Cesar Munoz | | | | | | | | | | | | | | | | |
| Date: 04-22-19 | | | | | | | | | | | | | | | | |
| Expiration date: 04-22-21 | | | | | | | | | | | | | | | | |
| Cal Standard | | | | | | | | | | | | | | | | |
| Time: 4:36 PM | | | | | | | | | | | | | | | | |
| Last Cal 03/28/2019 | | | | | | | | | | | | | | | | |
| Result .104 | | | | | | | | | | | | | | | | |
| Cal Standard .100 | | | | | | | | | | | | | | | | |
| Time: 5:40 PM | | | | | | | | | | | | | | | | |
| Last Check 11/21/2019 | | | | | | | | | | | | | | | | |
| UOM BAC | | | | | | | | | | | | | | | | |
| Serial No. 16120175 | | | | | | | | | | | | | | | | |
| FC20 8.7.24 | | | | | | | | | | | | | | | | |
| Calibration / Check Printout | | | | | | | | | | | | | | | | |
| Lifeloc Technologies | | | | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.
 Destroy Previous Editions CHP202K_1108.pdf

21

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16120177

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1750 | 34 | 19DDP41092 | .100 | 21 | | .098 | | | | X | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|----------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 09:50 AM | 04/25/2017 | .098 | .100 | 5:50 PM | 11/21/2019 | BAC | 16120177 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#22

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16120188

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | TEMP (°C) | LOT NO. | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS | |
|------------|------|-----------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|-------------|----------------------------|--|
| | | | | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | | |
| 11/21/2019 | 1718 | 34 | 19DP41092 | .100 | | 22 | | .089 | | | | X | E. Mc Elroy | 16193 | |

| Solution prepared by: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--|----------|--|------------|--|--------|--|--------------|--|---------|--|------------|--|------|--|------------|--|--------|--|--|--|--|--|--|--|--|--|--|--|
| Cesar Munoz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Date: 04-22-19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Expiration date: 04-22-21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cal Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Time: | | Last Cal | | Result | | Cal Standard | | Time: | | Last Check | | UOM | | Serial No. | | FC20 | | | | | | | | | | | |
| | | 08:16 AM | | 10/21/2016 | | .089 | | .100 | | 5:48 PM | | 11/21/2019 | | BAC | | 16120188 | | 8.7.24 | | | | | | | | | | | |
| Cal Standard | | | | | | | | | | | | | | .100 | | | | | | | | | | | | | | | |

Lifeloc Technologies
 Calibration / Check Printout

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#23

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16120189

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|------------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1753 | 34 | 19DDP41092 | .100 | 22 | | 1.095 | | | X | | E. Mc Elroy | 16193 | |
| | | | | | | | | | | | | | | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|----------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 08:50 AM | 04/12/2019 | .095 | .100 | 5:54 PM | 11/21/2019 | BAC | 16120189 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
 CHP 202K (Rev. 8-08) OPI 051

#24

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16120194

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1749 | 34 | 19DP41092 | .100 | 21 | | .095 | | | X | | E. Mc Elroy | 16193 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|--|-------|--|----------|--|----------|--|------------|--|--------|--|------|--|--------------|--|-------|--|---------|--|------------|--|------------|--|-----|--|-----|--|------------|--|----------|--|------|--|--------|--|------------------------------|--|----------------------|--|
| Solution prepared by: Cesar Munoz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Date: 04-22-19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Expiration date: 04-22-21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cal Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Time: | | 12:20 PM | | Last Cal | | 08/15/2019 | | Result | | .095 | | Cal Standard | | Time: | | 5:49 PM | | Last Check | | 11/21/2019 | | UOM | | BAC | | Serial No. | | 16120194 | | FC20 | | 8.7.24 | | Calibration / Check Printout | | Lifeloc Technologies | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#25

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 16120195

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|------------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1756 | 34 | 19DDP41092 | .100 | 21 | | .103 | | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
Cesar Munoz
Date: 04-22-19
Expiration date:
04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|----------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 12:48 PM | 06/09/2019 | .103 | .100 | 5:56 PM | 11/21/2019 | BAC | 16120195 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#26

AREA NAME: South Los Angeles | AREA NO.: 530 | COORDINATOR NAME: Edward Mc Elroy | I.D. NUMBER: 16193 | PAS MAKE/MODEL: Lifeloc FC20 | PAS SERIAL NO.: 16120197

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | TEST #1 | TEST #2 (Optional) | PAS TEMP (°C) | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|-----------|-------|---------|-----------------------|---------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | | | | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1804 | 34 | 19DP41092 | .100 | 21 | | | .096 | .100 | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Lifeloc Technologies |
|--------------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 3:25 PM | 06/25/2019 | .096 | .100 | 6:05 PM | 11/21/2019 | BAC | 16120197 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#27

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lieloc FC20 PAS SERIAL NO.: 17170066

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS | | |
|------------|------|--------------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|----------|----------|-------------------------------|-------|--|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | | | |
| 11/21/2019 | 1809 | 34 | 19DP41092 | .100 | | 21 | | .101 | | | | X | | E. Mc Elroy | 16193 | |
| | | | | | | | | | | | | | | | | |

| Solution prepared by: | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--|--------------|------|-------|---------|----------|------------|--------|------|--------------|------|-------|---------|------------|------------|-----|-----|------------|----------|------|--------|--|--|--|
| Cesar Munoz | | | | | | | | | | | | | | | | | | | | | | | | |
| Date: 04-22-19 | | | | | | | | | | | | | | | | | | | | | | | | |
| Expiration date: 04-22-21 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cal Standard | | Time: | | Last Cal | | Result | | Cal Standard | | Time: | | Last Check | | UOM | | Serial No. | | FC20 | | | | |
| | | | .100 | | 4:42 PM | | 03/28/2019 | | .101 | | .100 | | 6:09 PM | | 11/21/2019 | | BAC | | 17170066 | | 8.7.24 | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

Lieloc Technologies

Calibration / Check Printout

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

28

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 17170150

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | TEST #1 | TEST #2 (Optional) | PAS TEMP (°C) | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|-----------|-------|---------|--------------------|---------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
| | | TEMP (°C) | LOT NO. | | | | | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 1815 | 34 | 19DP41092 | .100 | 23 | | | 101 | | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| FC20 | Serial No. | UOM | Last Check | Time: | Cal Standard | Result | Last Cal | Time: | Cal Standard | Result | Last Cal | Time: | Cal Standard | Result |
|------|------------|-----|------------|---------|--------------|--------|------------|----------|--------------|--------|------------|----------|--------------|--------|
| FC20 | 17170150 | BAC | 11/21/2019 | 6:16 PM | .100 | .101 | 08/24/2018 | 11:22 AM | .100 | .100 | 08/24/2018 | 11:22 AM | .100 | .100 |

Lifeloc Technologies
 Calibration / Check Printout

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#29

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifeloc FC20 PAS SERIAL NO.: 17170155

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | VALUE | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|-------|--------------------------------------|------------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| | | TEMP (°C) | LOT NO. | | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 18:21 | 34 | 19DDP41092 | .100 | 21 | | .098 | | X | | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date:
 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout |
|--------------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|
| .100 | 4:46 PM | 03/28/2019 | .098 | .100 | 6:22 PM | 11/21/2019 | BAC | 17170155 | 8.7.24 | |

Lifeloc Technologies

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG
CHP 202K (Rev. 8-08) OPI 051

#30

| | | | | | |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|-------------------------------|
| AREA NAME South Los Angeles | AREA NO. 530 | COORDINATOR NAME Edward Mc Elroy | I.D. NUMBER 16193 | PAS MAKE/MODEL Lifeloc PC20 | PAS SERIAL NO. 90102844-82 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|-------------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | SIMULATOR SOLUTION (OR DRY GAS)** | | PAS TEMP (°C) | | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|--------------------------------------|---------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|-------------|----------|--------------------------------|
| | | TEMP (°C) | LOT NO. | TEMP #1 | TEMP #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 34 | 19DP41092 | .100 | | | 103 | | | | | E. Mc Elroy | 16193 | DEVICE IS OUT OF SERVICE |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#31

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: Edward Mc Elroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Liteloc FC20 PAS SERIAL NO.: 17170064

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE | TIME | TEMP (°C) | LOT NO. | VALUE | TEST #1 | TEST #2 (Optional) | PAS ACCURACY CHECK RESULTS* | | CALIBRATION REQUIRED | | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|-------|-----------|------------|-------|---------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
| | | | | | | | TEST #1 (Optional) | TEST #2 (Optional) | YES | NO | | | | |
| 11/21/2019 | 18:25 | 34 | 19DDP41092 | .100 | 20 | | .101 | | | X | | E. Mc Elroy | 16193 | |

Solution prepared by:
 Cesar Munoz
 Date: 04-22-19
 Expiration date: 04-22-21

| Cal Standard | Time: | Last Cal | Result | Cal Standard | Time: | Last Check | UOM | Serial No. | FC20 | Calibration / Check Printout | Liteloc Technologies |
|--------------|---------|------------|--------|--------------|---------|------------|-----|------------|--------|------------------------------|----------------------|
| .100 | 5:05 PM | 03/28/2019 | .101 | .100 | 6:25 PM | 11/21/2019 | BAC | 17170064 | 8.7.24 | | |

* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).
 ** If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.