1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No:	68-012339		cy check date/time: 04/01/2020	09:16
First calibra	tion check:	Inter	ferent detected:	
Second calibration check:		Interferent detected:		
Concentration (%W/V)	Solution lot#:		oln temp C: lator Ser No.	
Number of people tested Operator	I since last periodic deter	mination of accuracy:		
	D	iagnostics check		
Ram Pass Auto Check sum 41993	Serial No. Pass al Time clock Pass o calibration Pass Download date/time: 04 nported (Y/N) N	Temp Pass Motor Pass Range Pass 4/02/2020 08:51 Source Diagno	Internal standards Fail Printer Pass Digital voltmeter 2516 Record ID B2B8	
Instrument serial No:	68-012339	Accurac	cy check date/time: 04/02/2020	08:05
First calibrate Second calibrate Concentration (%W/V)		Inter S	ferent detected: ferent detected: oln temp C: lator Ser No.	
Number of people tested Operator	l since last periodic deter	mination of accuracy:	:	
	D	iagnostics check		
Ram Pass Auto Check sum 41423	Serial No. Pass al Time clock Pass o calibration Pass Download date/time: 04	Temp Pass Motor Pass Range Pass 4/02/2020 08:51 Source Diagno	Internal standards Fail Printer Pass Digital voltmeter 2496 Record ID B2C3	

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012339 Accuracy check date/time: 04/02/2020 08:06

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Internal standard out of tolerance

Number of people tested since last periodic determination of accuracy:

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 42200 Download date/time: 04/02/2020 08:51 Record ID B2H6

Record imported (Y/N) N Source Exception

Instrument serial No: 68-012339 Accuracy check date/time: 04/02/2020 08:09

First calibration check: 138 Interferent detected: No Second calibration check: 140 Interferent detected: No

Concentration (%W/V) .147 Solution lot#: IRS011620 Soln temp C: 34.00

Simulator Ser No. MP5021

Number of people tested since last periodic determination of accuracy: 001

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 91000 Download date/time: 04/02/2020 08:50 Record ID B216

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 04/09/2020 68-012339 08:09 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Fail Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 2425 Check sum 60686 Download date/time: 05/08/2020 Record ID B5E0 13:50 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012339 Accuracy check date/time: 04/09/2020 08:10 First calibration check: Unstable reference No Interferent detected: Second calibration check: Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 009 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 45972 Record ID B540 Download date/time: 05/08/2020 13:50 Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012339 Accuracy check date/time: 04/09/2020 08:11

First calibration check: STD Interferent detected: No Second calibration check: Not performed Interferent detected: No

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy: 009

Operator

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 44277 Download date/time: 05/08/2020 13:50 Record ID B555

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012339 Accuracy check date/time: 04/09/2020 08:13

First calibration check: .138 Interferent detected: No Second calibration check: .141 Interferent detected: No

Concentration (%W/V) .147 Solution lot#: IRS011620 Soln temp C: 34.03

Simulator Ser No. MP5021

4

Number of people tested since last periodic determination of accuracy: 009

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 65371 Download date/time: 05/08/2020 13:50 Record ID B560

Record imported (Y/N) N Source Calibration

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

	o: 68-012339	Accura	cy check date/time: 04/14/2020	11:33
First calibration check: Second calibration check:			Interferent detected: Interferent detected:	
Concentration (%W	//V) Solution	· ·	Soln temp C: ulator Ser No.	
Ambient air condition	on			
Number of people t	ested since last periodi	c determination of accuracy	<i>r</i> :	
Operator				
		Diagnostics check		
Eeprom Prom	Serial No. Real Time clock	Temp Motor	Internal standards Printer	
Ram	Auto calibration	Range	Digital voltmeter	
Check sum 55832		time: 05/08/2020 13:50	Record ID B5Y1	
	ord imported (Y/N) N	Source Excep	dion	
Instrument serial N	o: 68-012339	Accura	acy check date/time: 04/16/2020	08:33
First ca	alibration check:	Inte	erferent detected:	
	alibration check: alibration check:		rferent detected:	
	alibration check:	Inte		
Second ca	alibration check:	Inte	erferent detected: Soln temp C:	
Second ca Concentration (%W	alibration check: //V) Solutior	Inte	erferent detected: Soln temp C: ulator Ser No.	
Second ca Concentration (%W	alibration check: //V) Solutior	Inte n lot#: \$ Simu	erferent detected: Soln temp C: ulator Ser No.	
Second ca Concentration (%W	alibration check: //V) Solutior	Inte n lot#: \$ Simu	erferent detected: Soln temp C: ulator Ser No.	
Second ca Concentration (%W	alibration check: //V) Solutior	Intended to the state of the st	erferent detected: Soln temp C: ulator Ser No.	
Second ca Concentration (%W Number of people t Operator Eeprom Pass Prom Pass	alibration check:  //V) Solution  ested since last periodi  Serial No. Pass Real Time clock Pass	Diagnostics check Temp Pass Motor Pass	Internal standards Fail Printer Pass	
Second ca Concentration (%W Number of people to Operator  Eeprom Pass Prom Pass Ram Pass	alibration check:  //V) Solution  ested since last periodi  Serial No. Pass Real Time clock Pass Auto calibration Pass	Diagnostics check Temp Pass Motor Pass Range Pass	Internal standards Fail Printer Pass Digital voltmeter 2374	
Second ca Concentration (%W Number of people to Operator  Eeprom Pass Prom Pass Ram Pass Check sum 21044	alibration check:  //V) Solution  ested since last periodi  Serial No. Pass Real Time clock Pass Auto calibration Pass	Diagnostics check Temp Pass Motor Pass	Internal standards Fail Printer Pass Digital voltmeter 2374 Record ID B5F1	

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 04/16/2020 68-012339 08:34 First calibration check: .STD Interferent detected: Nο Second calibration check:Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 010 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range Check sum 35327 Download date/time: 05/08/2020 Record ID B575 13:50 Source Calibration Record imported (Y/N) N Instrument serial No: 68-012339 Accuracy check date/time: 04/16/2020 08:34 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Internal standard out of tolerance Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 14280 Record ID B5Z4 Download date/time: 05/08/2020 13:50 Record imported (Y/N) N Source Exception

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012339 Accuracy check date/time: 04/16/2020 08:39

First calibration check: .142 Interferent detected: No Second calibration check: .141 Interferent detected: No

Concentration (%W/V) .147 Solution lot#: IRS011620 Soln temp C: 34.03

Simulator Ser No. MP5021

Number of people tested since last periodic determination of accuracy: 010

Operator G GOSSAGE 7885

#### Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 24962 Download date/time: 05/08/2020 13:50 Record ID B586

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012339 Accuracy check date/time: 04/23/2020 08:21

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

Number of people tested since last periodic determination of accuracy:

Operator

#### Diagnostics check

EepromPassSerial No. PassTemp PassInternal standards FailPromPassReal Time clock PassMotor PassPrinter PassRamPassAuto calibration PassRange PassDigital voltmeter 2348

Check sum 29862 Download date/time: 05/08/2020 13:50 Record ID B5G2

Record imported (Y/N) N Source Diagnostic

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 04/23/2020 68-012339 08:23 First calibration check: .STD Interferent detected: Nο Second calibration check:Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 005 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range Check sum 35086 Download date/time: 05/08/2020 Record ID B591 13:50 Source Calibration Record imported (Y/N) N Instrument serial No: 68-012339 Accuracy check date/time: 04/23/2020 08:23 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Internal standard out of tolerance Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 84270 Record ID B609 Download date/time: 05/08/2020 13:50 Record imported (Y/N) N Source Exception

### 1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012339 Accuracy check date/time: 04/23/2020 08:26

First calibration check: 140 Interferent detected: No Second calibration check: 141 Interferent detected: No

Concentration (%W/V) .147 Solution lot#: IRS011620 Soln temp C: 33.95

Simulator Ser No. MP5021

Number of people tested since last periodic determination of accuracy: 005

Operator G GOSSAGE 7885

#### Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 61220 Download date/time: 05/08/2020 13:50 Record ID B5A6

Record imported (Y/N) N Source Calibration

Instrument serial No: 68-012339 Accuracy check date/time: 04/24/2020 22:53

First calibration check: Interferent detected: Second calibration check: Interferent detected:

Concentration (%W/V) Solution lot#: Soln temp C:

Simulator Ser No.

9

Number of people tested since last periodic determination of accuracy:

Operator

#### Diagnostics check

Serial No. Pass Internal standards Fail Eeprom Pass Temp Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 2524 Auto calibration Pass Check sum 42146 Record ID B5H7 Download date/time: 05/08/2020 13:50

Record imported (Y/N) N Source Diagnostic

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial	No: 68-012339	Accurac	y check date/time: 04/25/2020	02:59	
First calibration check:		Interf	Interferent detected:		
Second calibration check:		Interf	erent detected:		
Concentration (%	W/V) Solution lot	•	oln temp C: ator Ser No.		
Number of people Operator	e tested since last periodic de	etermination of accuracy:			
		Diagnostics check			
Eeprom Pass Prom Pass Ram Pass Check sum 3523 Re	Serial No. Pass Real Time clock Pass Auto calibration Pass  Download date/time cord imported (Y/N) N	Temp Pass Motor Pass Range Pass e: 05/08/2020 13:50 Source Diagnos	Internal standards Fail Printer Pass Digital voltmeter 2529 Record ID B518		
Instrument serial	No: 68-012339	Accurac	y check date/time: 04/25/2020	21:09	
	calibration check: calibration check:	Interf	erent detected: erent detected: oln temp C:		
		•	ator Ser No.		
Number of people Operator	e tested since last periodic d	etermination of accuracy:			
Diagnostics check					
Eeprom Pass Prom Pass Ram Pass Check sum 2628	Serial No. Pass Real Time clock Pass Auto calibration Pass  Download date/time	Temp Pass Motor Pass Range Pass e: 05/08/2020 13:50	Internal standards Fail Printer Pass Digital voltmeter 2504 Record ID B5J9		
Re	cord imported (Y/N) N	Source Diagnos	etic		

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 04/26/2020 68-012339 14:39 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Internal standards Fail Serial No. Pass Temp Pass Eeprom Pass Prom Printer Pass **Pass** Real Time clock Pass Motor Pass Ram Pass Auto calibration Pass Range Pass Digital voltmeter 2478 Check sum 33700 Record ID B5K0 Download date/time: 05/08/2020 13:50 Record imported (Y/N) N Source Diagnostic Instrument serial No: 68-012339 Accuracy check date/time: 04/27/2020 00:44 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Pass Internal standards Fail Eeprom Pass Temp Pass Prom **Pass** Real Time clock Pass Motor Pass Printer Pass Ram **Pass** Range Pass Digital voltmeter 2465 Auto calibration Pass Check sum 55062 Record ID B5L1 Download date/time: 05/08/2020 13:50 Record imported (Y/N) N Source Diagnostic

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial N	lo: 68-0	12339	Accu	racy check date/time: 04/27/202	0 00:54
First calibration check: Second calibration check:			Interferent detected: Interferent detected:		
Concentration (%V	V/V)	Solution lot#:	Sii	Soln temp C: mulator Ser No.	
Ambient air conditi	on				
Number of people t	tested since	last periodic determi	nation of accura	icy:	
Operator					
		Dia	gnostics chec	<u></u> k	
Eeprom Prom Ram	Seria Real Time Auto calibr	clock	Temp Motor Range	Internal standards Printer Digital voltmeter	
Check sum 56159		nload date/time: 05/0	_		
Rec	ord imported		Source Exc		
Instrument serial N	lo: 68-0	12339	Accu	racy check date/time: 04/30/202	0 08:28
First ca	alibration che	eck:	In	nterferent detected:	
0 1	alibration che	eck:		iterferent detected:	
Second c					
Concentration (%V		Solution lot#:		Soln temp C: mulator Ser No.	
Concentration (%V	V/V)		Siı	mulator Ser No.	
Concentration (%V	V/V)	Solution lot#:	Siı	mulator Ser No.	
Concentration (%V	V/V)		Siı	mulator Ser No.	
Concentration (%V	V/V)	last periodic determi	Siı	mulator Ser No.	
Concentration (%V	v/V) sested since	last periodic determi Dia	Sii nation of accura	mulator Ser No.  ncy:  k  Internal standards Fail	
Concentration (%V  Number of people to the concentration of pe	ested since Seria	last periodic determi Dia al No. Pass clock Pass	Sinnation of accurage gnostics checent Temp Pass Motor Pass	mulator Ser No.  acy:  k  Internal standards Fail  Printer Pass	
Concentration (%V  Number of people to Operator  Eeprom Pass Prom Pass Ram Pass	ested since Seria Real Time Auto calibr	last periodic determi Diag al No. Pass clock Pass ation Pass	Sinnation of accura gnostics chec Temp Pass Motor Pass Range Pass	ncy:  k  Internal standards Fail  Printer Pass  Digital voltmeter 2392	
Concentration (%V  Number of people to the concentration of pe	ested since Seria Real Time Auto calibr	last periodic determi Diag al No. Pass clock Pass ation Pass nload date/time: 05/0	Sinnation of accura gnostics chec Temp Pass Motor Pass Range Pass	nulator Ser No.  lcy:  k Internal standards Fail Printer Pass Digital voltmeter 2392 Record ID B5M2	

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

#### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: Accuracy check date/time: 04/30/2020 68-012339 08:29 First calibration check: Interferent detected: Second calibration check: Interferent detected: Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Internal standard out of tolerance Number of people tested since last periodic determination of accuracy: Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Printer Real Time clock Motor Ram Digital voltmeter Auto calibration Range Check sum 42207 Record ID B623 Download date/time: 05/08/2020 13:50 Record imported (Y/N) N Source Exception Instrument serial No: 68-012339 Accuracy check date/time: 04/30/2020 08:30 First calibration check: .STD No Interferent detected: Second calibration check:Not performed Interferent detected: No Concentration (%W/V) Solution lot#: Soln temp C: Simulator Ser No. Number of people tested since last periodic determination of accuracy: 006 Operator Diagnostics check Serial No. Internal standards **Eeprom** Temp Prom Real Time clock Printer Motor Ram Digital voltmeter Auto calibration Range Check sum 25049 Record ID B5B7 Download date/time: 05/08/2020 13:50 Record imported (Y/N) N Source Calibration

This is a true, complete, and accurate report of the periodic determination of accuracy and diagnostic data from the specified Intoxilyzer 5000EN instrument obtained from the CMI COBRA database.

### 1400 Canal Ave Long Beach, Ca 90813

PH: (562) 570-7680 Fax: (562) 570-7689

### Intoxilyzer 5000EN Periodic Determination of Accuracy / Maintenance Record

Instrument serial No: 68-012339 Accuracy check date/time: 04/30/2020 08:33

First calibration check: 140 Interferent detected: No Second calibration check: 140 Interferent detected: No

Concentration (%W/V) .147 Solution lot#: IRS011620 Soln temp C: 34.01

Simulator Ser No. MP5021

Number of people tested since last periodic determination of accuracy: 006

Operator G GOSSAGE 7885

Diagnostics check

EepromSerial No.TempInternal standardsPromReal Time clockMotorPrinterRamAuto calibrationRangeDigital voltmeter

Check sum 44809 Download date/time: 05/08/2020 13:50 Record ID B5C8

Record imported (Y/N) N Source Calibration

14

Page