

| Test Number | Result | ID    | Test Time | Test Date  | Check Result | Check Time | Check Date | Unit Serial Number |
|-------------|--------|-------|-----------|------------|--------------|------------|------------|--------------------|
| 146         | 0      | 0     | 8:32 PM   | 05/15/2020 | 0.099        | 7:30 AM    | 05/14/2020 | 16040119           |
| 147         | 0      | 0     | 8:32 PM   | 05/15/2020 | 0.099        | 7:30 AM    | 05/14/2020 | 16040119           |
| 148         | 0.012  | 0.012 | 11:26 PM  | 05/24/2020 | 0.099        | 7:30 AM    | 05/14/2020 | 16040119           |
| 149         | 0.012  | 0.012 | 11:28 PM  | 05/24/2020 | 0.099        | 7:30 AM    | 05/14/2020 | 16040119           |
| 162         | 0.018  | 0.018 | 5:47 PM   | 05/14/2020 | 0.096        | 7:31 AM    | 05/14/2020 | 16040140           |
| 163         | 0.016  | 0.016 | 5:50 PM   | 05/14/2020 | 0.096        | 7:31 AM    | 05/14/2020 | 16040140           |
| 164         | 0      | 0     | 1:59 AM   | 05/17/2020 | 0.096        | 7:31 AM    | 05/14/2020 | 16040140           |
| 165         | 0.145  | 0.145 | 5:21 PM   | 05/23/2020 | 0.096        | 7:31 AM    | 05/14/2020 | 16040140           |
| 166         | 0.151  | 0.151 | 5:25 PM   | 05/23/2020 | 0.096        | 7:31 AM    | 05/14/2020 | 16040140           |
| 167         | 0.038  | 0.038 | 12:06 AM  | 05/25/2020 | 0.096        | 7:31 AM    | 05/14/2020 | 16040140           |
| 168         | 0.125  | 0.125 | 2:23 AM   | 05/25/2020 | 0.096        | 7:31 AM    | 05/14/2020 | 16040140           |
| 137         | 0      | 0     | 4:18 PM   | 05/23/2020 | 0.104        | 7:34 AM    | 05/14/2020 | 16040141           |
| 331         | 0      | 0     | 12:51 AM  | 05/16/2020 | 0.1          | 7:38 AM    | 05/14/2020 | 16040161           |
| 332         | 0      | 0     | 11:54 PM  | 05/21/2020 | 0.1          | 7:38 AM    | 05/14/2020 | 16040161           |
| 333         | 0.098  | 0.098 | 5:57 PM   | 05/22/2020 | 0.1          | 7:38 AM    | 05/14/2020 | 16040161           |
| 334         | 0.094  | 0.094 | 5:59 PM   | 05/22/2020 | 0.1          | 7:38 AM    | 05/14/2020 | 16040161           |
| 335         | 0.122  | 0.122 | 5:18 PM   | 05/24/2020 | 0.1          | 7:38 AM    | 05/14/2020 | 16040161           |
| 336         | 0.13   | 0.13  | 5:20 PM   | 05/24/2020 | 0.1          | 7:38 AM    | 05/14/2020 | 16040161           |
| 469         | 0.217  | 0.217 | 11:00 PM  | 05/16/2020 | 0.101        | 7:25 AM    | 05/14/2020 | 16040162           |
| 470         | 0.229  | 0.229 | 11:03 PM  | 05/16/2020 | 0.101        | 7:25 AM    | 05/14/2020 | 16040162           |
| 471         | 0.149  | 0.149 | 11:10 PM  | 05/16/2020 | 0.101        | 7:25 AM    | 05/14/2020 | 16040162           |
| 472         | 0      | 0     | 6:50 PM   | 05/20/2020 | 0.101        | 7:25 AM    | 05/14/2020 | 16040162           |
| 473         | 0.202  | 0.202 | 3:11 AM   | 05/23/2020 | 0.101        | 7:25 AM    | 05/14/2020 | 16040162           |
| 474         | 0.184  | 0.184 | 3:13 AM   | 05/23/2020 | 0.101        | 7:25 AM    | 05/14/2020 | 16040162           |
| 475         | 0.038  | 0.038 | 5:56 PM   | 05/24/2020 | 0.101        | 7:25 AM    | 05/14/2020 | 16040162           |
| 488         | 0.157  | 0.157 | 7:14 PM   | 05/16/2020 | 0.101        | 7:25 AM    | 05/14/2020 | 16040162           |
| 489         | 0.176  | 0.176 | 7:18 PM   | 05/16/2020 | 0.095        | 7:39 AM    | 05/14/2020 | 16040163           |
| 490         | 0.056  | 0.056 | 11:39 PM  | 05/17/2020 | 0.095        | 7:39 AM    | 05/14/2020 | 16040163           |
| 491         | 0      | 0     | 4:27 PM   | 05/20/2020 | 0.095        | 7:39 AM    | 05/14/2020 | 16040163           |
| 492         | 0.141  | 0.141 | 10:25 PM  | 05/23/2020 | 0.095        | 7:39 AM    | 05/14/2020 | 16040163           |
| 493         | 0.155  | 0.155 | 10:27 PM  | 05/23/2020 | 0.095        | 7:39 AM    | 05/14/2020 | 16040163           |
| 494         | 0      | 0     | 10:52 PM  | 05/23/2020 | 0.095        | 7:39 AM    | 05/14/2020 | 16040163           |
| 494         | 0.057  | 0.057 | 7:12 PM   | 05/17/2020 | 0.101        | 7:44 AM    | 05/14/2020 | 16080013           |

CHP SLA PAS Usage logs 5/26/2020

|     |       |          |            |       |         |            |          |
|-----|-------|----------|------------|-------|---------|------------|----------|
| 168 | 0.056 | 7:14 PM  | 05/17/2020 | 0.101 | 7:44 AM | 05/14/2020 | 16080013 |
| 169 | 0     | 5:17 PM  | 05/23/2020 | 0.101 | 7:44 AM | 05/14/2020 | 16080013 |
| 170 | 0.028 | 9:56 PM  | 05/18/2020 | 0.096 | 7:49 AM | 05/14/2020 | 16080015 |
| 118 | 0.133 | 4:02 AM  | 05/20/2020 | 0.096 | 7:49 AM | 05/14/2020 | 16080015 |
| 119 | 0.13  | 4:04 AM  | 05/20/2020 | 0.096 | 7:49 AM | 05/14/2020 | 16080015 |
| 120 | 0     | 12:51 AM | 05/16/2020 | 0.094 | 7:52 AM | 05/14/2020 | 16080027 |
| 163 | 0.035 | 6:41 PM  | 05/22/2020 | 0.094 | 7:52 AM | 05/14/2020 | 16080027 |
| 164 | 0.318 | 12:19 AM | 05/26/2020 | 0.094 | 7:52 AM | 05/14/2020 | 16080027 |
| 165 | 0.299 | 12:21 AM | 05/26/2020 | 0.094 | 7:52 AM | 05/14/2020 | 16080027 |
| 166 | 0     | 3:37 AM  | 05/14/2020 | 0.098 | 1:02 PM | 05/04/2020 | 16080030 |
| 100 | 0     | 1:40 AM  | 05/16/2020 | 0.093 | 8:03 AM | 05/14/2020 | 16080030 |
| 101 | 0.055 | 10:52 PM | 05/16/2020 | 0.09  | 8:06 AM | 05/14/2020 | 16080064 |
| 144 | 0.128 | 3:51 AM  | 05/17/2020 | 0.09  | 8:06 AM | 05/14/2020 | 16080064 |
| 145 | 0.126 | 3:53 AM  | 05/17/2020 | 0.09  | 8:06 AM | 05/14/2020 | 16080064 |
| 146 | 0.128 | 12:50 AM | 05/25/2020 | 0.09  | 8:06 AM | 05/14/2020 | 16080064 |
| 147 | 0.122 | 12:52 AM | 05/25/2020 | 0.09  | 8:06 AM | 05/14/2020 | 16080064 |
| 148 | 0     | 9:16 PM  | 05/16/2020 | 0.098 | 8:10 AM | 05/14/2020 | 16080065 |
| 334 | 0     | 8:26 PM  | 05/17/2020 | 0.098 | 8:10 AM | 05/14/2020 | 16080065 |
| 335 | 0     | 10:39 AM | 05/18/2020 | 0.098 | 8:10 AM | 05/14/2020 | 16080065 |
| 336 | 0.237 | 3:18 PM  | 05/15/2020 | 0.093 | 8:10 AM | 05/14/2020 | 16080071 |
| 494 | 0.235 | 3:20 PM  | 05/15/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 495 | 0     | 7:58 PM  | 05/15/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 496 | 0     | 1:33 AM  | 05/16/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 497 | 0.082 | 10:52 PM | 05/24/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 498 | 0.107 | 11:59 PM | 05/24/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 499 | 0.113 | 12:02 AM | 05/25/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 500 | 0.176 | 1:46 AM  | 05/25/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 501 | 0.174 | 1:49 AM  | 05/25/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 502 | 0.155 | 2:17 AM  | 05/25/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 503 | 0.159 | 2:20 AM  | 05/25/2020 | 0.093 | 8:20 AM | 05/14/2020 | 16080071 |
| 504 | 0.082 | 4:46 AM  | 05/16/2020 | 0.093 | 8:37 AM | 05/14/2020 | 16080072 |
| 69  | 0.084 | 4:48 AM  | 05/16/2020 | 0.093 | 8:37 AM | 05/14/2020 | 16080072 |
| 70  | 0.143 | 7:13 PM  | 05/17/2020 | 0.093 | 8:37 AM | 05/14/2020 | 16080072 |
| 71  | 0.149 | 7:17 PM  | 05/17/2020 | 0.093 | 8:37 AM | 05/14/2020 | 16080072 |

CHP SLA PAS Usage logs 5/26/2020

|     |       |          |            |       |         |            |          |
|-----|-------|----------|------------|-------|---------|------------|----------|
| 72  | 0.025 | 8:35 AM  | 05/25/2020 | 0.101 | 8:55 AM | 05/14/2020 | 16080077 |
| 153 | 0.025 | 8:36 AM  | 05/25/2020 | 0.101 | 8:55 AM | 05/14/2020 | 16080077 |
| 154 | 0.165 | 3:00 AM  | 05/22/2020 | 0.097 | 8:57 AM | 05/14/2020 | 16120175 |
| 150 | 0.125 | 3:10 AM  | 05/17/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 203 | 0.124 | 3:12 AM  | 05/17/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 204 | 0.257 | 9:30 PM  | 05/22/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 205 | 0.261 | 9:33 PM  | 05/22/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 206 | 0.086 | 3:24 AM  | 05/23/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 207 | 0.091 | 3:26 AM  | 05/23/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 208 | 0.166 | 12:30 AM | 05/24/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 209 | 0.159 | 12:32 AM | 05/24/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 210 | 0.064 | 10:58 PM | 05/25/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 211 | 0.059 | 11:01 PM | 05/25/2020 | 0.095 | 9:00 AM | 05/14/2020 | 16120177 |
| 212 | 0     | 11:37 PM | 05/16/2020 | 0.105 | 9:01 AM | 05/14/2020 | 16120177 |
| 165 | 0     | 5:33 AM  | 05/18/2020 | 0.09  | 9:08 AM | 05/14/2020 | 16120188 |
| 349 | 0.079 | 11:49 PM | 05/22/2020 | 0.09  | 9:08 AM | 05/14/2020 | 16120194 |
| 350 | 0.134 | 4:41 AM  | 05/16/2020 | 0.096 | 9:08 AM | 05/14/2020 | 16120194 |
| 437 | 0.115 | 4:45 AM  | 05/16/2020 | 0.096 | 9:12 AM | 05/14/2020 | 16120195 |
| 438 | 0     | 10:28 PM | 05/16/2020 | 0.096 | 9:12 AM | 05/14/2020 | 16120195 |
| 439 | 0.104 | 12:34 AM | 05/17/2020 | 0.096 | 9:12 AM | 05/14/2020 | 16120195 |
| 440 | 0.099 | 12:37 AM | 05/17/2020 | 0.096 | 9:12 AM | 05/14/2020 | 16120195 |
| 441 |       |          |            |       |         |            |          |

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

#1

AREA NAME: South Los Angeles  
AREA NO.: 530  
COORDINATOR NAME: Edward Mc Elroy  
I.D. NUMBER: 16193  
PAS MAKE/MODEL: Lifelog FC20  
PAS SERIAL NO.: 16040162

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION<br>(OR DRY GAS)**   | LOT NO. | VALUE | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|-----------|--|---------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
|            |      |           |  |         |       | TEST #1       | TEST #2 (Optional) | TEST #1                     | TEST #2 (Optional) | YES                  | NO |                    |             |          |                               |
|            |      |           |  |         |       | TEST #1       | TEST #2 (Optional) | TEST #1                     | TEST #2 (Optional) |                      |    |                    |             |          |                               |
| 05/26/2020 | 1004 | 34.0°     | 19IP41101  |         | .100  | 21.6          |                    | 102                         |                    |                      | X  |                    | E. Mc Elroy | 16193    |                               |
|            |      |           |  |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|            |      |           | Solution prepared by:<br>Cesar Munoz<br>Date: 09-10-19<br>Expiration Date:<br>09-10-21 |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|            |      |           |  |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|            |      |           |  |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|            |      |           |  |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|            |      |           |  |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|            |      |           |  |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|            |      |           |  |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|            |      |           |  |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|            |      |           |  |         |       |               |                    |                             |                    |                      |    |                    |             |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

CHP 202K (Rev. 8-08) OPI 051

#2

|                                |                 |                                     |                      |                                |                            |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>LifeLoc FC20 | PAS SERIAL NO.<br>16040119 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)**    |       | PAS TEMP (°C) | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------|--------------------------------------|-------|---------------|-----------------------------|--------------------|----------------------|--------------------|-------------|----------|----------------------------|
|            |      |           | LOT NO.                              | VALUE |               | TEST #1                     | TEST #2 (Optional) |                      |                    |             |          |                            |
| 05/26/2020 | 1349 | 34.0°     | 19IP41101                            | .100  | 36.3          | .100                        |                    | X                    |                    | E. Mc Elroy | 16193    |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           | Solution prepared by:<br>Cesar Munoz |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           | Date: 09-10-19                       |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           | Expiration Date:<br>09-10-21         |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |
|            |      |           |                                      |       |               |                             |                    |                      |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
CHP 202K (Rev. 8-08) OPI 051

| AREA NAME  |      |           | AREA NO.                          | COORDINATOR NAME | I.D. NUMBER   | PAS MAKE/MODEL | PAS SERIAL NO.              |         |                      |                    |             |          |                               |
|--|------|-----------|-----------------------------------|------------------|---------------|----------------|-----------------------------|---------|----------------------|--------------------|-------------|----------|-------------------------------|
| South Los Angeles  |      |           | 530                               | Edward Mc Elroy  | 16193         | Lifeloc FC20   | 16040140                    |         |                      |                    |             |          |                               |
| <b>PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.</b> |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
| DATE   | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** |                  | PAS TEMP (°C) |                | PAS ACCURACY CHECK RESULTS* |         | CALIBRATION REQUIRED | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|  |      |           | TEMP (°C)                         | LOT NO.          | VALUE         | TEST #1        | TEST #2 (Optional)          | TEST #1 |                      |                    |             |          |                               |
| 05/26/2020   | 1010 | 34.0°     | 19TP41101                         | .100             | 21.6          |                | 0.097                       |         | X                    |                    | E. Mc Elroy | 16193    |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           | Solution prepared by:             |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           | Cesar Munoz                       |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           | Date: 09-10-19                    |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           | Expiration Date:                  |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           | 09-10-21                          |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |
|  |      |           |                                   |                  |               |                |                             |         |                      |                    |             |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

AREA NAME South Los Angeles  
 AREA NO. 530  
 COORDINATOR NAME Edward Mc Elroy  
 I.D. NUMBER 16193  
 PAS MAKE/MODEL Lifeloc FC20  
 PAS SERIAL NO. 16040141  
 #4

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** |           | PAS TEMP (°C) | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |                    | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------|-----------------------------------|-----------|---------------|-----------------------------|--------------------|----------------------|--------------------|--------------------|-------------|----------|----------------------------|
|            |      |           | TEMP (°C)                         | LOT NO.   |               | TEST #1                     | TEST #2 (Optional) | TEST #1              | TEST #2 (Optional) |                    |             |          |                            |
| 05/26/2020 | 1243 | 34.0°     |                                   | 19IP41101 | 20.1          | 099                         |                    |                      |                    | X                  | E. Mc Elroy | 16193    |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |           |               |                             |                    |                      |                    |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

CHP 202K (Rev. 8-08) OPI 051

#5

AREA NAME  
South Los Angeles

AREA NO.  
530

COORDINATOR NAME  
Edward Mc Elroy

I.D. NUMBER  
16193

PAS MAKE/MODEL  
Lifeloc FC20

PAS SERIAL NO.

16040161

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |                       | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |         | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|-----------------------|---------------|---------|-----------------------------|---------|----------------------|-----|--------------------|-------------|----------|----------------------------|
|            |      | TEMP (°C)                         | LOT NO.               | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 | TEST #2 (Optional)   | YES |                    |             |          |                            |
| 05/26/2020 | 1247 | 34.0°                             | 19IP41101             | .100          | 20.6    |                             | .100    |                      | X   |                    | E. Mc Elroy | 16193    |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   | Solution prepared by: |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   | Cesar Munoz           |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   | Date: 09-10-19        |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   | Expiration Date:      |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   | 09-10-21              |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |         |                      |     |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



#6

| AREA NAME  | AREA NO. | COORDINATOR NAME                  | I.D. NUMBER | PAS MAKE/MODEL |              | PAS SERIAL NO.              |                    |                      |                    |             |          |                           |
|--|----------|-----------------------------------|-------------|----------------|--------------|-----------------------------|--------------------|----------------------|--------------------|-------------|----------|---------------------------|
|  |          |                                   |             | I.D. NUMBER    | LifeLoc FC20 |                             |                    |                      |                    |             |          |                           |
| South Los Angeles  | 530      | Edward Mc Elroy                   | 16193       |                |              | 16040163                    |                    |                      |                    |             |          |                           |
| <b>PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.</b> |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
| DATE   | TIME     | SIMULATOR SOLUTION (OR DRY GAS)** |             | PAS TEMP (°C)  |              | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|  |          | TEMP (°C)                         | LOT NO.     | VALUE          | TEST #1      | TEST #2 (Optional)          | TEST #1 (Optional) |                      |                    |             |          |                           |
| 05/26/2020   | 1247     | 34.0°                             | 19IP41101   | .100           | 21.6         | .096                        |                    |                      |                    | E. Mc Elroy | 16193    |                           |
| Solution prepared by:<br>Cesar Munoz<br>Date: 09-10-19<br>Expiration Date:<br>09-10-21                     |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |
|  |          |                                   |             |                |              |                             |                    |                      |                    |             |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: Edward Mc Elroy  
 I.D. NUMBER: 16193  
 PAS MAKE/MODEL: LifeLoc FC20  
 PAS SERIAL NO.: 16080013

#7

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** |       | PAS TEMP (°C) | PAS CHECK RESULTS* |                    | CALIBRATION REQUIRED |                    | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------|-----------------------------------|-------|---------------|--------------------|--------------------|----------------------|--------------------|--------------------|-------------|----------|----------------------------|
|            |      |           | LOT NO.                           | VALUE |               | TEST #1            | TEST #2 (Optional) | TEST #1              | TEST #2 (Optional) |                    |             |          |                            |
| 05/26/2020 | 1251 | 34.0°     | 19IP41101                         | .100  | 20.6          | .100               |                    |                      | X                  |                    | E. Mc Elroy | 16193    |                            |
|            |      |           | Solution prepared by:             |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           | Cesar Munoz                       |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           | Date: 09-10-19                    |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           | Expiration Date:                  |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           | 09-10-21                          |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |
|            |      |           |                                   |       |               |                    |                    |                      |                    |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

CHP 202K (Rev. 8-08) OPI 051

AREA NAME: South Los Angeles #8

|                 |                                     |                      |                                |                            |
|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifeloc FC20 | PAS SERIAL NO.<br>16080014 |
|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |           | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |         | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------|---------------|---------|-----------------------------|---------|----------------------|-----|--------------------|-------------|----------|---------------------------|
|            |      | TEMP (°C)                         | LOT NO.   | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 | TEST #2 (Optional)   | YES |                    |             |          |                           |
| 05/26/2020 | 1152 | 34.0°                             | 19IP41101 | .100          | 21.8    | .094                        |         |                      |     | X                  | E. Mc Elroy | 16193    |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |
|            |      |                                   |           |               |         |                             |         |                      |     |                    |             |          |                           |

Solution prepared by:  
Cesar Munoz  
Date: 09-10-19  
Expiration Date:  
09-10-21

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

#9

| AREA NAME         |       | AREA NO.                             | COORDINATOR NAME      |               | I.D. NUMBER | PAS MAKE/MODEL              |         | PAS SERIAL NO.       |     |                    |             |          |                               |
|-------------------|-------|--------------------------------------|-----------------------|---------------|-------------|-----------------------------|---------|----------------------|-----|--------------------|-------------|----------|-------------------------------|
| South Los Angeles |       | 530                                  | Edward Mc Elroy       |               | 16193       | Lifloc FC20                 |         | 16080015             |     |                    |             |          |                               |
| DATE              | TIME  | SIMULATOR SOLUTION<br>(OR DRY GAS)** |                       | PAS TEMP (°C) |             | PAS ACCURACY CHECK RESULTS* |         | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|                   |       | TEMP (°C)                            | LOT NO.               | VALUE         | TEST #1     | TEST #2 (Optional)          | TEST #1 | TEST #2 (Optional)   | YES |                    |             |          |                               |
| 05/26/2020        | 12:53 | 34.0                                 | 19IP41101             | .100          | 21.6        | .093                        |         |                      |     |                    | E. Mc Elroy | 16193    |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      | Solution prepared by: |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      | Cesar Munoz           |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      | Date: 09-10-19        |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      | Expiration Date:      |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      | 09-10-21              |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |
|                   |       |                                      |                       |               |             |                             |         |                      |     |                    |             |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#10

|                                |                 |                                     |                      |                                |                            |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>LifeLoc FC20 | PAS SERIAL NO.<br>16080027 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | TEMP<br>(°C) | SIMULATOR SOLUTION<br>(OR DRY GAS)** |      | VALUE | PAS<br>TEMP (°C) |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |    | PAS<br>RETEST<br>RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------|--------------------------------------|------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|-------------|----------|-------------------------------|
|            |      |              | LOT NO.                              | TEMP |       | TEST #1          | TEST #2<br>(Optional) | TEST #1                        | TEST #2<br>(Optional) | YES                     | NO |                          |             |          |                               |
| 05/26/2020 | 1256 | 34.0°        | 19JP41101                            |      | .100  | TEST #1<br>20.3  | TEST #2<br>.091       |                                |                       |                         | X  |                          | E. Mc Elroy | 16193    |                               |
|            |      |              | Solution prepared by:<br>Cesar Munoz |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              | Date: 09-10-19                       |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              | Expiration Date:<br>09-10-21         |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |
|            |      |              |                                      |      |       |                  |                       |                                |                       |                         |    |                          |             |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

# 11

| AREA NAME   |      | AREA NO.  | COORDINATOR NAME                     | ID. NUMBER | PAS MAKE/MODEL              | PAS SERIAL NO.     |               |                    |                    |                      |     |                    |             |          |                            |
|---|------|-----------|--------------------------------------|------------|-----------------------------|--------------------|---------------|--------------------|--------------------|----------------------|-----|--------------------|-------------|----------|----------------------------|
| South Los Angeles   |      | 530       | Edward Mc Elroy                      | 16193      | Lifloc FC20                 | 16080028           |               |                    |                    |                      |     |                    |             |          |                            |
| PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST. |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
| DATE  | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)**    |            | PAS ACCURACY CHECK RESULTS* |                    | PAS TEMP (°C) | TEST #2 (Optional) | TEST #1 (Optional) | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|   |      |           | TEMP (°C)                            | LOT NO     | VALUE                       | TEST #2 (Optional) |               |                    |                    | TEST #1 (Optional)   | YES |                    |             |          |                            |
| 05/26/2020  | 1259 | 34.0°     | 19IP41101                            | .100       |                             |                    | 20.6          | 092                |                    |                      | X   |                    | E. Mc Elroy | 16193    |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           | Solution prepared by:<br>Cesar Munoz |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           | Date: 09-10-19                       |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           | Expiration Date:<br>09-10-21         |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |
|   |      |           |                                      |            |                             |                    |               |                    |                    |                      |     |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

#13

|                                |                 |                                     |                      |                                |                            |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifeloc FC20 | PAS SERIAL NO.<br>16080064 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |                       | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------------------|---------------|---------|-----------------------------|--------------------|----------------------|-----|--------------------|-------------|----------|---------------------------|
|            |      | TEMP (°C)                         | LOT NO.               | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)   | YES |                    |             |          |                           |
| 05/26/2020 | 1302 | 34.0°                             | 19IP41101             | .100          | 2016    | 094                         |                    |                      | X   |                    | E. Mc Elroy | 16193    |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   | Solution prepared by: |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   | Cesar Munoz           |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   | Date: 09-10-19        |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   | Expiration Date:      |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   | 09-10-21              |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                      |     |                    |             |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

#14

|                                |                 |                                     |                      |                                |                            |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifoloc FC20 | PAS SERIAL NO.<br>16080065 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** |         | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------|-----------------------------------|---------|---------------|--------------------|-----------------------------|--------------------|----------------------|-----|--------------------|-------------|----------|----------------------------|
|            |      |           | TEMP (°C)                         | LOT NO. | VALUE         | TEST #1 (Optional) | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)   | YES |                    |             |          |                            |
| 05/26/2020 | 1304 | 34.0°     | 19IP41101                         | .100    | 20.3          | 1095               |                             |                    |                      | X   |                    | E. Mc Elroy | 16193    |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           | Solution prepared by:             |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           | Cesar Munoz                       |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           | Date: 09-10-19                    |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           | Expiration Date:                  |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           | 09-10-21                          |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |
|            |      |           |                                   |         |               |                    |                             |                    |                      |     |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

AREA NAME  
South Los Angeles

#15

|          |                  |             |                |                |
|----------|------------------|-------------|----------------|----------------|
| AREA NO. | COORDINATOR NAME | I.D. NUMBER | PAS MAKE/MODEL | PAS SERIAL NO. |
| 530      | Edward Mc Elroy  | 16193       | Lifoloc FC20   | 16080069       |

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |     | PAS RE-TEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|---------------|---------|-----------------------------|--------------------|----------------------|-----|---------------------|-------------|----------|-------------------------------|
|            |      | TEMP (°C)                            | LOT NO.   | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)   | YES |                     |             |          |                               |
| 05/26/2020 | 1307 | 34.0°                                | 19IP41101 | .100          | 10.8    | 10.2                        |                    |                      |     |                     | E. Mc Elroy | 16193    |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                     |             |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

#16

|                                |                 |                                     |                      |                               |                            |
|--------------------------------|-----------------|-------------------------------------|----------------------|-------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifloc FC20 | PAS SERIAL NO.<br>16080071 |
|--------------------------------|-----------------|-------------------------------------|----------------------|-------------------------------|----------------------------|

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** | LOT NO.   | VALUE | PAS TEMP (°C)   |                       | PAS ACCURACY CHECK RESULTS* |                       | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |     |
|------------|------|-----------|-----------------------------------|-----------|-------|-----------------|-----------------------|-----------------------------|-----------------------|----------------------|----|--------------------|----------|----------|----------------------------|-----|
|            |      |           |                                   |           |       | TEST #1         | TEST #2 (Optional)    | TEST #1                     | TEST #2 (Optional)    | YES                  | NO |                    |          |          |                            | YES |
| 05/26/2020 | 1309 | 34.0      |                                   | 19IP41101 | .100  | TEST #1<br>20.8 | TEST #2<br>(Optional) | TEST #1<br>.095             | TEST #2<br>(Optional) |                      |    | X                  |          |          | 16193                      |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |
|            |      |           |                                   |           |       |                 |                       |                             |                       |                      |    |                    |          |          |                            |     |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| AREA NAME         |      |                                      | AREA NO.  | COORDINATOR NAME |         | ID. NUMBER                  | PAS MAKE/MODEL | PAS SERIAL NO.       |     |                    |             |          |                            |
|-------------------|------|--------------------------------------|-----------|------------------|---------|-----------------------------|----------------|----------------------|-----|--------------------|-------------|----------|----------------------------|
| South Los Angeles |      |                                      | 530       | Edward Mc Elroy  |         | 16193                       | Lifoloc FC20   | 16080075             |     |                    |             |          |                            |
| DATE              | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS TEMP (°C)    |         | PAS ACCURACY CHECK RESULTS* |                | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|                   |      | TEMP (°C)                            | LOT NO.   | VALUE            | TEST #1 | TEST #2 (Optional)          | TEST #1        | TEST #2 (Optional)   | YES |                    |             |          |                            |
| 05/26/2020        | 1315 | 34.0°                                | 19IP41101 | .100             | 19.8    | 19.5                        |                |                      |     | X                  | E. Mc Elroy | 16193    |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |
|                   |      |                                      |           |                  |         |                             |                |                      |     |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#19

|                                       |                        |  |                             |                                      |                                   |
|---------------------------------------|------------------------|--|-----------------------------|--------------------------------------|-----------------------------------|
| AREA NAME<br><b>South Los Angeles</b> | AREA NO.<br><b>530</b> | COORDINATOR NAME<br><b>Edward Mc Elroy</b> | I.D. NUMBER<br><b>16193</b> | PAS MAKE/MODEL<br><b>Lifloc FC20</b> | PAS SERIAL NO.<br><b>16080077</b> |
|---------------------------------------|------------------------|--|-----------------------------|--------------------------------------|-----------------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | TEMP<br>(°C) | SIMULATOR SOLUTION<br>(OR DRY GAS)** |         | PAS TEMP (°C) |         | PAS ACCURACY<br>CHECK RESULTS* |         | CALIBRATION<br>REQUIRED |     | PAS<br>RETEST<br>RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |    |
|------------|------|--------------|--------------------------------------|---------|---------------|---------|--------------------------------|---------|-------------------------|-----|--------------------------|-------------|----------|-------------------------------|----|
|            |      |              | TEMP<br>(°C)                         | LOT NO. | VALUE         | TEST #1 | TEST #2                        | TEST #1 | TEST #2                 | YES |                          |             |          |                               | NO |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
| 05/26/2020 | 1317 | 34.0°        | 19IP41101                            |         | 0.100         | 20.8    | 0.100                          |         |                         | X   |                          | E. Mc Elroy | 16193    |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |
|            |      |              |                                      |         |               |         |                                |         |                         |     |                          |             |          |                               |    |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



#21

| AREA NAME   |      | AREA NO.  | COORDINATOR NAME   |         | I.D. NUMBER     | PAS MAKE/MODEL              | PAS SERIAL NO.     |                      |                    |             |          |                            |
|---|------|-----------|--|---------|-----------------|-----------------------------|--------------------|----------------------|--------------------|-------------|----------|----------------------------|
| South Los Angeles   |      | 530       | Edward Mc Elroy  |         | 16193           | Lifloc FC20                 | 16120177           |                      |                    |             |          |                            |
| PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST. |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
| DATE  | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)**  |         | PAS TEMP (°C)   | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|   |      |           | TEMP   | LOT NO. |                 | TEST #1                     | TEST #2 (Optional) |                      |                    |             |          |                            |
| 05/26/2020  | 1322 | 34.0°     | 19IP41101  | .100    | TEST #1<br>20.3 | TEST #2 (Optional)          | TEST #1<br>.095    | TEST #2 (Optional)   | X                  | E. Mc Elroy | 16193    |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           | Solution prepared by:<br>Cesar Munoz<br>Date: 09-10-19<br>Expiration Date:<br>09-10-21 |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |
|   |      |           |  |         |                 |                             |                    |                      |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



#22

|                                |                 |                                     |                      |                                |                            |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifeloc FC20 | PAS SERIAL NO.<br>16120188 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** | PAS TEMP (°C) |                    | PAS CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------|-----------------------------------|---------------|--------------------|--------------------|--------------------|----------------------|----|--------------------|-------------|----------|---------------------------|
|            |      |           |                                   | TEST #1       | TEST #2 (Optional) | TEST #1            | TEST #2 (Optional) | YES                  | NO |                    |             |          |                           |
| 05/26/2020 | 1323 | 34.0      | 19IP41101                         | 2018          |                    | 105                |                    |                      | X  |                    | E. Mc Elroy | 16193    |                           |
|            |      |           |                                   |               |                    |                    |                    |                      |    |                    |             |          |                           |
|            |      |           | Solution prepared by:             |               |                    |                    |                    |                      |    |                    |             |          |                           |
|            |      |           | Cesar Munoz                       |               |                    |                    |                    |                      |    |                    |             |          |                           |
|            |      |           | Date: 09-10-19                    |               |                    |                    |                    |                      |    |                    |             |          |                           |
|            |      |           | Expiration Date:                  |               |                    |                    |                    |                      |    |                    |             |          |                           |
|            |      |           | 09-10-21                          |               |                    |                    |                    |                      |    |                    |             |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

|                                |                 |                                     |                      |                                |                            |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifoloc FC20 | PAS SERIAL NO.<br>16120189 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |                       | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------------------------------|-----------------------|---------------|---------|-----------------------------|--------------------|----------------------|--------------------|-------------|----------|----------------------------|
|            |      | TEMP (°C)                         | LOT NO.               | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional) |                      |                    |             |          |                            |
| 05/26/2020 | 1325 | 34.0°                             | 19IP41101             | .100          | 20.8    |                             | .091               |                      |                    | E. Mc Elroy | 16193    |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   | Solution prepared by: |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   | Cesar Munoz           |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   | Date: 09-10-19        |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   | Expiration Date:      |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   | 09-10-21              |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |
|            |      |                                   |                       |               |         |                             |                    |                      |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#24

| AREA NAME<br>South Los Angeles   |      |           | AREA NO.<br>530                      |         | COORDINATOR NAME<br>Edward Mc Elroy |         |                             | I.D. NUMBER<br>16193 |                      | PAS MAKE/MODEL<br>Lifoloc FC20 |                    | PAS SERIAL NO.<br>16120194 |          |                           |    |
|--|------|-----------|--------------------------------------|---------|-------------------------------------|---------|-----------------------------|----------------------|----------------------|--------------------------------|--------------------|----------------------------|----------|---------------------------|----|
| <p align="center"><b>PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.</b></p> |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
| DATE   | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)**    |         | PAS TEMP (°C)                       |         | PAS ACCURACY CHECK RESULTS* |                      | CALIBRATION REQUIRED |                                | PAS RETEST RESULTS | OPERATOR                   | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |    |
|  |      |           | TEMP                                 | LOT NO. | VALUE                               | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional)   | TEST #2 (Optional)   | YES                            |                    |                            |          |                           | NO |
| 05/26/2020   | 1326 | 34.0°     | 19IP41101                            |         | .100                                | 20.3    | 1092                        |                      |                      | X                              |                    | E. Mc Elroy                | 16193    |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           | Solution prepared by:<br>Cesar Munoz |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           | Date: 09-10-19                       |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           | Expiration Date:<br>09-10-21         |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |
|  |      |           |                                      |         |                                     |         |                             |                      |                      |                                |                    |                            |          |                           |    |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

|                                |                 |                                     |                      |                                |                            |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifeloc FC20 | PAS SERIAL NO.<br>16120195 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** |           | VALUE | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------|-----------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|---------------------------|
|            |      |           | TEMP                              | LOT NO.   |       | TEST #1       | TEST #2 (Optional) | TEST #1                     | TEST #2 (Optional) | YES                  | NO |                    |             |          |                           |
| 05/26/2020 | 1331 | 34.0°     |                                   | 19IP41101 | .100  | 2011          |                    | 1099                        |                    |                      | X  |                    | E. Mc Elroy | 16193    |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           | Solution prepared by:             |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           | Cesar Munoz                       |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           | Date: 09-10-19                    |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           | Expiration Date:                  |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           | 09-10-21                          |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |
|            |      |           |                                   |           |       |               |                    |                             |                    |                      |    |                    |             |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

#27

|                                |                 |                                     |                      |                                |                            |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifeloc FC20 | PAS SERIAL NO.<br>17170066 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|----------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)**    | LOT NO. | VALUE | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RE/TEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------|--------------------------------------|---------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|---------------------|-------------|----------|----------------------------|
|            |      |           |                                      |         |       | TEST #1       | TEST #2 (Optional) | TEST #1                     | TEST #2 (Optional) | YES                  | NO |                     |             |          |                            |
| 05/26/2020 | 1339 | 34.0°     | 19IP41101                            |         | .100  | 19.3          |                    | 1095                        |                    | X                    |    |                     | E. Mc Elroy | 16193    |                            |
|            |      |           | Solution prepared by:<br>Cesar Munoz |         |       |               |                    |                             |                    |                      |    |                     |             |          |                            |
|            |      |           | Date: 09-10-19                       |         |       |               |                    |                             |                    |                      |    |                     |             |          |                            |
|            |      |           | Expiration Date:<br>09-10-21         |         |       |               |                    |                             |                    |                      |    |                     |             |          |                            |
|            |      |           |                                      |         |       |               |                    |                             |                    |                      |    |                     |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

### PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG

#28

|                                       |                        |  |                             |                                       |                                   |
|---------------------------------------|------------------------|--|-----------------------------|---------------------------------------|-----------------------------------|
| AREA NAME<br><b>South Los Angeles</b> | AREA NO.<br><b>530</b> | COORDINATOR NAME<br><b>Edward Mc Elroy</b> | I.D. NUMBER<br><b>16193</b> | PAS MAKE/MODEL<br><b>Lifoloc FC20</b> | PAS SERIAL NO.<br><b>17170150</b> |
|---------------------------------------|------------------------|--|-----------------------------|---------------------------------------|-----------------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)* |                       | PAS TEMP (°C) | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|----------------------------------|-----------------------|---------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|----------------------------|
|            |      | TEMP (°C)                        | LOT NO.               |               | TEST #1                     | TEST #2 (Optional) | YES                  | NO |                    |             |          |                            |
| 05/26/2020 |      | 34.0°                            | 19IP41101             |               |                             |                    |                      |    |                    | E. Mc Elroy | 16193    | OUT OF SERVICE             |
|            |      |                                  | Solution prepared by: |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  | Cesar Munoz           |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  | Date: 09-10-19        |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  | Expiration Date:      |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  | 09-10-21              |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |
|            |      |                                  |                       |               |                             |                    |                      |    |                    |             |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.





|                                |                 |                                     |                      |                                |                               |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|-------------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>Edward Mc Elroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifeloc FC20 | PAS SERIAL NO.<br>90102844-82 |
|--------------------------------|-----------------|-------------------------------------|----------------------|--------------------------------|-------------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |                       | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |                    | PAS CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------------------|---------------|---------|-----------------------------|--------------------|--------------------------|-----|--------------------|-------------|----------|---------------------------|
|            |      | TEMP (°C)                         | LOT NO                | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)       | YES |                    |             |          |                           |
| 05/26/2020 |      | 34.0°                             | 19IP41101             | .100          |         |                             |                    |                          |     |                    | E. Mc Elroy | 16193    | out of service            |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   | Solution prepared by: |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   | Cesar Munoz           |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   | Date: 09-10-19        |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   | Expiration Date:      |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   | 09-10-21              |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |
|            |      |                                   |                       |               |         |                             |                    |                          |     |                    |             |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

#31

CHP 202K (Rev. 8-08) OPI 051

| AREA NAME         |      | AREA NO.                             | COORDINATOR NAME      |               | I.D. NUMBER        | PAS MAKE/MODEL              |                    | PAS SERIAL NO.       |    |                    |             |          |                               |
|-------------------|------|--------------------------------------|-----------------------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-------------|----------|-------------------------------|
| South Los Angeles |      | 530                                  | Edward Mc Elroy       |               | 16193              | Lifelog FC20                |                    | 1717 0064            |    |                    |             |          |                               |
| DATE              | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |                       | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR    | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|                   |      | TEMP (°C)                            | LOT NO                | TEST #1       | TEST #2 (Optional) | TEST #1 (Optional)          | TEST #2 (Optional) | YES                  | NO |                    |             |          |                               |
| 05/26/2020        | 1346 | 34.0°                                | 19IP41101             | TEST #1       | 19.1               | TEST #1                     | .094               | TEST #1              | X  |                    | E. Mc Elroy | 16193    |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      | Solution prepared by: |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      | Cesar Munoz           |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      | Date: 09-10-19        |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      | Expiration Date:      |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      | 09-10-21              |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |
|                   |      |                                      |                       |               |                    |                             |                    |                      |    |                    |             |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.