

| Test Number | Result | ID | Test Time | Test Date  | Cal Time | Cal Date   | Check Result | Check Time | Check Date | Unit Serial Number |
|-------------|--------|----|-----------|------------|----------|------------|--------------|------------|------------|--------------------|
| 294         | 0      |    | 5:51 AM   | 01/20/2022 | 6:02 PM  | 03/31/2021 | 0.096        | 10:51 AM   | 01/10/2022 | 16040119           |
| 250         | 0      |    | 8:29 AM   | 01/15/2022 | 2:17 PM  | 04/03/2020 | 0.101        | 10:49 AM   | 01/10/2022 | 16040141           |
| 251         | 0      |    | 8:31 AM   | 01/15/2022 | 2:17 PM  | 04/03/2020 | 0.101        | 10:49 AM   | 01/10/2022 | 16040141           |
| 571         | 0      |    | 12:32 AM  | 01/12/2022 | 3:25 PM  | 02/03/2020 | 0.096        | 10:41 AM   | 01/10/2022 | 16040162           |
| 572         | 0.132  |    | 10:01 PM  | 01/19/2022 | 3:25 PM  | 02/03/2020 | 0.096        | 10:41 AM   | 01/10/2022 | 16040162           |
| 573         | 0.131  |    | 10:04 PM  | 01/19/2022 | 3:25 PM  | 02/03/2020 | 0.096        | 10:41 AM   | 01/10/2022 | 16040162           |
| 304         | 0.21   |    | 12:48 PM  | 01/10/2022 | 12:34 PM | 12/30/2021 | 0.101        | 12:35 PM   | 12/30/2021 | 16080013           |
| 305         | 0.207  |    | 12:51 PM  | 01/10/2022 | 12:34 PM | 12/30/2021 | 0.101        | 12:35 PM   | 12/30/2021 | 16080013           |
| 306         | 0.181  |    | 3:26 AM   | 01/16/2022 | 12:34 PM | 12/30/2021 | 0.094        | 2:48 PM    | 01/10/2022 | 16080013           |
| 307         | 0.175  |    | 3:29 AM   | 01/16/2022 | 12:34 PM | 12/30/2021 | 0.094        | 2:48 PM    | 01/10/2022 | 16080013           |
| 308         | 0.144  |    | 1:04 AM   | 01/17/2022 | 12:34 PM | 12/30/2021 | 0.094        | 2:48 PM    | 01/10/2022 | 16080013           |
| 309         | 0.148  |    | 1:07 AM   | 01/17/2022 | 12:34 PM | 12/30/2021 | 0.094        | 2:48 PM    | 01/10/2022 | 16080013           |
| 151         | 0.143  |    | 8:55 PM   | 01/11/2022 | 12:51 PM | 01/10/2022 | 0.099        | 12:52 PM   | 01/10/2022 | 16080014           |
| 152         | 0.138  |    | 8:57 PM   | 01/11/2022 | 12:51 PM | 01/10/2022 | 0.099        | 12:52 PM   | 01/10/2022 | 16080014           |
| 275         | 0.125  |    | 8:22 PM   | 01/16/2022 | 7:17 AM  | 01/13/2021 | 0.106        | 12:53 PM   | 01/10/2022 | 16080027           |
| 276         | 0.094  |    | 8:26 PM   | 01/16/2022 | 7:17 AM  | 01/13/2021 | 0.106        | 12:53 PM   | 01/10/2022 | 16080027           |
| 281         | 0.22   |    | 5:51 PM   | 01/12/2022 | 4:36 PM  | 03/28/2019 | 0.096        | 1:38 PM    | 01/10/2022 | 16120175           |
| 282         | 0.221  |    | 5:53 PM   | 01/12/2022 | 4:36 PM  | 03/28/2019 | 0.096        | 1:38 PM    | 01/10/2022 | 16120175           |
| 559         | 0.103  |    | 2:44 AM   | 01/15/2022 | 12:48 PM | 06/09/2019 | 0.095        | 1:56 PM    | 01/10/2022 | 16120195           |
| 560         | 0.103  |    | 2:46 AM   | 01/15/2022 | 12:48 PM | 06/09/2019 | 0.095        | 1:56 PM    | 01/10/2022 | 16120195           |
| 561         | 0.123  |    | 1:56 AM   | 01/16/2022 | 12:48 PM | 06/09/2019 | 0.095        | 1:56 PM    | 01/10/2022 | 16120195           |
| 562         | 0.122  |    | 1:58 AM   | 01/16/2022 | 12:48 PM | 06/09/2019 | 0.095        | 1:56 PM    | 01/10/2022 | 16120195           |
| 563         | 0.06   |    | 1:19 AM   | 01/17/2022 | 12:48 PM | 06/09/2019 | 0.095        | 1:56 PM    | 01/10/2022 | 16120195           |
| 564         | 0.137  |    | 11:02 PM  | 01/20/2022 | 12:48 PM | 06/09/2019 | 0.095        | 1:56 PM    | 01/10/2022 | 16120195           |
| 565         | 0.139  |    | 11:04 PM  | 01/20/2022 | 12:48 PM | 06/09/2019 | 0.095        | 1:56 PM    | 01/10/2022 | 16120195           |
| 408         | 0      |    | 12:25 PM  | 01/15/2022 | 8:58 AM  | 08/20/2020 | 0.094        | 2:02 PM    | 01/10/2022 | 16120197           |
| 409         | 0.148  |    | 2:30 AM   | 01/16/2022 | 8:58 AM  | 08/20/2020 | 0.094        | 2:02 PM    | 01/10/2022 | 16120197           |
| 410         | 0.147  |    | 2:33 AM   | 01/16/2022 | 8:58 AM  | 08/20/2020 | 0.094        | 2:02 PM    | 01/10/2022 | 16120197           |
| 239         | 0      |    | 12:14 AM  | 01/17/2022 | 7:08 PM  | 03/31/2021 | 0.095        | 2:11 PM    | 01/10/2022 | 17170064           |
| 240         | 0      |    | 6:29 PM   | 01/17/2022 | 7:08 PM  | 03/31/2021 | 0.095        | 2:11 PM    | 01/10/2022 | 17170064           |

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#1

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: E. McElroy      I.D. NUMBER: 16193      PAS MAKE/MODEL: Lifeloc PC20      PAS SERIAL NO.: 16040162

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS<br>TEMP (°C) |         | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |     | PAS<br>RETEST<br>RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|------------------|---------|--------------------------------|-----------------------|-------------------------|-----|--------------------------|------------|----------|-------------------------------|
|            |      | TEMP<br>(°C)                         | LOT NO.   | VALUE            | TEST #1 | TEST #2<br>(Optional)          | TEST #1<br>(Optional) | TEST #2<br>(Optional)   | YES |                          |            |          |                               |
| 01/21/2022 | 1320 | 34                                   | 21BP41147 | .100             | 21      |                                | 093                   |                         | X   |                          | M. Tippett | 20137    |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#2

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: E. McElroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifefoc FC20 PAS SERIAL NO.: 16040119

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE                               | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |           | PAS TEMP (°C) |         |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------------------------------|------|-----------------------------------|-----------|---------------|---------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|------------|----------|----------------------------|
|                                    |      | TEMP (°C)                         | LOT NO.   | VALUE         | TEST #1 | TEST #2 (Optional) | TEST #1 (Optional)          | TEST #2 (Optional) | YES                  | NO |                    |            |          |                            |
| 01/21/2022                         | 1353 | 34                                | 2IBP41147 | 1.00          | 21      |                    | 096                         |                    |                      | X  |                    | M. Tippett | 20137    |                            |
| Solution prepared by: Kyle Mathena |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
| Date: 02-12-21                     |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
| Expiration date: 2-12-23           |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |
|                                    |      |                                   |           |               |         |                    |                             |                    |                      |    |                    |            |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#3

AREA NAME: South Los Angeles     AREA NO.: 530     COORDINATOR NAME: E. McElroy     I.D. NUMBER: 16193     PAS MAKE/MODEL: Lifeloc FC20     PAS SERIAL NO.: 16040140

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** | LOT NO.   | VALUE | PAS TEMP (°C) | TEST #1 | TEST #2 (Optional) | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED | PAS RETEST RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/ COMMENTS |
|------------|------|-----------|-----------------------------------|-----------|-------|---------------|---------|--------------------|-----------------------------|--------------------|----------------------|--------------------|------------|----------|----------------------------|
|            |      |           |                                   |           |       |               |         |                    | TEST #1 (Optional)          | TEST #2 (Optional) |                      |                    |            |          |                            |
| 01/21/2022 | 1325 | 34        |                                   | 21BP41147 | 100   | 21            |         |                    | 093                         |                    | X                    |                    | M. Tippett | 20137    |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |
|            |      |           |                                   |           |       |               |         |                    |                             |                    |                      |                    |            |          |                            |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**

CHP 202K (Rev. 8-08) OPI 051

#5

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: E. McElroy      I.D. NUMBER: 16193      PAS MAKE/MODEL: Lifeloc FC20      PAS SERIAL NO.: 160410161

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE                                  | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | VALUE | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|---------------------------------------|------|--------------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|------------|----------|-------------------------------|
|                                       |      | TEMP (°C)                            | LOT NO.   |       | TEST #1       | TEST #2 (Optional) | TEST #1 (Optional)          | TEST #2 (Optional) | YES                  | NO |                    |            |          |                               |
| 01/21/2022                            | 1335 | 34                                   | 21BP41147 | 100   | 20            |                    | 098                         |                    |                      | X  |                    | M. Tippett | 20137    |                               |
| Solution prepared by:<br>Kyle Mathena |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
| Date: 02-12-21                        |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
| Expiration date:<br>2-12-23           |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|                                       |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
CHP 202K (Rev. 8-08) OPI 051

#6

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: E. McElroy      I.D. NUMBER: 16193      PAS MAKE/MODEL: Lifeloc FC20      PAS SERIAL NO.: 16040163

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | VALUE | PAS<br>TEMP (°C) |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |    | PAS<br>RETEST<br>RESULTS |                       | OPERATOR  | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|-----------------------|-----------|----------|-------------------------------|
|            |      | TEMP<br>(°C)                         | LOT NO.   |       | TEST #1          | TEST #2<br>(Optional) | TEST #1<br>(Optional)          | TEST #2<br>(Optional) | YES                     | NO | TEST #1<br>(Optional)    | TEST #2<br>(Optional) |           |          |                               |
| 01/21/2022 | 1333 | 94                                   | 2IBP41147 | .100  | -1               |                       |                                | .108                  |                         | X  |                          |                       | M. Tippet | 20137    |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |                       |           |          |                               |

Solution prepared by:  
Kyle Mathena  
Date: 02-12-21  
Expiration date:  
2-12-23

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

47

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: E. McElroy  
 I.D. NUMBER: 16193  
 PAS MAKE/MODEL: Lifeloc FC20  
 PAS SERIAL NO.: 16080013

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** |       | PAS TEMP (°C) |                    |                    |                    | PAS ACCURACY CHECK RESULTS* |      | CALIBRATION REQUIRED |                    | PAS RETEST RESULTS |  | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |  |
|------------|------|-----------|-----------------------------------|-------|---------------|--------------------|--------------------|--------------------|-----------------------------|------|----------------------|--------------------|--------------------|--|------------|----------|---------------------------|--|
|            |      |           | LOT NO.                           | VALUE | TEST #1       | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional) | YES                         | NO   | TEST #1 (Optional)   | TEST #2 (Optional) |                    |  |            |          |                           |  |
| 01/21/2022 | 1424 | 34        | 21BP41147                         | .100  |               | 24                 |                    |                    |                             | .048 |                      |                    | X                  |  | M. Tippett | 20137    |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |
|            |      |           |                                   |       |               |                    |                    |                    |                             |      |                      |                    |                    |  |            |          |                           |  |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#8

AREA NAME: South Los Angeles    AREA NO.: 530    COORDINATOR NAME: E. McElroy    I.D. NUMBER: 16193    PAS MAKE/MODEL: Lifeloc FC20    PAS SERIAL NO.: 16080014

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME | TEMP (°C) | SIMULATOR SOLUTION (OR DRY GAS)** |         | VALUE | PAS TEMP (°C)      |                    | PAS ACCURACY CHECK RESULTS* |     | CALIBRATION REQUIRED |   | PAS RETEST RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------|-----------------------------------|---------|-------|--------------------|--------------------|-----------------------------|-----|----------------------|---|--------------------|------------|----------|---------------------------|
|            |      |           | LOT NO.                           | TEST #1 |       | TEST #2 (Optional) | TEST #1 (Optional) | TEST #2 (Optional)          | YES | NO                   |   |                    |            |          |                           |
| 01/21/2022 | 1348 | 34        | 21BP41147                         |         | .100  | 22                 |                    | 0.099                       |     |                      | X |                    | M. Tippett | 20137    |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |
|            |      |           |                                   |         |       |                    |                    |                             |     |                      |   |                    |            |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

Destroy Previous Editions

Chp202K\_1108.pdf



STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#9

AREA NAME: South Los Angeles    AREA NO.: 530    COORDINATOR NAME: E. McElroy    I.D. NUMBER: 16193    PAS MAKE/MODEL: Lifeloc FC20    PAS SERIAL NO.: 16080015

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |           | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR  | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------|---------------|--------------------|-----------------------------|--------------------|----------------------|-----|--------------------|-----------|----------|---------------------------|
|            |      | TEMP (°C)                         | LOT NO.   | VALUE         | TEST #1 (Optional) | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)   | YES |                    |           |          |                           |
| 01/21/2022 | 1346 | 34                                | 21BP41147 | .100          | 21                 |                             | 099                |                      |     | X                  | M. Tippet | 20137    |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |
|            |      |                                   |           |               |                    |                             |                    |                      |     |                    |           |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
CHP 202K (Rev. 8-08) OPI 051

#10

AREA NAME: South Los Angeles    AREA NO: 530    COORDINATOR NAME: E. McElroy    I.D. NUMBER: 16193    PAS MAKE/MODEL: Lifoloc FC20    PAS SERIAL NO: 16080027

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |                       | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR  | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------------------|---------------|---------|-----------------------------|--------------------|----------------------|-----|--------------------|-----------|----------|-------------------------------|
|            |      | TEMP (°C)                            | LOT NO.               | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)   | YES |                    |           |          |                               |
| 01/21/2022 | 1348 | 34                                   | 21BP41147             | .100          | 21      |                             | 105                |                      |     |                    | M. Tippet | 20137    |                               |
|            |      |                                      | Solution prepared by: |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      | Kyle Mathena          |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      | Date: 02-12-21        |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      | Expiration date:      |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      | 2-12-23               |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |
|            |      |                                      |                       |               |         |                             |                    |                      |     |                    |           |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.  
Destroy Previous Editions

#11

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: E. McElroy      I.D. NUMBER: 16193      PAS MAKE/MODEL: Lifeloc FC20      PAS SERIAL NO.: 16080028

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS TEMP (°C) |         | PAS ACCURACY<br>CHECK RESULTS* |                    | CALIBRATION<br>REQUIRED |     | PAS<br>RETEST<br>RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|---------------|---------|--------------------------------|--------------------|-------------------------|-----|--------------------------|------------|----------|-------------------------------|
|            |      | TEMP (°C)                            | LOT NO.   | VALUE         | TEST #1 | TEST #2 (Optional)             | TEST #1 (Optional) | TEST #2 (Optional)      | YES |                          |            |          |                               |
| 01/21/2022 | 1353 | 24                                   | 21BP41147 | .100          | 21      |                                | 105                |                         |     |                          | M. Tippett | 20137    |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |
|            |      |                                      |           |               |         |                                |                    |                         |     |                          |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

Destroy Previous Editions

Chp202k\_1108.pdf

#12

AREA NAME: South Los Angeles | AREA NO.: 530 | COORDINATOR NAME: E. McElroy | I.D. NUMBER: 16193 | PAS MAKE/MODEL: Lifelog FC20 | PAS SERIAL NO.: 16080030

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           |       | PAS<br>TEMP (°C) |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |    | PAS<br>RETEST<br>RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|----------|----------|-------------------------------|
|            |      | TEMP<br>(°C)                         | LOT NO.   | VALUE | TEST #1          | TEST #2<br>(Optional) | TEST #1<br>(Optional)          | TEST #2<br>(Optional) | YES                     | NO |                          |          |          |                               |
| 01/21/2022 | 1:55 | 34                                   | 21BP41147 | .100  | 20               |                       | 107                            |                       | X                       |    | M. Tippett               | 20137    |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |          |          |                               |

\* If the reading is within plus or minus ( $\pm$ ) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

*44*

AREA NAME: South Los Angeles AREA NO.: 530 COORDINATOR NAME: E. McElroy I.D. NUMBER: 16193 PAS MAKE/MODEL: Lifefloc FC20 PAS SERIAL NO.: 16040141

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | VALUE | PAS<br>TEMP (°C) |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |    | PAS<br>RETEST<br>RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|------------|----------|-------------------------------|
|            |      | TEMP<br>(°C)                         | LOT NO.   |       | TEST #1          | TEST #2<br>(Optional) | TEST #1<br>(Optional)          | TEST #2<br>(Optional) | YES                     | NO |                          |            |          |                               |
| 01/21/2022 | 1401 | 34                                   | 2IBP41147 | .100  | 24               |                       |                                |                       |                         | X  |                          | M. Tippett | 20137    |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |

\* If the reading is within plus or minus ( $\pm$ ) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#13

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: E. McElroy      I.D. NUMBER: 16193      PAS MAKE/MODEL: Lifeloc FC20      PAS SERIAL NO.: 16080064

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS<br>TEMP (°C) |         | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |     | PAS<br>RETEST<br>RESULTS | OPERATOR | I.D. NO.  | REPAIRS/PROBLEMS/<br>COMMENTS |    |
|------------|------|--------------------------------------|-----------|------------------|---------|--------------------------------|-----------------------|-------------------------|-----|--------------------------|----------|-----------|-------------------------------|----|
|            |      | TEMP<br>(°C)                         | LOT NO.   | VALUE            | TEST #1 | TEST #2<br>(Optional)          | TEST #1<br>(Optional) | TEST #2<br>(Optional)   | YES |                          |          |           |                               | NO |
| 01/21/2022 | 1400 | 34                                   | 21BP41147 | 1.00             | 20      |                                | 098                   |                         |     |                          | X        | M. Tippet | 20137                         |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |           |                               |    |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#114

AREA NAME: South Los Angeles | AREA NO.: 530 | COORDINATOR NAME: E. McElroy | I.D. NUMBER: 16193 | PAS MAKE/MODEL: Lifeloc FC20 | PAS SERIAL NO.: 16080065

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |                       |       | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR  | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------------------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-----------|----------|---------------------------|
|            |      | TEMP (°C)                         | LOT NO.               | VALUE | TEST #1       | TEST #2 (Optional) | TEST #1 (Optional)          | TEST #2 (Optional) | YES                  | NO |                    |           |          |                           |
| 01/21/2022 | 1402 | 34                                | 21BP41147             | .100  | 20            |                    | 105                         |                    |                      | X  |                    | M. Tippet | 20137    |                           |
|            |      |                                   | Solution prepared by: |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   | Kyle Mathena          |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   | Date: 02-12-21        |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   | Expiration date:      |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   | 2-12-23               |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |                       |       |               |                    |                             |                    |                      |    |                    |           |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.  
 Destroy Previous Editions  
 Chp202k\_1108.pdf

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#15

AREA NAME: South Los Angeles | AREA NO: 530 | COORDINATOR NAME: E. McElroy | I.D. NUMBER: 16193 | PAS MAKE/MODEL: Lifeloc FC20 | PAS SERIAL NO: 16080069

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE   | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|--|------|--------------------------------------|-----------|---------------|---------|-----------------------------|--------------------|----------------------|-----|--------------------|------------|----------|-------------------------------|
|  |      | TEMP (°C)                            | LOT NO.   | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)   | YES |                    |            |          |                               |
| 01/21/2022   | 1408 | 34                                   | 21BP41147 | .100          | 20      | 102                         |                    |                      |     | X                  | M. Tippett | 20137    |                               |
| Solution prepared by:<br>Kyle Mathena<br>Date: 02-12-21<br>Expiration date:<br>2-12-23 |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|  |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.



STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#16

|                                |                 |                                |                                |
|--------------------------------|-----------------|--------------------------------|--------------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>E. McElroy | I.D. NUMBER<br>16193           |
|                                |                 |                                | PAS MAKE/MODEL<br>Lifoloc FC20 |
|                                |                 |                                | PAS SERIAL NO.<br>16080071     |

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|---------------|---------|-----------------------------|--------------------|----------------------|-----|--------------------|------------|----------|-------------------------------|
|            |      | TEMP (°C)                            | LOT NO.   | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)   | YES |                    |            |          |                               |
| 01/21/2022 | 1405 | 34                                   | 21BP41147 | .100          | 22      |                             | 1101               |                      |     | X                  | M. Tippett | 20137    |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |
|            |      |                                      |           |               |         |                             |                    |                      |     |                    |            |          |                               |

\* If the reading is within plus or minus ( $\pm$ ) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#17

AREA NAME: South Los Angeles    AREA NO.: 530    COORDINATOR NAME: E. McElroy    I.D. NUMBER: 16193    PAS MAKE/MODEL: Lifeloc FC20    PAS SERIAL NO.: 16080072

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |           |       | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR  | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-----------|----------|---------------------------|
|            |      | TEMP (°C)                         | LOT NO.   | VALUE | TEST #1       | TEST #2 (Optional) | TEST #1 (Optional)          | TEST #2 (Optional) | YES                  | NO |                    |           |          |                           |
| 01/21/2022 | 1416 | 34                                | 21BP41147 | .100  | 70            |                    | 099                         |                    |                      | X  |                    | M. Tippet | 20137    |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |
|            |      |                                   |           |       |               |                    |                             |                    |                      |    |                    |           |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#18

AREA NAME: South Los Angeles    AREA NO.: 530    COORDINATOR NAME: E. McElroy    I.D. NUMBER: 16193    PAS MAKE/MODEL: Lifeloc FC20    PAS SERIAL NO.: 16080075

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           |       | PAS<br>TEMP (°C)      |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |    | PAS<br>RETEST<br>RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|-------|-----------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|------------|----------|-------------------------------|
|            |      | TEMP<br>(°C)                         | LOT NO.   | VALUE | TEST #1<br>(Optional) | TEST #2<br>(Optional) | TEST #1<br>(Optional)          | TEST #2<br>(Optional) | YES                     | NO |                          |            |          |                               |
| 01/21/2022 | 1414 | 34                                   | 21BP41147 | .100  | 70                    |                       | .101                           |                       |                         |    | X                        | M. Tippett | 20137    |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#19

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: E. McElroy      I.D. NUMBER: 16193      PAS MAKE/MODEL: Lifeloc FC20      PAS SERIAL NO.: 16080077

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           |       | PAS<br>TEMP (°C) |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |    | PAS<br>RETEST<br>RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|-------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|------------|----------|-------------------------------|
|            |      | TEMP<br>(°C)                         | LOT NO.   | VALUE | TEST #1          | TEST #2<br>(Optional) | TEST #1<br>(Optional)          | TEST #2<br>(Optional) | YES                     | NO |                          |            |          |                               |
| 01/21/2022 | 1422 | 34                                   | 21BP41147 | .100  | 21               |                       | .099                           |                       |                         | X  |                          | M. Tippett | 20137    |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |
|            |      |                                      |           |       |                  |                       |                                |                       |                         |    |                          |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#20

AREA NAME: South Los Angeles | AREA NO: 530 | COORDINATOR NAME: E. McElroy | I.D. NUMBER: 16193 | PAS MAKE/MODEL: Lifeloc FC20 | PAS SERIAL NO: 16120175

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | TEMP (°C) | LOT NO.   | VALUE | PAS TEMP (°C)      |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------|-----------|-------|--------------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|------------|----------|---------------------------|
|            |      |           |           |       | TEST #1 (Optional) | TEST #2 (Optional) | TEST #1 (Optional)          | TEST #2 (Optional) | YES                  | NO |                    |            |          |                           |
| 01/21/2022 | 1421 | 34        | 21BP41147 | .100  | 20                 |                    | 096                         |                    |                      | X  |                    | M. Tippett | 20137    |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |
|            |      |           |           |       |                    |                    |                             |                    |                      |    |                    |            |          |                           |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.  
 Destroy Previous Editions  
 Chp202K\_1108.pdf

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#21

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: E. McElroy  
 I.D. NUMBER: 16193  
 PAS MAKE/MODEL: Lifaloc FC20  
 PAS SERIAL NO.: 16120177

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE                  | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS<br>TEMP. (°C) |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |     | PAS<br>RETEST<br>RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|-----------------------|------|--------------------------------------|-----------|-------------------|-----------------------|--------------------------------|-----------------------|-------------------------|-----|--------------------------|------------|----------|-------------------------------|
|                       |      | TEMP<br>(°C)                         | LOT NO.   | VALUE             | TEST #1<br>(Optional) | TEST #2<br>(Optional)          | TEST #1<br>(Optional) | TEST #2<br>(Optional)   | YES |                          |            |          |                               |
| 01/21/2022            | 1431 | 34                                   | 21BP41147 | .100              | 21                    |                                | .096                  |                         |     | X                        | M. Tippett | 20137    |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
| Solution prepared by: |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
| Kyle Mathena          |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
| Date: 02-12-21        |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
| Expiration date:      |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
| 2-12-23               |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |                   |                       |                                |                       |                         |     |                          |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#22

AREA NAME: South Los Angeles | AREA NO.: 530 | COORDINATOR NAME: E. McElroy | I.D. NUMBER: 16193 | PAS MAKE/MODEL: Lifeloc FC20 | PAS SERIAL NO.: 16120188

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | VALUE | PAS TEMP (°C)         |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |    | PAS<br>RETEST<br>RESULTS | OPERATOR  | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|-------|-----------------------|-----------------------|--------------------------------|-----------------------|-------------------------|----|--------------------------|-----------|----------|-------------------------------|
|            |      | TEMP<br>(°C)                         | LOT NO.   |       | TEST #1<br>(Optional) | TEST #2<br>(Optional) | TEST #1<br>(Optional)          | TEST #2<br>(Optional) | YES                     | NO |                          |           |          |                               |
| 01/21/2022 | 1430 | 34                                   | 21BP41147 | .100  | 21                    |                       | .098                           |                       |                         |    | X                        | M. Tippet | 20137    |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |
|            |      |                                      |           |       |                       |                       |                                |                       |                         |    |                          |           |          |                               |

Solution prepared by:  
 Kyle Mathena  
 Date: 02-12-21  
 Expiration date:  
 2-12-23

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

# 23

|                                |                 |                                |                     |                                |                                   |
|--------------------------------|-----------------|--------------------------------|---------------------|--------------------------------|-----------------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>E. McElroy | ID. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifeloc FC20 | PAS SERIAL NO.<br><i>16190189</i> |
|--------------------------------|-----------------|--------------------------------|---------------------|--------------------------------|-----------------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           |       | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|------------|----------|-------------------------------|
|            |      | TEMP (°C)                            | LOT NO.   | VALUE | TEST #1       | TEST #2 (Optional) | TEST #1 (Optional)          | TEST #2 (Optional) | YES                  | NO |                    |            |          |                               |
| 01/21/2022 | 1431 | 34                                   | 21BP41147 | .100  | 21            |                    | 108                         |                    |                      | X  |                    | M. Tippett | 20137    |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|            |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

Destroy Previous Editions

Chp202K\_1108.pdf



STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#24

|                                |                 |                                |                     |                                |                            |
|--------------------------------|-----------------|--------------------------------|---------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>E. McElroy | ID. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifeloc FC20 | PAS SERIAL NO.<br>16120194 |
|--------------------------------|-----------------|--------------------------------|---------------------|--------------------------------|----------------------------|

PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.

| DATE       | TIME   | TEMP<br>(°C) | SIMULATOR SOLUTION<br>(OR DRY GAS)** |         | VALUE | PAS<br>TEMP (°C)      |                       | PAS ACCURACY<br>CHECK RESULTS* |     | CALIBRATION<br>REQUIRED |   | PAS<br>RETEST<br>RESULTS | OPERATOR  | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|--------|--------------|--------------------------------------|---------|-------|-----------------------|-----------------------|--------------------------------|-----|-------------------------|---|--------------------------|-----------|----------|-------------------------------|
|            |        |              | LOT NO.                              | TEST #1 |       | TEST #2<br>(Optional) | TEST #1<br>(Optional) | TEST #2<br>(Optional)          | YES | NO                      |   |                          |           |          |                               |
| 01/21/2022 | 143434 |              | 21BP41147                            |         | .100  | 20                    |                       |                                | 098 |                         | X |                          | M. Tippet | 20137    |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |
|            |        |              |                                      |         |       |                       |                       |                                |     |                         |   |                          |           |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#25

AREA NAME: South Los Angeles | AREA NO.: 530 | COORDINATOR NAME: E. McElroy | I.D. NUMBER: 16193 | PAS MAKE/MODEL: Lifeloc FC20 | PAS SERIAL NO.: 16120195

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE                  | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS TEMP (°C) |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |     | PAS<br>RETEST<br>RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|-----------------------|------|--------------------------------------|-----------|---------------|-----------------------|--------------------------------|-----------------------|-------------------------|-----|--------------------------|------------|----------|-------------------------------|
|                       |      | TEMP<br>(°C)                         | LOT NO.   | VALUE         | TEST #1<br>(Optional) | TEST #2<br>(Optional)          | TEST #1<br>(Optional) | TEST #2<br>(Optional)   | YES |                          |            |          |                               |
| 01/21/2022            | 1441 | 34                                   | 21BP41147 | .100          | 21                    |                                | 092                   |                         |     | X                        | M. Tippett | 20137    |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
| Solution prepared by: |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
| Kyle Mathena          |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
| Date: 02-12-21        |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
| Expiration date:      |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
| 2-12-23               |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |
|                       |      |                                      |           |               |                       |                                |                       |                         |     |                          |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#26

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: E. McElroy      I.D. NUMBER: 16193      PAS MAKE/MODEL: Lifeloc FC20      PAS SERIAL NO.: 16/20197

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE                     | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS<br>TEMP (°C) |                       | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |     | PAS<br>RETEST<br>RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|--------------------------|------|--------------------------------------|-----------|------------------|-----------------------|--------------------------------|-----------------------|-------------------------|-----|--------------------------|------------|----------|-------------------------------|
|                          |      | TEMP<br>(°C)                         | LOT NO.   | VALUE            | TEST #1<br>(Optional) | TEST #2<br>(Optional)          | TEST #1<br>(Optional) | TEST #2<br>(Optional)   | YES |                          |            |          |                               |
| 01/21/2022               | 1446 | 34                                   | 21BP41147 | .100             | 20                    |                                | 092                   |                         |     |                          | M. Tippett | 20137    |                               |
| Solution prepared by:    |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
| Kyle Mathena             |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
| Date: 02-12-21           |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
| Expiration date: 2-12-23 |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |
|                          |      |                                      |           |                  |                       |                                |                       |                         |     |                          |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

Destroy Previous Editions

Chp202K\_1108.pdf

STATE OF CALIFORNIA  
 DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
 CHP 202K (Rev. 8-08) OPI 051

#27

AREA NAME: South Los Angeles | AREA NO.: 530 | COORDINATOR NAME: E. McElroy | I.D. NUMBER: 16193 | PAS MAKE/MODEL: Liebel FC20 | PAS SERIAL NO.: 17170066

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME   | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR | I.D. NO.   | REPAIRS/PROBLEMS/<br>COMMENTS |    |
|------------|--------|--------------------------------------|-----------|---------------|---------|-----------------------------|--------------------|----------------------|-----|--------------------|----------|------------|-------------------------------|----|
|            |        | TEMP (°C)                            | LOT NO.   | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)   | YES |                    |          |            |                               | NO |
| 01/21/2022 | 145734 |                                      | 21BP41147 | .100          | 20      |                             | 1.098              |                      |     | X                  |          | M. Tippett | 20137                         |    |
|            |        | Solution prepared by: Kyle Mathena   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        | Date: 02-12-21                       |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        | Expiration date: 2-12-23             |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |        |                                      |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

STATE OF CALIFORNIA  
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
CHIP 202K (Rev. 8-08) OPI 051

#28

|                                |                 |                                |                      |                                |                            |
|--------------------------------|-----------------|--------------------------------|----------------------|--------------------------------|----------------------------|
| AREA NAME<br>South Los Angeles | AREA NO.<br>530 | COORDINATOR NAME<br>E. McElroy | I.D. NUMBER<br>16193 | PAS MAKE/MODEL<br>Lifeloc FC20 | PAS SERIAL NO.<br>17170150 |
|--------------------------------|-----------------|--------------------------------|----------------------|--------------------------------|----------------------------|

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |           | PAS TEMP (°C) |         | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |     | PAS RETEST RESULTS | OPERATOR | I.D. NO.   | REPAIRS/PROBLEMS/<br>COMMENTS |    |
|------------|------|-----------------------------------|-----------|---------------|---------|-----------------------------|--------------------|----------------------|-----|--------------------|----------|------------|-------------------------------|----|
|            |      | TEMP (°C)                         | LOT NO.   | VALUE         | TEST #1 | TEST #2 (Optional)          | TEST #1 (Optional) | TEST #2 (Optional)   | YES |                    |          |            |                               | NO |
| 01/21/2022 | 1457 | 54                                | 21BP41147 | .100          | 20      |                             | .099               |                      |     |                    | X        | M. Tippett | 20137                         |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |
|            |      |                                   |           |               |         |                             |                    |                      |     |                    |          |            |                               |    |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

#29

AREA NAME: South Los Angeles    AREA NO: 530    COORDINATOR NAME: E. McElroy    I.D. NUMBER: 16193    PAS MAKE/MODEL: Lifeloc FC20    PAS SERIAL NO: 17170155

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE   | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           |       | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR   | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|--|------|--------------------------------------|-----------|-------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|------------|----------|-------------------------------|
|  |      | TEMP (°C)                            | LOT NO.   | VALUE | TEST #1       | TEST #2 (Optional) | TEST #1 (Optional)          | TEST #2 (Optional) | YES                  | NO |                    |            |          |                               |
| 01/21/2022   | 1459 | 34                                   | 21BP41147 | .100  | 19            |                    | 098                         |                    | X                    |    |                    | M. Tippett | 20137    |                               |
| Solution prepared by:<br>Kyle Mathena<br>Date: 02-12-21<br>Expiration date:<br>2-12-23 |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |
|  |      |                                      |           |       |               |                    |                             |                    |                      |    |                    |            |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.  
Destroy Previous Editions

STATE OF CALIFORNIA  
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL  
**PRELIMINARY ALCOHOL SCREENING (PAS) DEVICE ACCURACY CHECK/CALIBRATION LOG**  
CHP 202K (Rev. 8-08) OPI 051

# 30

AREA NAME: South Los Angeles      AREA NO.: 530      COORDINATOR NAME: E. McElroy      I.D. NUMBER: 16193      PAS MAKE/MODEL: Lifeloc FC20      PAS SERIAL NO.:

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION (OR DRY GAS)** |           | PAS TEMP (°C) |                    | PAS ACCURACY CHECK RESULTS* |                    | CALIBRATION REQUIRED |    | PAS RETEST RESULTS | OPERATOR  | I.D. NO. | REPAIRS/PROBLEMS/COMMENTS |
|------------|------|-----------------------------------|-----------|---------------|--------------------|-----------------------------|--------------------|----------------------|----|--------------------|-----------|----------|---------------------------|
|            |      | TEMP (°C)                         | LOT NO.   | TEST #1       | TEST #2 (Optional) | TEST #1 (Optional)          | TEST #2 (Optional) | YES                  | NO |                    |           |          |                           |
| 01/21/2022 |      |                                   | 21BP41147 |               | .100               |                             |                    |                      |    |                    | M. Tippet | 20137    | DEVICE IN SERVICE         |

Solution prepared by:  
Kyle Mathena  
Date: 02-12-21  
Expiration date:  
2-12-23

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
\*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.

AREA NAME: South Los Angeles  
 AREA NO.: 530  
 COORDINATOR NAME: E. McElroy  
 I.D. NUMBER: 16193  
 PAS MAKE/MODEL: Lifeloc FC20  
 PAS SERIAL NO.: 17170064

*#31*

**PAS DEVICES SHALL BE CHECKED FOR ACCURACY EVERY 10 DAYS OR EVERY 150 TESTS, WHICHEVER OCCURS FIRST.**

| DATE       | TIME | SIMULATOR SOLUTION<br>(OR DRY GAS)** |           | PAS<br>TEMP (°C) |         | PAS ACCURACY<br>CHECK RESULTS* |                       | CALIBRATION<br>REQUIRED |     | PAS<br>RETEST<br>RESULTS | OPERATOR | I.D. NO. | REPAIRS/PROBLEMS/<br>COMMENTS |
|------------|------|--------------------------------------|-----------|------------------|---------|--------------------------------|-----------------------|-------------------------|-----|--------------------------|----------|----------|-------------------------------|
|            |      | TEMP<br>(°C)                         | LOT NO.   | VALUE            | TEST #1 | TEST #2<br>(Optional)          | TEST #1<br>(Optional) | TEST #2<br>(Optional)   | YES |                          |          |          |                               |
| 01/21/2022 | 1455 | 34                                   | 21BP41147 | .100             | 19      |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |
|            |      |                                      |           |                  |         |                                |                       |                         |     |                          |          |          |                               |

\* If the reading is within plus or minus (±) 0.010 percent of the actual value of the alcohol solution, no calibration is required (e.g., with a 0.100 percent solution, an acceptable range is 0.090 to 0.110).  
 \*\* If using dry gas for accuracy checks, note the canister serial number in the lot no. column. If needed, calibration shall be performed with a wet bath simulator.